

PES UNIVERSITY, BENGALURU

Department of Computer Science and Engineering
B.Tech. Computer Science and Engineering | V Semester
UE24CS341A — SOFTWARE ENGINEERING (JACKFRUIT)

JIRA BACKLOG

ChargeSlot — EV Charging Station Finder with Slot Dashboard and Auto-Booking System

Team Number: 19 | Project ID: 37 | Team Name: NoteWare

Member	SRN	Owned functionality
Vaibhav Tulsian	PES2UG24AM176	User Accounts, Vehicle Profile and Access Control
Atharva Ravi Jamakhandi	PES2UG24AM196	Station Discovery, Navigation and Real-Time Slot Dashboard
Velkur Tanisha Reddy	PES2UG24AM181	Battery-Aware Booking and Auto-Booking
Vaishnavi Singh	PES2UG24AM177	Payments, Billing and Usage Analytics

Document version: 0.1 (proposed / pre-implementation) | 1 October 2026
Source: ChargeSlot SRS v1.0 (5 September 2026) and Jackfruit SE Guidelines 2026.

Revision History

Name	Date	Reason for Changes	Version
Team NoteWare	1 October 2026	Initial planning draft; implementation and validation pending	0.1

1. Purpose and Source

Proposed Jira-ready backlog, not an export from a populated Jira board. Each of the 113 SRS functional requirements has one traceable proposed user story. Estimates, sprints and dependencies are planning decisions and must be approved by the team.

2. Board Conventions

Project key CS19 (proposed); Epic = architecture subsection; Story = user-observable requirement; Task = implementation chore; Bug = reproducible deviation; Spike = time-boxed research. Labels: f1-auth, f2-stations, f3-booking, f4-billing, security, integration, simulator, ci, blocked. Story point scale 1, 2, 3, 5, 8, 13; no hour-to-point conversion.

3. Workflow and Definition of Done

Workflow: Backlog → Ready → In Progress → In Review → QA → Done; Blocked is a flag, not a completion state. Strict DoD: SRS acceptance criterion demonstrated; code and test cases merged by reviewed PR; automated pytest suite green; required negative authorization and boundary tests run; SonarQube issues triaged; Jenkins pipeline green; Docker build reproducible; API schema updated; owner and reviewer sign off; evidence and traceability attached. No story is Done while implementation is absent.

4. Estimation Basis

Reference stories (proposed): 2 SP = deterministic validation or filter; 3 SP = isolated CRUD/helper; 5 SP = one persistence-backed feature; 8 SP = cross-service, payment, concurrency or realtime integration; 13 SP reserved for work requiring decomposition. Estimates assume simulator and gateway sandbox availability and are not measured velocity.

5. Epic and User Story Backlog

5.1 Auth

CS19-001 | Story | Register account | 5 SP | Medium | Sprint 1 | Vaibhav Tulsian | REQ-F1-01

As a Driver, I want to register account so that the ChargeSlot workflow meets REQ-F1-01. Acceptance: (1) supported valid case matches SRS REQ-F1-01; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-002 | Story | Password policy | 3 SP | Medium | Sprint 1 | Vaibhav Tulsian | REQ-F1-02

As a Driver, I want to password policy so that the ChargeSlot workflow meets REQ-F1-02. Acceptance: (1) supported valid case matches SRS REQ-F1-02; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-003 | Story | Verify contact details | 3 SP | Medium | Sprint 1 | Vaibhav Tulsian | REQ-F1-03

As a Driver, I want to verify contact details so that the ChargeSlot workflow meets REQ-F1-03. Acceptance: (1) supported valid case matches SRS REQ-F1-03; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-004 | Story | Login and tokens | 5 SP | High | Sprint 1 | Vaibhav Tulsian | REQ-F1-04

As a Driver, I want to login and tokens so that the ChargeSlot workflow meets REQ-F1-04. Acceptance: (1) supported valid case matches SRS REQ-F1-04; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-005 | Story | Login lockout | 3 SP | High | Sprint 1 | Vaibhav Tulsian | REQ-F1-05

As a Driver, I want to login lockout so that the ChargeSlot workflow meets REQ-F1-05. Acceptance: (1) supported valid case matches SRS REQ-F1-05; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-006 | Story | Password reset | 3 SP | Medium | Sprint 1 | Vaibhav Tulsian | REQ-F1-06

As a Driver, I want to password reset so that the ChargeSlot workflow meets REQ-F1-06. Acceptance: (1) supported valid case matches SRS REQ-F1-06; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-007 | Story | Logout | 2 SP | Medium | Sprint 1 | Vaibhav Tulsian | REQ-F1-07

As a Driver, I want to logout so that the ChargeSlot workflow meets REQ-F1-07. Acceptance: (1) supported valid case matches SRS REQ-F1-07; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-008 | Story | Reject duplicate account | 3 SP | Medium | Sprint 1 | Vaibhav Tulsian | REQ-F1-08

As a Driver, I want to reject duplicate account so that the ChargeSlot workflow meets REQ-F1-08. Acceptance: (1) supported valid case matches SRS REQ-F1-08; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-009 | Story | Generic login error | 3 SP | High | Sprint 1 | Vaibhav Tulsian | REQ-F1-09

As a Driver, I want to generic login error so that the ChargeSlot workflow meets REQ-F1-09. Acceptance: (1) supported valid case matches SRS REQ-F1-09; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-010 | Story | Assign one role | 5 SP | Medium | Sprint 1 | Vaibhav Tulsian | REQ-F1-10

As a Driver, I want to assign one role so that the ChargeSlot workflow meets REQ-F1-10. Acceptance: (1) supported valid case matches SRS REQ-F1-10; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-011 | Story | Server-side RBAC | 3 SP | High | Sprint 1 | Vaibhav Tulsian | REQ-F1-11

As a Driver, I want to server-side rbac so that the ChargeSlot workflow meets REQ-F1-11. Acceptance: (1) supported valid case matches SRS REQ-F1-11; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-012 | Story | Operator data scope | 3 SP | High | Sprint 1 | Vaibhav Tulsian | REQ-F1-12

As a Driver, I want to operator data scope so that the ChargeSlot workflow meets REQ-F1-12. Acceptance: (1) supported valid case matches SRS REQ-F1-12; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-013 | Story | Admin user management | 5 SP | Medium | Sprint 1 | Vaibhav Tulsian | REQ-F1-13

As a Driver, I want to admin user management so that the ChargeSlot workflow meets REQ-F1-13. Acceptance: (1) supported valid case matches SRS REQ-F1-13; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-014 | Story | Audit user actions | 5 SP | Medium | Sprint 1 | Vaibhav Tulsian | REQ-F1-14

As a Driver, I want to audit user actions so that the ChargeSlot workflow meets REQ-F1-14. Acceptance: (1) supported valid case matches SRS REQ-F1-14; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-015 | Story | Operator onboarding | 3 SP | Medium | Sprint 1 | Vaibhav Tulsian | REQ-F1-15

As a Driver, I want to operator onboarding so that the ChargeSlot workflow meets REQ-F1-15. Acceptance: (1) supported valid case matches SRS REQ-F1-15; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

5.2 Profile

CS19-016 | Story | Edit profile and preferences | 3 SP | Medium | Sprint 2 | Vaibhav Tulsian | REQ-F1-16

As a Driver, I want to edit profile and preferences so that the ChargeSlot workflow meets REQ-F1-16. Acceptance: (1) supported valid case matches SRS REQ-F1-16; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-017 | Story | Profile validation | 2 SP | Medium | Sprint 2 | Vaibhav Tulsian | REQ-F1-17

As a Driver, I want to profile validation so that the ChargeSlot workflow meets REQ-F1-17. Acceptance: (1) supported valid case matches SRS REQ-F1-17; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-018 | Story | Manual location fallback | 3 SP | Medium | Sprint 2 | Vaibhav Tulsian | REQ-F1-18

As a Driver, I want to manual location fallback so that the ChargeSlot workflow meets REQ-F1-18. Acceptance: (1) supported valid case matches SRS REQ-F1-18; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-019 | Story | Location retention limit | 3 SP | Medium | Sprint 2 | Vaibhav Tulsian | REQ-F1-19

As a Driver, I want to location retention limit so that the ChargeSlot workflow meets REQ-F1-19. Acceptance: (1) supported valid case matches SRS REQ-F1-19; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-020 | Story | Account deletion | 3 SP | Medium | Sprint 2 | Vaibhav Tulsian | REQ-F1-20

As a Driver, I want to account deletion so that the ChargeSlot workflow meets REQ-F1-20. Acceptance: (1) supported valid case matches SRS REQ-F1-20; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

5.3 Vehicles

CS19-021 | Story | Vehicle CRUD | 3 SP | Medium | Sprint 2 | Vaibhav Tulsian | REQ-F1-21

As a Driver, I want to vehicle crud so that the ChargeSlot workflow meets REQ-F1-21. Acceptance: (1) supported valid case matches SRS REQ-F1-21; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-022 | Story | Vehicle limit and default | 3 SP | Medium | Sprint 2 | Vaibhav Tulsian | REQ-F1-22

As a Driver, I want to vehicle limit and default so that the ChargeSlot workflow meets REQ-F1-22. Acceptance: (1) supported valid case matches SRS REQ-F1-22; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-023 | Story | Preset EV models | 3 SP | Medium | Sprint 2 | Vaibhav Tulsian | REQ-F1-23

As a Driver, I want to preset ev models so that the ChargeSlot workflow meets REQ-F1-23. Acceptance: (1) supported valid case matches SRS REQ-F1-23; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-024 | Story | Vehicle value validation | 2 SP | Medium | Sprint 2 | Vaibhav Tulsian | REQ-F1-24

As a Driver, I want to vehicle value validation so that the ChargeSlot workflow meets REQ-F1-24. Acceptance: (1) supported valid case matches SRS REQ-F1-24; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-025 | Story | Protect booked vehicle | 3 SP | Medium | Sprint 2 | Vaibhav Tulsian | REQ-F1-25

As a Driver, I want to protect booked vehicle so that the ChargeSlot workflow meets REQ-F1-25. Acceptance: (1) supported valid case matches SRS REQ-F1-25; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-026 | Story | Driver sees own data only | 3 SP | Medium | Sprint 2 | Vaibhav Tulsian | REQ-F1-26

As a Driver, I want to driver sees own data only so that the ChargeSlot workflow meets REQ-F1-26. Acceptance: (1) supported valid case matches SRS REQ-F1-26; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

5.4 Stations

CS19-027 | Story | Station CRUD | 5 SP | High | Sprint 2 | Atharva Ravi Jamakhandi | REQ-F2-01

As a Station Operator or Driver, I want to station crud so that the ChargeSlot workflow meets REQ-F2-01. Acceptance: (1) supported valid case matches SRS REQ-F2-01; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-028 | Story | Charger and connector CRUD | 3 SP | High | Sprint 2 | Atharva Ravi Jamakhandi | REQ-F2-02

As a Station Operator or Driver, I want to charger and connector crud so that the ChargeSlot workflow meets REQ-F2-02. Acceptance: (1) supported valid case matches SRS REQ-F2-02; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-029 | Story | Station approval gate | 5 SP | Medium | Sprint 2 | Atharva Ravi Jamakhandi | REQ-F2-03

As a Station Operator or Driver, I want to station approval gate so that the ChargeSlot workflow meets REQ-F2-03. Acceptance: (1) supported valid case matches SRS REQ-F2-03; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-030 | Story | Station validation | 2 SP | Medium | Sprint 2 | Atharva Ravi Jamakhandi | REQ-F2-04

As a Station Operator or Driver, I want to station validation so that the ChargeSlot workflow meets REQ-F2-04. Acceptance: (1) supported valid case matches SRS REQ-F2-04; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-031 | Story | Out-of-service marking | 3 SP | Medium | Sprint 2 | Atharva Ravi Jamakhandi | REQ-F2-05

As a Station Operator or Driver, I want to out-of-service marking so that the ChargeSlot workflow meets REQ-F2-05. Acceptance: (1) supported valid case matches SRS REQ-F2-05; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-032 | Story | Maintenance windows | 3 SP | Medium | Sprint 2 | Atharva Ravi Jamakhandi | REQ-F2-06

As a Station Operator or Driver, I want to maintenance windows so that the ChargeSlot workflow meets REQ-F2-06. Acceptance: (1) supported valid case matches SRS REQ-F2-06; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

5.5 Discovery

CS19-033 | Story | Nearby station search | 5 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-07

As a Station Operator or Driver, I want to nearby station search so that the ChargeSlot workflow meets REQ-F2-07. Acceptance: (1) supported valid case matches SRS REQ-F2-07; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-034 | Story | Availability markers | 3 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-08

As a Station Operator or Driver, I want to availability markers so that the ChargeSlot workflow meets REQ-F2-08. Acceptance: (1) supported valid case matches SRS REQ-F2-08; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-035 | Story | Filter stations | 2 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-09

As a Station Operator or Driver, I want to filter stations so that the ChargeSlot workflow meets REQ-F2-09. Acceptance: (1) supported valid case matches SRS REQ-F2-09; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-036 | Story | Sort stations | 2 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-10

As a Station Operator or Driver, I want to sort stations so that the ChargeSlot workflow meets REQ-F2-10. Acceptance: (1) supported valid case matches SRS REQ-F2-10; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-037 | Story | Text search | 2 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-11

As a Station Operator or Driver, I want to text search so that the ChargeSlot workflow meets REQ-F2-11. Acceptance: (1) supported valid case matches SRS REQ-F2-11; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-038 | Story | Pagination and clustering | 3 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-12

As a Station Operator or Driver, I want to pagination and clustering so that the ChargeSlot workflow meets REQ-F2-12. Acceptance: (1) supported valid case matches SRS REQ-F2-12; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-039 | Story | Station detail | 5 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-13

As a Station Operator or Driver, I want to station detail so that the ChargeSlot workflow meets REQ-F2-13. Acceptance: (1) supported valid case matches SRS REQ-F2-13; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-040 | Story | Favourite stations | 2 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-14

As a Station Operator or Driver, I want to favourite stations so that the ChargeSlot workflow meets REQ-F2-14. Acceptance: (1) supported valid case matches SRS REQ-F2-14; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-041 | Story | Rate a station | 5 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-15

As a Station Operator or Driver, I want to rate a station so that the ChargeSlot workflow meets REQ-F2-15. Acceptance: (1) supported valid case matches SRS REQ-F2-15; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-042 | Story | Report faulty charger | 3 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-16

As a Station Operator or Driver, I want to report faulty charger so that the ChargeSlot workflow meets REQ-F2-16. Acceptance: (1) supported valid case matches SRS REQ-F2-16; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

5.6 Dashboard

CS19-043 | Story | Ingest connector status | 3 SP | High | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-17

As a Station Operator or Driver, I want to ingest connector status so that the ChargeSlot workflow meets REQ-F2-17. Acceptance: (1) supported valid case matches SRS REQ-F2-17; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-044 | Story | Live status display | 2 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-18

As a Station Operator or Driver, I want to live status display so that the ChargeSlot workflow meets REQ-F2-18. Acceptance: (1) supported valid case matches SRS REQ-F2-18; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-045 | Story | Live status push | 8 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-19

As a Station Operator or Driver, I want to live status push so that the ChargeSlot workflow meets REQ-F2-19. Acceptance: (1) supported valid case matches SRS REQ-F2-19; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-046 | Story | Stale status handling | 3 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-20

As a Station Operator or Driver, I want to stale status handling so that the ChargeSlot workflow meets REQ-F2-20. Acceptance: (1) supported valid case matches SRS REQ-F2-20; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-047 | Story | Reserved status | 3 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-21

As a Station Operator or Driver, I want to reserved status so that the ChargeSlot workflow meets REQ-F2-21. Acceptance: (1) supported valid case matches SRS REQ-F2-21; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-048 | Story | Slot generation | 5 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-22

As a Station Operator or Driver, I want to slot generation so that the ChargeSlot workflow meets REQ-F2-22. Acceptance: (1) supported valid case matches SRS REQ-F2-22; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-049 | Story | Slot timeline | 5 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-23

As a Station Operator or Driver, I want to slot timeline so that the ChargeSlot workflow meets REQ-F2-23. Acceptance: (1) supported valid case matches SRS REQ-F2-23; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-050 | Story | Estimated wait time | 3 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-24

As a Station Operator or Driver, I want to estimated wait time so that the ChargeSlot workflow meets REQ-F2-24. Acceptance: (1) supported valid case matches SRS REQ-F2-24; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

5.7 Navigation

CS19-051 | Story | Route preview | 8 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-25

As a Station Operator or Driver, I want to route preview so that the ChargeSlot workflow meets REQ-F2-25. Acceptance: (1) supported valid case matches SRS REQ-F2-25; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-052 | Story | Navigation hand-off | 3 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-26

As a Station Operator or Driver, I want to navigation hand-off so that the ChargeSlot workflow meets REQ-F2-26. Acceptance: (1) supported valid case matches SRS REQ-F2-26; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-053 | Story | ETA versus slot check | 5 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-27

As a Station Operator or Driver, I want to eta versus slot check so that the ChargeSlot workflow meets REQ-F2-27. Acceptance: (1) supported valid case matches SRS REQ-F2-27; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-054 | Story | Route cache and fallback | 8 SP | Medium | Sprint 3 | Atharva Ravi Jamakhandi | REQ-F2-28

As a Station Operator or Driver, I want to route cache and fallback so that the ChargeSlot workflow meets REQ-F2-28. Acceptance: (1) supported valid case matches SRS REQ-F2-28; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

5.8 Booking

CS19-055 | Story | Battery level input | 3 SP | Medium | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-01

As a Driver, I want to battery level input so that the ChargeSlot workflow meets REQ-F3-01. Acceptance: (1) supported valid case matches SRS REQ-F3-01; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-056 | Story | Battery input validation | 2 SP | Medium | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-02

As a Driver, I want to battery input validation so that the ChargeSlot workflow meets REQ-F3-02. Acceptance: (1) supported valid case matches SRS REQ-F3-02; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-057 | Story | Usable range calculation | 3 SP | Medium | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-03

As a Driver, I want to usable range calculation so that the ChargeSlot workflow meets REQ-F3-03. Acceptance: (1) supported valid case matches SRS REQ-F3-03; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-058 | Story | Reachability filter | 2 SP | Medium | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-04

As a Driver, I want to reachability filter so that the ChargeSlot workflow meets REQ-F3-04. Acceptance: (1) supported valid case matches SRS REQ-F3-04; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-059 | Story | Connector compatibility | 3 SP | High | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-05

As a Driver, I want to connector compatibility so that the ChargeSlot workflow meets REQ-F3-05. Acceptance: (1) supported valid case matches SRS REQ-F3-05; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-060 | Story | Energy estimate | 3 SP | Medium | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-06

As a Driver, I want to energy estimate so that the ChargeSlot workflow meets REQ-F3-06. Acceptance: (1) supported valid case matches SRS REQ-F3-06; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-061 | Story | Charging time estimate | 3 SP | Medium | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-07

As a Driver, I want to charging time estimate so that the ChargeSlot workflow meets REQ-F3-07. Acceptance: (1) supported valid case matches SRS REQ-F3-07; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-062 | Story | Slot length rule | 5 SP | Medium | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-08

As a Driver, I want to slot length rule so that the ChargeSlot workflow meets REQ-F3-08. Acceptance: (1) supported valid case matches SRS REQ-F3-08; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-063 | Story | Cost estimate | 3 SP | Medium | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-09

As a Driver, I want to cost estimate so that the ChargeSlot workflow meets REQ-F3-09. Acceptance: (1) supported valid case matches SRS REQ-F3-09; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-064 | Story | Recommended slots | 5 SP | Medium | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-10

As a Driver, I want to recommended slots so that the ChargeSlot workflow meets REQ-F3-10. Acceptance: (1) supported valid case matches SRS REQ-F3-10; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-065 | Story | Manual slot choice | 5 SP | Medium | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-11

As a Driver, I want to manual slot choice so that the ChargeSlot workflow meets REQ-F3-11. Acceptance: (1) supported valid case matches SRS REQ-F3-11; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-066 | Story | Slot hold | 5 SP | High | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-12

As a Driver, I want to slot hold so that the ChargeSlot workflow meets REQ-F3-12. Acceptance: (1) supported valid case matches SRS REQ-F3-12; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-067 | Story | No double booking | 8 SP | High | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-13

As a Driver, I want to no double booking so that the ChargeSlot workflow meets REQ-F3-13. Acceptance: (1) supported valid case matches SRS REQ-F3-13; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-068 | Story | Driver overlap rule | 3 SP | Medium | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-14

As a Driver, I want to driver overlap rule so that the ChargeSlot workflow meets REQ-F3-14. Acceptance: (1) supported valid case matches SRS REQ-F3-14; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-069 | Story | Confirm booking | 5 SP | High | Sprint 4 | Velkur Tanisha Reddy | REQ-F3-15

As a Driver, I want to confirm booking so that the ChargeSlot workflow meets REQ-F3-15. Acceptance: (1) supported valid case matches SRS REQ-F3-15; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-076 | Story | Booking state machine | 5 SP | High | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-22

As a Driver, I want to booking state machine so that the ChargeSlot workflow meets REQ-F3-22. Acceptance: (1) supported valid case matches SRS REQ-F3-22; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-077 | Story | Modify booking | 5 SP | High | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-23

As a Driver, I want to modify booking so that the ChargeSlot workflow meets REQ-F3-23. Acceptance: (1) supported valid case matches SRS REQ-F3-23; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-078 | Story | Cancel booking | 5 SP | High | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-24

As a Driver, I want to cancel booking so that the ChargeSlot workflow meets REQ-F3-24. Acceptance: (1) supported valid case matches SRS REQ-F3-24; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-079 | Story | No-show handling | 3 SP | Medium | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-25

As a Driver, I want to no-show handling so that the ChargeSlot workflow meets REQ-F3-25. Acceptance: (1) supported valid case matches SRS REQ-F3-25; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-080 | Story | Auto-rebooking | 5 SP | High | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-26

As a Driver, I want to auto-rebooking so that the ChargeSlot workflow meets REQ-F3-26. Acceptance: (1) supported valid case matches SRS REQ-F3-26; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

5.9 AutoBook

CS19-070 | Story | Auto-book action | 8 SP | Medium | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-16

As a Driver, I want to auto-book action so that the ChargeSlot workflow meets REQ-F3-16. Acceptance: (1) supported valid case matches SRS REQ-F3-16; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-071 | Story | Weighted slot scoring | 5 SP | Medium | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-17

As a Driver, I want to weighted slot scoring so that the ChargeSlot workflow meets REQ-F3-17. Acceptance: (1) supported valid case matches SRS REQ-F3-17; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-072 | Story | Explain the choice | 3 SP | Medium | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-18

As a Driver, I want to explain the choice so that the ChargeSlot workflow meets REQ-F3-18. Acceptance: (1) supported valid case matches SRS REQ-F3-18; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-073 | Story | Confirmation modes | 3 SP | Medium | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-19

As a Driver, I want to confirmation modes so that the ChargeSlot workflow meets REQ-F3-19. Acceptance: (1) supported valid case matches SRS REQ-F3-19; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-074 | Story | Low-battery trigger | 3 SP | Medium | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-20

As a Driver, I want to low-battery trigger so that the ChargeSlot workflow meets REQ-F3-20. Acceptance: (1) supported valid case matches SRS REQ-F3-20; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-075 | Story | No-slot handling | 5 SP | Medium | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-21

As a Driver, I want to no-slot handling so that the ChargeSlot workflow meets REQ-F3-21. Acceptance: (1) supported valid case matches SRS REQ-F3-21; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

5.10 Session

CS19-081 | Story | Check-in | 3 SP | Medium | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-27

As a Driver, I want to check-in so that the ChargeSlot workflow meets REQ-F3-27. Acceptance: (1) supported valid case matches SRS REQ-F3-27; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-082 | Story | Remote start | 8 SP | Medium | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-28

As a Driver, I want to remote start so that the ChargeSlot workflow meets REQ-F3-28. Acceptance: (1) supported valid case matches SRS REQ-F3-28; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-083 | Story | Live session monitor | 8 SP | Medium | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-29

As a Driver, I want to live session monitor so that the ChargeSlot workflow meets REQ-F3-29. Acceptance: (1) supported valid case matches SRS REQ-F3-29; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-084 | Story | Stop session | 8 SP | Medium | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-30

As a Driver, I want to stop session so that the ChargeSlot workflow meets REQ-F3-30. Acceptance: (1) supported valid case matches SRS REQ-F3-30; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-085 | Story | Start failure handling | 3 SP | Medium | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-31

As a Driver, I want to start failure handling so that the ChargeSlot workflow meets REQ-F3-31. Acceptance: (1) supported valid case matches SRS REQ-F3-31; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-086 | Story | Idle fee | 3 SP | Medium | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-32

As a Driver, I want to idle fee so that the ChargeSlot workflow meets REQ-F3-32. Acceptance: (1) supported valid case matches SRS REQ-F3-32; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-087 | Story | Booking notifications | 5 SP | High | Sprint 5 | Velkur Tanisha Reddy | REQ-F3-33

As a Driver, I want to booking notifications so that the ChargeSlot workflow meets REQ-F3-33. Acceptance: (1) supported valid case matches SRS REQ-F3-33; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

5.11 Payments

CS19-088 | Story | Payment methods | 8 SP | High | Sprint 6 | Vaishnavi Singh | REQ-F4-01

As a Driver or Station Operator, I want to payment methods so that the ChargeSlot workflow meets REQ-F4-01. Acceptance: (1) supported valid case matches SRS REQ-F4-01; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-089 | Story | Tokenised payment methods | 8 SP | High | Sprint 6 | Vaishnavi Singh | REQ-F4-02

As a Driver or Station Operator, I want to tokenised payment methods so that the ChargeSlot workflow meets REQ-F4-02. Acceptance: (1) supported valid case matches SRS REQ-F4-02; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-090 | Story | Remove payment method | 8 SP | High | Sprint 6 | Vaishnavi Singh | REQ-F4-03

As a Driver or Station Operator, I want to remove payment method so that the ChargeSlot workflow meets REQ-F4-03. Acceptance: (1) supported valid case matches SRS REQ-F4-03; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

5.12 Billing

CS19-091 | Story | Reservation fee | 3 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-04

As a Driver or Station Operator, I want to reservation fee so that the ChargeSlot workflow meets REQ-F4-04. Acceptance: (1) supported valid case matches SRS REQ-F4-04; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-092 | Story | Final bill computation | 3 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-05

As a Driver or Station Operator, I want to final bill computation so that the ChargeSlot workflow meets REQ-F4-05. Acceptance: (1) supported valid case matches SRS REQ-F4-05; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-093 | Story | Tariff snapshot | 3 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-06

As a Driver or Station Operator, I want to tariff snapshot so that the ChargeSlot workflow meets REQ-F4-06. Acceptance: (1) supported valid case matches SRS REQ-F4-06; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-094 | Story | Settle balance | 8 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-07

As a Driver or Station Operator, I want to settle balance so that the ChargeSlot workflow meets REQ-F4-07. Acceptance: (1) supported valid case matches SRS REQ-F4-07; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-095 | Story | Refunds | 8 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-08

As a Driver or Station Operator, I want to refunds so that the ChargeSlot workflow meets REQ-F4-08. Acceptance: (1) supported valid case matches SRS REQ-F4-08; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-096 | Story | Payment records | 8 SP | High | Sprint 6 | Vaishnavi Singh | REQ-F4-09

As a Driver or Station Operator, I want to payment records so that the ChargeSlot workflow meets REQ-F4-09. Acceptance: (1) supported valid case matches SRS REQ-F4-09; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-097 | Story | Idempotent retry | 3 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-10

As a Driver or Station Operator, I want to idempotent retry so that the ChargeSlot workflow meets REQ-F4-10. Acceptance: (1) supported valid case matches SRS REQ-F4-10; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-098 | Story | Webhook verification | 8 SP | High | Sprint 6 | Vaishnavi Singh | REQ-F4-11

As a Driver or Station Operator, I want to webhook verification so that the ChargeSlot workflow meets REQ-F4-11. Acceptance: (1) supported valid case matches SRS REQ-F4-11; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-099 | Story | Server-side verification | 3 SP | High | Sprint 6 | Vaishnavi Singh | REQ-F4-12

As a Driver or Station Operator, I want to server-side verification so that the ChargeSlot workflow meets REQ-F4-12. Acceptance: (1) supported valid case matches SRS REQ-F4-12; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-100 | Story | Daily reconciliation | 8 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-13

As a Driver or Station Operator, I want to daily reconciliation so that the ChargeSlot workflow meets REQ-F4-13. Acceptance: (1) supported valid case matches SRS REQ-F4-13; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-101 | Story | Invoice generation | 3 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-14

As a Driver or Station Operator, I want to invoice generation so that the ChargeSlot workflow meets REQ-F4-14. Acceptance: (1) supported valid case matches SRS REQ-F4-14; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-102 | Story | Payment history | 2 SP | High | Sprint 6 | Vaishnavi Singh | REQ-F4-15

As a Driver or Station Operator, I want to payment history so that the ChargeSlot workflow meets REQ-F4-15. Acceptance: (1) supported valid case matches SRS REQ-F4-15; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-103 | Story | Tariff management | 3 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-16

As a Driver or Station Operator, I want to tariff management so that the ChargeSlot workflow meets REQ-F4-16. Acceptance: (1) supported valid case matches SRS REQ-F4-16; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-104 | Story | Operator earnings | 3 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-17

As a Driver or Station Operator, I want to operator earnings so that the ChargeSlot workflow meets REQ-F4-17. Acceptance: (1) supported valid case matches SRS REQ-F4-17; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

5.13 Analytics

CS19-105 | Story | Driver usage summary | 2 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-18

As a Driver or Station Operator, I want to driver usage summary so that the ChargeSlot workflow meets REQ-F4-18. Acceptance: (1) supported valid case matches SRS REQ-F4-18; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-106 | Story | Driver trend charts | 3 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-19

As a Driver or Station Operator, I want to driver trend charts so that the ChargeSlot workflow meets REQ-F4-19. Acceptance: (1) supported valid case matches SRS REQ-F4-19; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-107 | Story | Top stations and CO2 | 5 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-20

As a Driver or Station Operator, I want to top stations and co2 so that the ChargeSlot workflow meets REQ-F4-20. Acceptance: (1) supported valid case matches SRS REQ-F4-20; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-108 | Story | Operator analytics | 5 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-21

As a Driver or Station Operator, I want to operator analytics so that the ChargeSlot workflow meets REQ-F4-21. Acceptance: (1) supported valid case matches SRS REQ-F4-21; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-109 | Story | Platform analytics | 5 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-22

As a Driver or Station Operator, I want to platform analytics so that the ChargeSlot workflow meets REQ-F4-22. Acceptance: (1) supported valid case matches SRS REQ-F4-22; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-110 | Story | Date range filter | 2 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-23

As a Driver or Station Operator, I want to date range filter so that the ChargeSlot workflow meets REQ-F4-23. Acceptance: (1) supported valid case matches SRS REQ-F4-23; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-111 | Story | CSV export | 3 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-24

As a Driver or Station Operator, I want to csv export so that the ChargeSlot workflow meets REQ-F4-24. Acceptance: (1) supported valid case matches SRS REQ-F4-24; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-112 | Story | Role-scoped analytics | 5 SP | High | Sprint 6 | Vaishnavi Singh | REQ-F4-25

As a Driver or Station Operator, I want to role-scoped analytics so that the ChargeSlot workflow meets REQ-F4-25. Acceptance: (1) supported valid case matches SRS REQ-F4-25; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

CS19-113 | Story | Analytics refresh | 5 SP | Low | Sprint 6 | Vaishnavi Singh | REQ-F4-26

As a Driver or Station Operator, I want to analytics refresh so that the ChargeSlot workflow meets REQ-F4-26. Acceptance: (1) supported valid case matches SRS REQ-F4-26; (2) malformed/out-of-range data is rejected where applicable; (3) unauthorized role or foreign resource access is denied; (4) TC/STC evidence is attached after implementation.

6. Sprint Plan

Proposed six sequential sprints, duration not established by the supplied files. Sprint dates and per-member capacity must be confirmed before commitment.

Sprint	Focus	Stories	Story points	Dependency / demo gate
1	Identity + access	15	54	Must complete prior interfaces and fixture readiness
2	Profile + station setup	17	52	Must complete prior interfaces and fixture readiness
3	Discovery + live dashboard	22	88	Must complete prior interfaces and fixture readiness
4	Booking engine	15	58	Must complete prior interfaces and fixture readiness
5	Sessions + auto-booking	18	88	Must complete prior interfaces and fixture readiness
6	Billing + analytics	26	125	Must complete prior interfaces and fixture readiness
TOTAL		113	465	No committed calendar available

7. Story Dependencies

Predecessor	Successor	Contract / reason
CS19-004 (JWT login)	CS19-027 (station CRUD)	Authenticated operator identity and permissions
CS19-027 (station CRUD)	CS19-033 (nearby search)	Approved station records exist
CS19-043 (status ingest)	CS19-044 (live display)	Simulator → gateway state contract
CS19-021 (vehicle CRUD)	CS19-055 (battery input)	Vehicle attributes needed for estimates

Predecessor	Successor	Contract / reason
CS19-048 (slot generation)	CS19-066 (slot hold)	Availability and reservation conflict contract
CS19-066 (slot hold)	CS19-069 (booking confirm)	Transactional hold confirmation
CS19-069 (booking confirm)	CS19-081 (check-in)	Booking state transition
CS19-081 (check-in)	CS19-092 (final bill)	Session meter reading → invoice
CS19-092 (final bill)	CS19-094 (settle balance)	Payment amount and idempotency
CS19-094 (settle balance)	CS19-105 (usage summary)	Settled usage aggregation

8. Distribution by Epic

Epic	Story count	Points
Auth	15	54
Profile	5	14
Vehicles	6	17
Stations	6	21
Discovery	10	32
Dashboard	8	32
Navigation	4	24
Booking	20	81
AutoBook	6	27
Session	7	38
Payments	3	24
Billing	14	66
Analytics	9	35
TOTAL	113	465

9. Distribution by Sprint

Sprint	Story count	Points
1	15	54

Sprint	Story count	Points
2	17	52
3	22	88
4	15	58
5	18	88
6	26	125
TOTAL	113	465

10. Distribution by Priority

Priority	Story count	Points
Medium	70	266
High	25	124
Low	18	75
TOTAL	113	465

11. Individual Workload and Schedule Risk

Owner	Stories	Points	Share of points
Vaibhav Tulsian	26	85	18.3%
Atharva Ravi Jamakhandi	28	109	23.4%
Velkur Tanisha Reddy	33	146	31.4%
Vaishnavi Singh	26	125	26.9%

Critical load check: Velkur Tanisha Reddy has 146 points versus Vaibhav Tulsian with 85 points; ratio 1.72×. This is at least 50% more assigned points and should be rebalanced before individual assessment. No sprint capacity, end date, holiday schedule or historical velocity appears in the supplied sources: a fit-to-calendar verdict cannot be computed without inventing capacity.

Dependency warning: payment/analytics full-system demo is assigned to proposed Sprint 6 and depends on identity, station data, booking and session flows. If each sprint lasts one week, that means no complete settlement-to-analytics demonstration before week 6, not week 8; the actual date remains unknown. The team should demonstrate thin vertical slices earlier and replan after recording real velocity.