


Sprint Backlog	Completeness	Estimation Report	Best practises (Naming conventions, indentations, code structure, etc..)	Integration on master (Individual)
1- The backlog itself (0 or 1) 1- The fair allocation among team members (0 or 1) 1/2	0 - Less than 30% of the sprint backlog 1 - 30-80% 2 - 80-100% 0/3	1 - Team velocity (0 none, 0.5 fake, 1 realistic) 1 - Sprint burndown chart (0 none, 0.5 fake, 1 realistic) 0/2	0 - Spaghetti code 1- Adhered to the main structure and naming conventions 2- Clean code 0/1	0 - Code not integrated 2 - Code integrated 0/2

Comments:


1. Not all cruds are included in the sprint backlog
2. The structure of the folder is all messed up
3. There are multiple standalone applications
4. Repeated code for the same route
5. Follow the same convention for naming the variables and use ES6 Syntax
6. There is no package.json the code does not even run
7. Your code is on the master branch but these are multiple applications there is no integration

▲ A-TEAM


- ▶ models
- ▶ public
- ▶ Ramy1
- ▶ routes
- ▶ story1.1
- ▶ story1.2
- ▶ Story1.3
- ▶ story1.5
- ▶ Task_Mangment Component

 Backlog Final.xlsx

≡ Hello_git_hub

 index.js

 README.md

 sprint1_backlog.xlsx

What?

New
Open
Add v

Rece
Team
team-
Haku
Noice
Agile-
More.

Help
Printa

```
17
18
19 app.get('/', (req, res) => {
20   res.send(`
21     <h1>Hello friend</h1>
22     <a href="/api/events" > to create an event</a>`)
23   })
24
25
26 app.get('/', (req, res) => {
27   res.send(`<h1>Freelancer </h1>
28     <a href="/api/locations">Locations</a>
29     `);
30   })
31
32
33
34 app.get('/', (req, res) => {
35   res.send(`
36     <h1>Hello</h1>
37     <a href="/api/PartnerRequest" > to initiate a request to organize an event</a>`)
38   })
39
40
```

What?