NILAMBARA ELECTRICALS

Complete Feature Guidance

Repair Shop Management System

Version 1.0 | Generated 21 October 2026

Feature-by-feature business and technical reference

482/A/3, Colombo Road, Kaduwela, Sri Lanka.

Currency: LKR | Timezone: Asia/Colombo

Based on the existing implementation, the original BRD and isolated test evidence. Business-owner acceptance remains pending.

Contents

Select a chapter to navigate. PDF footers show physical page numbers.

1. How to use this feature guide
2. Current role-based guidance
3. System relationships and posting rules
4. Authentication
5. Business dashboard
6. Customer and company management
7. Repair receipt management
8. Repair job management
9. Quotation management and decisions
10. Invoice management
11. Payment management
12. Credit management
13. Stock and inventory
14. Supplier management
15. Purchase and GRN management
16. Point of sale
17. Reports and analysis
18. Employee and account administration
19. Roles and permission controls
20. System settings
21. Print template management
22. Audit history
23. Backup and restore
24. Twelve practical workflows
25. BRD gaps and verification boundaries
26. Screenshot index

Document control	Value
Version / generation	1.0 / 21 October 2026
Scope	Feature catalogue with current operational grants and scenario evidence
Basis	Original BRD (20 pages, 27 sections); source/route/schema inspection; fresh Step 13 JUnit and native checks
Author / approval	Codex documentation runner / business-owner approval pending
Verification boundary	Automated scenario evidence and real fixture screenshots; no production deployment or live business-data writes
Companion sources	documentation/sources/; documentation/evidence/; documentation/screenshots/

1. How to use this feature guide

Each feature card identifies purpose, current role prerequisites, actual navigation, inputs, usage, processing, output, database relationship, validation, common errors, related features, print/export and screenshot evidence. A matched test means the cited automated scenario passed, not that every screen field received manual acceptance. Features with no directly matched executed method are explicitly Not Verified. Source implementation and BRD expectation are separate.

Catalogue: 103 feature cards across 20 documented module areas. Verified-scenario feature count: 102. A feature may have several tests; these counts do not add to the test total.

Existing Sinhala UI labels, copied from the application without new translations:

පාලන පුවරුව | පාරිභෝගිකයන්

2. Current role-based guidance

The following grants were read from the operational role relations, not inferred from the default seeder. Individual override count at inspection: 0. Subsequent administrator customization can change access. Some actions need additional record policy or several permissions together.

Administrator

Manage accounts/roles/settings/templates/audit and protected backups. Preserve the final active administrator. Restore is CLI-only and requires explicit target approval.

Current permission grants (98): audit.view, backups.configure, backups.create, backups.download, backups.restore, backups.view, credit.collect, credit.reports, credit.view, customers.create, customers.deactivate, customers.statement, customers.update, customers.view, dashboard.view, employees.create, employees.deactivate, employees.update, employees.view, inventory.adjust, inventory.create,

inventory.issue, inventory.stock-count, inventory.update, inventory.view, invoices.cancel, invoices.create, invoices.export, invoices.issue, invoices.print, invoices.update-draft, invoices.view, job-cards.print, job-cards.view, jobs.assign, jobs.cancel, jobs.complete, jobs.create, jobs.inspect, jobs.repair, jobs.update, jobs.update-status, jobs.view, payments.create, payments.export, payments.print, payments.receive, payments.receive-for-others, payments.reverse, payments.view, permissions.manage, pos.discount, pos.payment.verify, pos.receipt.print, pos.refund, pos.reports.view, pos.return, pos.sale, pos.sale.cancel, pos.sales.view, pos.view, print-templates.reset, print-templates.update, print-templates.view, purchases.approve, purchases.create, purchases.receive, purchases.view, quotations.approve, quotations.cancel, quotations.create, quotations.issue, quotations.print, quotations.revise, quotations.update, quotations.view, receipts.create, receipts.print, receipts.reprint, receipts.view, reports.credit, reports.export, reports.financial, reports.inventory, reports.repair, reports.sales, reports.view, roles.manage, roles.view, settings.update, settings.view, suppliers.create, suppliers.update, suppliers.view, users.create, users.disable, users.update, users.view

Receptionist

Search/register customers; receive repairs and print intake/card documents; prepare quotations where granted. No assumed authority for money, stock, financial statements or administration.

Current permission grants (19): customers.create, customers.update, customers.view, dashboard.view, invoices.view, job-cards.print, job-cards.view, jobs.create, jobs.view, quotations.create, quotations.issue, quotations.print, quotations.update, quotations.view, receipts.create, receipts.print, receipts.view, reports.repair, reports.view

Technician

Inspect and repair assigned jobs, update their status and request parts. Cannot use another technician's job by changing its URL. Stock issue and customer-money authority are separate.

Current permission grants (10): dashboard.view, job-cards.view, jobs.complete, jobs.inspect, jobs.repair, jobs.update-status, jobs.view, quotations.view, reports.repair, reports.view

Cashier

Create/issue invoices, receive actual collections and advances, collect credit and perform permitted POS sales/printing. No default refund/reversal, supplier or settings authority.

Current permission grants (23): credit.collect, credit.view, customers.view, dashboard.view, invoices.create, invoices.export, invoices.issue, invoices.print, invoices.update-draft, invoices.view, payments.create, payments.export, payments.print, payments.receive, payments.view, pos.receipt.print, pos.sale, pos.sales.view, pos.view, quotations.print, quotations.view, reports.sales, reports.view

Storekeeper

Maintain parts, request/issue/adjust/count stock and enter/receive purchases. Purchase approval, supplier administration and supplier money are management-only under current grants.

Current permission grants (14): dashboard.view, inventory.adjust, inventory.create, inventory.issue, inventory.stock-count, inventory.update, inventory.view, pos.view, purchases.create, purchases.receive, purchases.view, reports.export, reports.inventory, reports.view

Manager

Assign repairs, prepare/approve quotations, supervise invoices/collections/credit, suppliers/purchase approval and financial reports. No assumed settings/account/restore access.

Current permission grants (52): credit.collect, credit.reports, credit.view, customers.statement, customers.view, dashboard.view, invoices.cancel, invoices.create, invoices.export, invoices.issue, invoices.print, invoices.update-draft, invoices.view, jobs.assign, jobs.view, payments.create, payments.export, payments.print, payments.receive, payments.reverse, payments.view, pos.discount, pos.payment.verify, pos.receipt.print, pos.refund, pos.reports.view, pos.return, pos.sale.cancel, pos.sales.view, pos.view, purchases.approve, purchases.create,


purchases.receive, purchases.view, quotations.approve, quotations.cancel, quotations.create, quotations.issue, quotations.print, quotations.revise, quotations.update, quotations.view, reports.credit, reports.export, reports.financial, reports.inventory, reports.repair, reports.sales, reports.view, suppliers.create, suppliers.update, suppliers.view

3. System relationships and posting rules


Repair and financial relationships




Parent to referencing child; arrows correspond to inspected foreign keys.




Parent to referencing child; arrows correspond to inspected foreign keys.




Parent to referencing child; arrows correspond to inspected foreign keys.



Parent to referencing child; arrows correspond to inspected foreign keys.




Parent to referencing child; arrows correspond to inspected foreign keys.



Parent to referencing child; arrows correspond to inspected foreign keys.

Verified table relationships, not a sequence of automatic business actions. Join tables connect the separate paths.

Shared stock, purchase and POS relationships



Verified table relationships, not a sequence of automatic business actions. Join tables connect the separate paths.

- One customer has repair jobs; each intake creates a receipt/job/card atomically.
- invoice_jobs links one invoice to multiple same-customer jobs; payment_allocations links multiple receipts to an invoice. Credit is derived from liabilities/allocations and account entries, not a second sale.
- An advance is money received once. Later allocation is not another cash collection.
- Supplier purchase finalization creates a payable; GRNs create received stock; purchase drafts do neither.
- Quoted/requested parts do not deduct stock. Authorized issue and finalized POS consume the shared stock balance.
- Stock returns/corrections retain original movements. Resalable POS returns retain original cost.

4. Authentication

BRD sections: 14, 17. Actual source module inspected; Username/password required. Five attempts per username/IP per minute. Public registration, reset, verification and passkeys are disabled.

4.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Username and password; active employee/account; CSRF-protected form
Validation and common error causes	Username/password required. Five attempts per username/IP per minute. Public registration, reset, verification and passkeys are disabled.
Database relationships	users; employees; sessions; roles; role_user; permission_role; permission_user
Balance/record effects	Login regenerates the session; logout invalidates it. Disabled staff cannot retain access.

F-001 - Login

Feature field	Implemented behavior
Module / business purpose	Authentication: login. BRD 14, 17
Authorized roles / permissions	Unauthenticated visitors; guest; record policy also applies.
Navigation path	/login (login); GET,HEAD
Required inputs	Use the relevant fields from section 4.1; action-specific selections are identified in the steps below.
Step-by-step usage	Enter assigned username and password; submit once; inspect validation if rejected.
System processing / expected output	Authenticated session and login audit; no public registration.
Database relationship	Section 4.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 4.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Logout; Inactive account restriction; Login throttling
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot login: module figure below and User Manual chapter 24.
Implementation evidence	Laravel\Fortify\Http\Controllers\AuthenticatedSessionController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\Auth\AuthenticationTest::test_users_can_log_in_and_the_session_id_is_regenerated

F-002 - Logout

Feature field	Implemented behavior
Module / business purpose	Authentication: logout. BRD 14, 17
Authorized roles / permissions	All assigned active accounts; authenticated; record policy also applies.
Navigation path	/logout (logout); POST
Required inputs	Use the relevant fields from section 4.1; action-specific selections are identified in the steps below.
Step-by-step usage	Use the sidebar sign-out action on a shared computer.
System processing / expected output	Session invalidated and CSRF token regenerated.
Database relationship	Section 4.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 4.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Login; Inactive account restriction; Login throttling
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot login: module figure below and User Manual chapter 24.
Implementation evidence	Laravel\Fortify\Http\Controllers\AuthenticatedSessionController@destroy
Verification	Verified in cited automated scenario. Example: Tests\Feature\Auth\AuthenticationTest::test_logout_invalidates_the_session_and_regenerates_the_csrf_token

F-003 - Inactive account restriction


Feature field	Implemented behavior
Module / business purpose	Authentication: inactive account restriction. BRD 14, 17
Authorized roles / permissions	Unauthenticated visitors; guest; record policy also applies.
Navigation path	/login (login); GET,HEAD
Required inputs	Use the relevant fields from section 4.1; action-specific selections are identified in the steps below.
Step-by-step usage	Ask administration to review employee and account activation when valid credentials are refused.
System processing / expected output	Inactive account is denied; disabled existing session is logged out.

Feature field	Implemented behavior
Database relationship	Section 4.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 4.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Login; Logout; Login throttling
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot login: module figure below and User Manual chapter 24.
Implementation evidence	Laravel\Fortify\Http\Controllers\AuthenticatedSessionController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\Auth\AuthenticationTest::test_disabled_accounts_cannot_log_in

F-004 - Login throttling

Feature field	Implemented behavior
Module / business purpose	Authentication: login throttling. BRD 14, 17
Authorized roles / permissions	Unauthenticated visitors; guest; record policy also applies.
Navigation path	/login (login.store); POST
Required inputs	Use the relevant fields from section 4.1; action-specific selections are identified in the steps below.
Step-by-step usage	After repeated incorrect attempts, wait for the displayed throttle interval rather than changing identity.
System processing / expected output	Five-attempt username/IP protection.
Database relationship	Section 4.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 4.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Login; Logout; Inactive account restriction
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot login: module figure below and User Manual chapter 24.
Implementation evidence	Laravel\Fortify\Http\Controllers\AuthenticatedSessionController@store

Feature field	Implemented behavior
Verification	Verified in cited automated scenario. Example: Tests\Feature\Auth\AuthenticationTest::test_login_is_throttled_after_five_attempts_per_username_and_ip



Actual isolated application screenshot: Authentication. Full-size original: login.png; continuation panels appear in the User Manual atlas.

5. Business dashboard

BRD sections: 18. Actual source module inspected; Custom end date cannot precede start. Cards/links are permission filtered.

5.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Period or custom date range
Validation and common error causes	Custom end date cannot precede start. Cards/links are permission filtered.

Shared reference	Actual implementation
Database relationships	repair_jobs; invoices; pos_sales; payments; customer_account_entries; stock_movements
Balance/record effects	Reads period/cohort statistics; it does not create financial or stock transactions.


F-005 - Date filters and repair metrics

Feature field	Implemented behavior
Module / business purpose	Business dashboard: date filters and repair metrics. BRD 18
Authorized roles / permissions	administrator, receptionist, technician, cashier, storekeeper, manager; dashboard.view; record policy also applies.
Navigation path	/dashboard (dashboard); GET,HEAD
Required inputs	Use the relevant fields from section 5.1; action-specific selections are identified in the steps below.
Step-by-step usage	Select Today, Yesterday, This Week, This Month, This Year or Custom; choose both custom dates; Apply.
System processing / expected output	Received-date cohort job counts, with assigned-only technician data.
Database relationship	Section 5.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 5.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Sales, credit and stock indicators
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot dashboard: module figure below and User Manual chapter 24.
Implementation evidence	App\Http\Controllers\DashboardController
Verification	Verified in cited automated scenario. Example: Tests\Feature\DashboardTest::test_home_redirects_to_the_dashboard

F-006 - Sales, credit and stock indicators

Feature field	Implemented behavior
Module / business purpose	Business dashboard: sales, credit and stock indicators. BRD 18

Feature field	Implemented behavior
Authorized roles / permissions	administrator, receptionist, technician, cashier, storekeeper, manager; dashboard.view; record policy also applies.
Navigation path	/dashboard (dashboard); GET,HEAD
Required inputs	Use the relevant fields from section 5.1; action-specific selections are identified in the steps below.
Step-by-step usage	Review visible cards and recent documents; compare the same period in reports.
System processing / expected output	Finalized sales, net collections, customer account credit and low-stock indicators; cards depend on grants.
Database relationship	Section 5.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 5.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Date filters and repair metrics
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot dashboard: module figure below and User Manual chapter 24.
Implementation evidence	App\Http\Controllers\DashboardController
Verification	Verified in cited automated scenario. Example: Tests\Feature\DashboardTest::test_home_redirects_to_the_dashboard



Actual isolated application screenshot: Business dashboard. Full-size original: dashboard.png; continuation panels appear in the User Manual atlas.

6. Customer and company management

BRD sections: 4. Actual source module inspected; Valid contact format and email; financial opening balance needs customers.statement. Opening balance and generated ID are immutable after creation.

6.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Type; name for individual or company name for company; address; mobile; registration date. Contact person, alternate phone, email and notes are optional.

Shared reference	Actual implementation
Validation and common error causes	Valid contact format and email; financial opening balance needs customers.statement. Opening balance and generated ID are immutable after creation.
Database relationships	customers; customer_account_entries
Balance/record effects	Creates/edits the customer master; nonzero opening balance posts one ledger entry. Deactivation preserves references.

F-007 - Register individual

Feature field	Implemented behavior
Module / business purpose	Customer and company management: register individual. BRD 4
Authorized roles / permissions	administrator, receptionist; customers.create; record policy also applies.
Navigation path	/customers/create (customers.create); GET,HEAD
Required inputs	Use the relevant fields from section 6.1; action-specific selections are identified in the steps below.
Step-by-step usage	Choose Individual; enter name, address, mobile and registration date; review and Save.
System processing / expected output	Generated CUS reference and individual master.
Database relationship	Section 6.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 6.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register company; Search and profile; Edit customer
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot customers: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Customers\Controllers\CustomerController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\CustomerManagementTest::test_receptionist_can_register_individual_and_company_customers

F-008 - Register company

Feature field	Implemented behavior
Module / business purpose	Customer and company management: register company. BRD 4
Authorized roles / permissions	administrator, receptionist; customers.create; record policy also applies.
Navigation path	/customers/create (customers.create); GET,HEAD
Required inputs	Use the relevant fields from section 6.1; action-specific selections are identified in the steps below.
Step-by-step usage	Choose Company; enter company name, address, mobile and registration date; optional contact person; Save.
System processing / expected output	Company master with searchable company name.
Database relationship	Section 6.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 6.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register individual; Search and profile; Edit customer
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot customers: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Customers\Controllers\CustomerController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\CustomerManagementTest::test_company_type_requires_company_name_but_email_and_contact_person_are_optional

F-009 - Search and profile

Feature field	Implemented behavior
Module / business purpose	Customer and company management: search and profile. BRD 4
Authorized roles / permissions	administrator, receptionist, cashier, manager; customers.view; record policy also applies.
Navigation path	/customers (customers.index); GET,HEAD
Required inputs	Use the relevant fields from section 6.1; action-specific selections are identified in the steps below.

Feature field	Implemented behavior
Step-by-step usage	Search name, customer code, company or mobile; open the matching profile.
System processing / expected output	Paginated matches and linked history; search excludes inactive suggestions.
Database relationship	Section 6.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 6.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register individual; Register company; Edit customer
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot customers: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Customers\Controllers\CustomerController@index
Verification	Verified in cited automated scenario. Example: Tests\Feature\CustomerManagementTest::test_customer_search_matches_customer_code_name_and_mobile_and_excludes_inactive

F-010 - Edit customer

Feature field	Implemented behavior
Module / business purpose	Customer and company management: edit customer. BRD 4
Authorized roles / permissions	administrator, receptionist; customers.update; record policy also applies.
Navigation path	/customers/{customer}/edit (customers.edit); GET,HEAD
Required inputs	Use the relevant fields from section 6.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open the correct profile; Edit; correct contacts; save without changing opening balance.
System processing / expected output	Updated master with immutable ID/opening history.
Database relationship	Section 6.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 6.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register individual; Register company; Search and profile
Print/export options	No separate print action for this operation; use its related saved document/report where available.

Feature field	Implemented behavior
Screenshot	Screenshot customers: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Customers\Controllers\CustomerController@edit
Verification	Verified in cited automated scenario. Example: Tests\Feature\CustomerManagementTest::test_customer_can_be_updated_without_changing_id_or_opening_balance

F-011 - Activate or deactivate customer

Feature field	Implemented behavior
Module / business purpose	Customer and company management: activate or deactivate customer. BRD 4
Authorized roles / permissions	administrator; customers.deactivate; record policy also applies.
Navigation path	/customers/{customer}/deactivate (customers.deactivate); POST
Required inputs	Use the relevant fields from section 6.1; action-specific selections are identified in the steps below.
Step-by-step usage	Review pending work; use Deactivate, or Activate when authorized, on the saved customer.
System processing / expected output	Status change preserving transaction references.
Database relationship	Section 6.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 6.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register individual; Register company; Search and profile
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot customers: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Customers\Controllers\CustomerController@deactivate
Verification	Verified in cited automated scenario. Example: Tests\Feature\CustomerManagementTest::test_deactivation_requires_permission_preserves_history_and_activation_uses_update_permission


F-012 - Opening account balance

Feature field	Implemented behavior
Module / business purpose	Customer and company management: opening account balance. BRD 4
Authorized roles / permissions	administrator; customers.create,customers.statement; record policy also applies.
Navigation path	/customers (customers.store); POST
Required inputs	Use the relevant fields from section 6.1; action-specific selections are identified in the steps below.
Step-by-step usage	On first registration only, enter a verified pre-system balance; otherwise leave zero.
System processing / expected output	One nonzero opening ledger entry, not cash received.
Database relationship	Section 6.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 6.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register individual; Register company; Search and profile
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot customers: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Customers\Controllers\CustomerController@store
Verification	Verified in cited automated scenario. Example: Tests\Feature\CustomerManagementTest::test_authorized_financial_user_records_opening_balance_once

F-013 - Customer statement and PDF

Feature field	Implemented behavior
Module / business purpose	Customer and company management: customer statement and pdf. BRD 4
Authorized roles / permissions	administrator, manager; customers.statement; record policy also applies.
Navigation path	/customers/{customer}/statement (customers.statement); GET,HEAD
Required inputs	Use the relevant fields from section 6.1; action-specific selections are identified in the steps below.

Feature field	Implemented behavior
Step-by-step usage	Open Statement; choose dates; review opening, movements and closing; print or PDF.
System processing / expected output	Read-only statement with template/history; no new payment.
Database relationship	Section 6.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 6.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register individual; Register company; Search and profile
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot customers: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Customers\Controllers\CustomerController@statement
Verification	Verified in cited automated scenario. Example: Tests\Feature\CustomerManagementTest::test_customer_statement_and_financial_fields_require_statement_permission



Actual isolated application screenshot: Customer and company management. Full-size original: customers.png; continuation panels appear in the User Manual atlas.

7. Repair receipt management

BRD sections: 5. Actual source module inspected; Brand is required without model and model without brand. Labour cost is nonnegative. A positive advance needs a supported payment method.

7.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Active customer; unique manual Job Number; job type; item name; brand or model; labour cost; active receiving employee. Fault/accessories/condition/notes and advance are optional.
Validation and common error causes	Brand is required without model and model without brand. Labour cost is nonnegative. A positive advance needs a supported payment method.
Database relationships	repair_receipts; repair_jobs; job_cards; job_status_histories; payments; payment_allocations
Balance/record effects	Creates receipt, repair job, initial Received status and job card atomically, with any advance. Automatic JOB reference differs from immutable manual number.

F-014 - Customer selection and appliance intake

Feature field	Implemented behavior
Module / business purpose	Repair receipt management: customer selection and appliance intake. BRD 5
Authorized roles / permissions	administrator, receptionist; receipts.create; record policy also applies.
Navigation path	/repair-receipts/create (repair-receipts.create); GET,HEAD
Required inputs	Use the relevant fields from section 7.1; action-specific selections are identified in the steps below.
Step-by-step usage	Select active customer and receiver; enter Job Number, type, appliance, brand/model and labour cost; record fault/condition; Save.
System processing / expected output	Receipt, job and job card created together.
Database relationship	Section 7.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 7.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Automatic and manual identifiers; Intake advance; Receipt list and filters

Feature field	Implemented behavior
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot receipt-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\RepairReceipts\Controllers\RepairReceiptController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\RepairReceiptAndJobManagementTest::test_receptionist_saves_receipt_and_creates_linked_job_history_and_a6_card

F-015 - Automatic and manual identifiers

Feature field	Implemented behavior
Module / business purpose	Repair receipt management: automatic and manual identifiers. BRD 5
Authorized roles / permissions	administrator, receptionist; receipts.view; record policy also applies.
Navigation path	/repair-receipts/{receipt} (repair-receipts.show); GET,HEAD
Required inputs	Use the relevant fields from section 7.1; action-specific selections are identified in the steps below.
Step-by-step usage	Read automatic JOB reference and manual Job Number separately; use either appropriate search field.
System processing / expected output	Unique immutable manual number alongside database-derived reference.
Database relationship	Section 7.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 7.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Customer selection and appliance intake; Intake advance; Receipt list and filters
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot receipt-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\RepairReceipts\Controllers\RepairReceiptController@show
Verification	Verified in cited automated scenario. Example: Tests\Feature\Database\BusinessConstraintsTest::test_job_numbers_cannot_be_duplicated

F-016 - Intake advance

Feature field	Implemented behavior
Module / business purpose	Repair receipt management: intake advance. BRD 5
Authorized roles / permissions	administrator, receptionist; receipts.create; record policy also applies.
Navigation path	/repair-receipts (repair-receipts.store); POST
Required inputs	Use the relevant fields from section 7.1; action-specific selections are identified in the steps below.
Step-by-step usage	Record only money actually received and its method while receiving; verify saved receipt before retry.
System processing / expected output	Advance/payment allocation included atomically with intake.
Database relationship	Section 7.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 7.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Customer selection and appliance intake; Automatic and manual identifiers; Receipt list and filters
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot receipt-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\RepairReceipts\Controllers\RepairReceiptController@store
Verification	Verified in cited automated scenario. Example: Tests\Feature\RepairReceiptAndJobManagementTest::test_advance_payment_is_recorded_once_in_payment_allocation_and_customer_ledger

F-017 - Receipt list and filters


Feature field	Implemented behavior
Module / business purpose	Repair receipt management: receipt list and filters. BRD 5
Authorized roles / permissions	administrator, receptionist; receipts.view; record policy also applies.
Navigation path	/repair-receipts (repair-receipts.index); GET,HEAD
Required inputs	Use the relevant fields from section 7.1; action-specific selections are identified in the steps below.
Step-by-step usage	Filter by text/date/status/job type/receiver; open the actual receiving record.

Feature field	Implemented behavior
System processing / expected output	Paginated intake records and linked job history.
Database relationship	Section 7.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 7.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Customer selection and appliance intake; Automatic and manual identifiers; Intake advance
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot receipt-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\RepairReceipts\Controllers\RepairReceiptController@index
Verification	Verified in cited automated scenario. Example: Tests\Feature\RepairReceiptAndJobManagementTest::test_receptionist_saves_receipt_and_creates_linked_job_history_and_a6_card

F-018 - Original, duplicate and A5 PDF

Feature field	Implemented behavior
Module / business purpose	Repair receipt management: original, duplicate and a5 pdf. BRD 5
Authorized roles / permissions	administrator, receptionist; receipts.print; record policy also applies.
Navigation path	/repair-receipts/{receipt}/print (repair-receipts.print); GET,HEAD
Required inputs	Use the relevant fields from section 7.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open saved receipt; Preview/Print or PDF; use duplicate action for later copies.
System processing / expected output	A5 customer document, duplicate marker and print audit.
Database relationship	Section 7.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 7.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Customer selection and appliance intake; Automatic and manual identifiers; Intake advance

Feature field	Implemented behavior
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot receipt-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\RepairReceipts\Controllers\RepairReceiptController@print
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_receipt_and_card_pdf_routes_render_local_sinhala_and_record_exports



Actual isolated application screenshot: Repair receipt management. Full-size original: receipt-create.png; continuation panels appear in the User Manual atlas.

8. Repair job management

BRD sections: 6, 7. Actual source module inspected; Technicians are restricted to assigned jobs. Entering Under Repair with an issued quotation requires approval. Cancellation requires its reason.

8.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Existing job; action-specific technician, inspection/repair text, costs, status and notes
Validation and common error causes	Technicians are restricted to assigned jobs. Entering Under Repair with an issued quotation requires approval. Cancellation requires its reason.
Database relationships	repair_jobs; job_inspections; job_assignments; job_status_histories; employees
Balance/record effects	Assignments, inspections and status changes retain history. Completion/delivery timestamps are recorded; a status alone is not a new receipt/payment.

F-019 - Job list, details and assigned jobs

Feature field	Implemented behavior
Module / business purpose	Repair job management: job list, details and assigned jobs. BRD 6, 7
Authorized roles / permissions	administrator, receptionist, technician, manager; jobs.view; record policy also applies.
Navigation path	/repair-jobs (repair-jobs.index); GET,HEAD
Required inputs	Use the relevant fields from section 8.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open Repair Jobs or My Assigned Jobs; search the reference and open the record.
System processing / expected output	Policy-filtered job details and links.
Database relationship	Section 8.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 8.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Technician assignment; Inspection; Repair details and costs
Print/export options	No separate print action for this operation; use its related saved document/report where available.

Feature field	Implemented behavior
Screenshot	Screenshot job-detail: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\RepairJobs\Controllers\RepairJobController@index
Verification	Verified in cited automated scenario. Example: Tests\Feature\RepairReceiptAndJobManagementTest::test_job_assignment_and_record_level_access_are_limited_to_active_technicians

F-020 - Technician assignment

Feature field	Implemented behavior
Module / business purpose	Repair job management: technician assignment. BRD 6, 7
Authorized roles / permissions	administrator, manager; jobs.assign; record policy also applies.
Navigation path	/repair-jobs/{job}/assign (repair-jobs.assign-form); GET,HEAD
Required inputs	Use the relevant fields from section 8.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open job Assign; select an active technician; save the assignment.
System processing / expected output	Assignment history and technician link; no stock/payment.
Database relationship	Section 8.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 8.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Job list, details and assigned jobs; Inspection; Repair details and costs
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot job-detail: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\RepairJobs\Controllers\RepairJobController@assignForm
Verification	Verified in cited automated scenario. Example: Tests\Feature\RepairReceiptAndJobManagementTest::test_job_assignment_and_record_level_access_are_limited_to_active_technicians

F-021 - Inspection

Feature field	Implemented behavior
Module / business purpose	Repair job management: inspection. BRD 6, 7
Authorized roles / permissions	administrator, technician; jobs.inspect; record policy also applies.
Navigation path	/repair-jobs/{job}/inspection (repair-jobs.inspect); POST
Required inputs	Use the relevant fields from section 8.1; action-specific selections are identified in the steps below.
Step-by-step usage	On an accessible assigned job, enter the inspection details and save.
System processing / expected output	Retained inspection record and audit.
Database relationship	Section 8.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 8.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Job list, details and assigned jobs; Technician assignment; Repair details and costs
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot job-detail: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\RepairJobs\Controllers\RepairJobController@inspect
Verification	Verified in cited automated scenario. Example: Tests\Feature\RepairReceiptAndJobManagementTest::test_technician_can_record_inspection_and_repair_notes_without_stock_deduction

F-022 - Repair details and costs

Feature field	Implemented behavior
Module / business purpose	Repair job management: repair details and costs. BRD 6, 7
Authorized roles / permissions	administrator, technician; jobs.repair; record policy also applies.
Navigation path	/repair-jobs/{job}/repair (repair-jobs.save-repair); POST
Required inputs	Use the relevant fields from section 8.1; action-specific selections are identified in the steps below.
Step-by-step usage	Record actual repair description, parts/labour costs and completion data on the job.

Feature field	Implemented behavior
System processing / expected output	Repair evidence and actual costs; cost is distinct from customer price.
Database relationship	Section 8.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 8.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Job list, details and assigned jobs; Technician assignment; Inspection
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot job-detail: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\RepairJobs\Controllers\RepairJobController@saveRepair
Verification	Verified in cited automated scenario. Example: Tests\Feature\RepairReceiptAndJobManagementTest::test_technician_can_record_inspection_and_repair_notes_without_stock_deduction

F-023 - Status and status history

Feature field	Implemented behavior
Module / business purpose	Repair job management: status and status history. BRD 6, 7
Authorized roles / permissions	administrator, technician; jobs.update-status; record policy also applies.
Navigation path	/repair-jobs/{job}/status (repair-jobs.update-status); POST
Required inputs	Use the relevant fields from section 8.1; action-specific selections are identified in the steps below.
Step-by-step usage	Select the actual current status; add notes/reason as required; save and review history.
System processing / expected output	Previous/new status and actor retained; Under Repair approval gate.
Database relationship	Section 8.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 8.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Job list, details and assigned jobs; Technician assignment; Inspection
Print/export options	No separate print action for this operation; use its related saved document/report where available.

Feature field	Implemented behavior
Screenshot	Screenshot job-detail: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\RepairJobs\Controllers\RepairJobController@updateStatus
Verification	Verified in cited automated scenario. Example: Tests\Feature\RepairReceiptAndJobManagementTest::test_authorized_status_changes_append_history_and_do_not_invent_transitions

F-024 - Completion and delivery

Feature field	Implemented behavior
Module / business purpose	Repair job management: completion and delivery. BRD 6, 7
Authorized roles / permissions	administrator, technician; jobs.update-status; record policy also applies.
Navigation path	/repair-jobs/{job}/status (repair-jobs.update-status); POST
Required inputs	Use the relevant fields from section 8.1; action-specific selections are identified in the steps below.
Step-by-step usage	Mark Repair Completed when work is complete; record Delivered only on actual handover.
System processing / expected output	Completion/delivery timestamps filled when absent; no extra receipt.
Database relationship	Section 8.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 8.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Job list, details and assigned jobs; Technician assignment; Inspection
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot job-detail: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\RepairJobs\Controllers\RepairJobController@updateStatus
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_real_intake_approval_stock_invoice_payment_and_delivery_workflow_needs_no_manual_job_pricing


F-025 - Unquoted labour selling charge

Feature field	Implemented behavior
Module / business purpose	Repair job management: unquoted labour selling charge. BRD 6, 7
Authorized roles / permissions	administrator, cashier, manager; invoices.create; record policy also applies.
Navigation path	/repair-jobs/{job}/labour-charge (repair-jobs.labour-charge); POST
Required inputs	Use the relevant fields from section 8.1; action-specific selections are identified in the steps below.
Step-by-step usage	For an unquoted unbilled job, enter the labour selling charge using its dedicated form.
System processing / expected output	Billable job charge; no silent quoted/billed price change.
Database relationship	Section 8.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 8.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Job list, details and assigned jobs; Technician assignment; Inspection
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot job-detail: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\RepairJobs\Controllers\RepairJobController@setLabourCharge
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_unquoted_labour_charge_is_authorized_audited_and_used_for_billing

F-026 - A6 job card

Feature field	Implemented behavior
Module / business purpose	Repair job management: a6 job card. BRD 6, 7
Authorized roles / permissions	administrator, receptionist; job-cards.print; record policy also applies.
Navigation path	/repair-jobs/{job}/job-card (job-cards.print); GET,HEAD
Required inputs	Use the relevant fields from section 8.1; action-specific selections are identified in the steps below.

Feature field	Implemented behavior
Step-by-step usage	Open saved job card; print A6 or download PDF; inspect signatures and writing area.
System processing / expected output	Internal card and print/export history.
Database relationship	Section 8.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 8.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Job list, details and assigned jobs; Technician assignment; Inspection
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot job-detail: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\JobCards\Controllers\JobCardController@print
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_receipt_and_card_pdf_routes_render_local_sinhala_and_record_exports



Actual isolated application screenshot: Repair job management. Full-size original: job-detail.png; continuation panels appear in the User Manual atlas.

9. Quotation management and decisions

BRD sections: 8. Actual source module inspected; Validity cannot precede quotation date. Draft/issued/approved states constrain edits. Approval/rejection requires contact name, decision date not in future and method (in person, telephone, email or other).

9.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Repair job; quotation date; valid-until date; proposed repair; labour charge; at least one estimate line with positive quantity and price/part

Shared reference	Actual implementation
Validation and common error causes	Validity cannot precede quotation date. Draft/issued/approved states constrain edits. Approval/rejection requires contact name, decision date not in future and method (in person, telephone, email or other).
Database relationships	quotations; quotation_items; quotation_approvals; quotation_history; repair_jobs
Balance/record effects	Drafts/issuance preserve document snapshots and history. Approval transfers agreed selling charges; no quotation posts stock or receives cash.

F-027 - Create estimates and draft

Feature field	Implemented behavior
Module / business purpose	Quotation management and decisions: create estimates and draft. BRD 8
Authorized roles / permissions	administrator, receptionist, manager; quotations.create; record policy also applies.
Navigation path	/quotations/create (quotations.create); GET,HEAD
Required inputs	Use the relevant fields from section 9.1; action-specific selections are identified in the steps below.
Step-by-step usage	Select job; enter date, validity, proposed repair, labour and at least one part/description line; Save draft.
System processing / expected output	Decimal line totals and draft history; no stock deduction.
Database relationship	Section 9.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 9.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Edit draft; Issue quotation; Customer approval
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot quotation-approval: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Quotations\Controllers\QuotationController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\QuotationManagementTest::test_revision_of_expired_quotation_gets_a_fresh_validity_period

F-028 - Edit draft

Feature field	Implemented behavior
Module / business purpose	Quotation management and decisions: edit draft. BRD 8
Authorized roles / permissions	administrator, receptionist, manager; quotations.update; record policy also applies.
Navigation path	/quotations/{quotation}/edit (quotations.edit); GET,HEAD
Required inputs	Use the relevant fields from section 9.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open editable draft; update allowed estimate lines/dates; Save.
System processing / expected output	Validated estimate revision while draft is editable.
Database relationship	Section 9.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 9.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Create estimates and draft; Issue quotation; Customer approval
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot quotation-approval: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Quotations\Controllers\QuotationController@edit
Verification	Verified in cited automated scenario. Example: Tests\Feature\QuotationManagementTest::test_revision_of_expired_quotation_gets_a_fresh_validity_period

F-029 - Issue quotation

Feature field	Implemented behavior
Module / business purpose	Quotation management and decisions: issue quotation. BRD 8
Authorized roles / permissions	administrator, receptionist, manager; quotations.issue; record policy also applies.
Navigation path	/quotations/{quotation}/issue (quotations.issue); POST
Required inputs	Use the relevant fields from section 9.1; action-specific selections are identified in the steps below.
Step-by-step usage	Review customer/job, terms and total; issue the draft for customer decision.

Feature field	Implemented behavior
System processing / expected output	Issued snapshot and waiting-approval workflow; no payment.
Database relationship	Section 9.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 9.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Create estimates and draft; Edit draft; Customer approval
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot quotation-approval: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Quotations\Controllers\QuotationController@issue
Verification	Verified in cited automated scenario. Example: Tests\Feature\QuotationManagementTest::test_issue_and_customer_approval_are_recorded_with_job_status_history

F-030 - Customer approval

Feature field	Implemented behavior
Module / business purpose	Quotation management and decisions: customer approval. BRD 8
Authorized roles / permissions	administrator, manager; quotations.approve; record policy also applies.
Navigation path	/quotations/{quotation}/decision (quotations.decision); POST
Required inputs	Use the relevant fields from section 9.1; action-specific selections are identified in the steps below.
Step-by-step usage	On issued quotation record Approved, actual date, contact name and communication method.
System processing / expected output	Approval history and agreed job selling totals; no stock/payment.
Database relationship	Section 9.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 9.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Create estimates and draft; Edit draft; Issue quotation
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot quotation-approval: module figure below and User Manual chapter 24.

Feature field	Implemented behavior
Implementation evidence	App\Modules\Quotations\Controllers\QuotationController@decision
Verification	Verified in cited automated scenario. Example: Tests\Feature\QuotationManagementTest::test_issue_and_customer_approval_are_recorded_with_job_status_history

F-031 - Customer rejection

Feature field	Implemented behavior
Module / business purpose	Quotation management and decisions: customer rejection. BRD 8
Authorized roles / permissions	administrator, manager; quotations.approve; record policy also applies.
Navigation path	/quotations/{quotation}/decision (quotations.decision); POST
Required inputs	Use the relevant fields from section 9.1; action-specific selections are identified in the steps below.
Step-by-step usage	Record Rejected with the actual contact/method and explanatory notes.
System processing / expected output	Append-only decision and implementation-specific job status.
Database relationship	Section 9.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 9.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Create estimates and draft; Edit draft; Issue quotation
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot quotation-approval: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Quotations\Controllers\QuotationController@decision
Verification	Verified in cited automated scenario. Example: Tests\Feature\QuotationManagementTest::test_customer_rejection_sets_customer_contact_failed_and_is_append_only


F-032 - Revision and history

Feature field	Implemented behavior
Module / business purpose	Quotation management and decisions: revision and history. BRD 8
Authorized roles / permissions	administrator, manager; quotations.revise; record policy also applies.
Navigation path	/quotations/{quotation}/revisions (quotations.revise); POST
Required inputs	Use the relevant fields from section 9.1; action-specific selections are identified in the steps below.
Step-by-step usage	Use Create revision when an issued estimate needs change; inspect prior versions and obtain a new decision.
System processing / expected output	Old quotation/decisions retained; revised estimate not silently approved.
Database relationship	Section 9.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 9.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Create estimates and draft; Edit draft; Issue quotation
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot quotation-approval: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Quotations\Controllers\QuotationController@revise
Verification	Verified in cited automated scenario. Example: Tests\Feature\QuotationManagementTest::test_revision_copies_quote_items_and_supersedes_the_previous_issued_quote

F-033 - A4/A5 print, duplicate and PDF

Feature field	Implemented behavior
Module / business purpose	Quotation management and decisions: a4/a5 print, duplicate and pdf. BRD 8
Authorized roles / permissions	administrator, receptionist, cashier, manager; quotations.print; record policy also applies.
Navigation path	/quotations/{quotation}/print (quotations.print); GET,HEAD
Required inputs	Use the relevant fields from section 9.1; action-specific selections are identified in the steps below.

Feature field	Implemented behavior
Step-by-step usage	Preview the saved quotation; choose A4/A5 PDF or marked duplicate as available.
System processing / expected output	Quoted values and print history; no stock or collection.
Database relationship	Section 9.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 9.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Create estimates and draft; Edit draft; Issue quotation
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot quotation-approval: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Quotations\Controllers\QuotationController@print
Verification	Verified in cited automated scenario. Example: Tests\Feature\QuotationManagementTest::test_revision_of_expired_quotation_gets_a_fresh_validity_period



Actual isolated application screenshot: Quotation management and decisions. Full-size original: quotation-approval.png; continuation panels appear in the User Manual atlas.

10. Invoice management

BRD sections: 9, 10, 11. Actual source module inspected; Jobs cannot belong to different customers or be billed twice. Approved quotation/billable job state is checked. Issued invoices cannot use draft editing; linked draft jobs cannot be removed.

10.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Customer; 1-30 distinct eligible jobs for that customer; invoice date; cash/credit terms; draft/issue/preview intent. Due date, collection/vehicle/delivery details and notes are optional.

Shared reference	Actual implementation
Validation and common error causes	Jobs cannot belong to different customers or be billed twice. Approved quotation/billable job state is checked. Issued invoices cannot use draft editing; linked draft jobs cannot be removed.
Database relationships	invoices; invoice_jobs; invoice_items; invoice_history; repair_jobs; payment_allocations
Balance/record effects	Draft reserves job links; issuance posts customer liability and allocates eligible advances once. Job amounts and original histories are retained.

F-034 - Create and select multiple jobs

Feature field	Implemented behavior
Module / business purpose	Invoice management: create and select multiple jobs. BRD 9, 10, 11
Authorized roles / permissions	administrator, cashier, manager; invoices.create; record policy also applies.
Navigation path	/invoices/create (invoices.create); GET,HEAD
Required inputs	Use the relevant fields from section 10.1; action-specific selections are identified in the steps below.
Step-by-step usage	Choose customer, select 1-30 distinct eligible same-customer jobs, set date/terms and review job-wise charges.
System processing / expected output	Draft links reserve jobs against duplicate billing.
Database relationship	Section 10.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 10.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Advances and invoice totals; Draft edit and issue; Delivery information
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot invoice-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Invoices\Controllers\InvoiceController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\InvoiceManagementTest::test_creates_unique_draft_invoices_with_multiple_job_totals

F-035 - Advances and invoice totals

Feature field	Implemented behavior
Module / business purpose	Invoice management: advances and invoice totals. BRD 9, 10, 11
Authorized roles / permissions	administrator, receptionist, cashier, manager; invoices.view; record policy also applies.
Navigation path	/invoices/{invoice} (invoices.show); GET,HEAD
Required inputs	Use the relevant fields from section 10.1; action-specific selections are identified in the steps below.
Step-by-step usage	Review line totals, linked job advances, paid and outstanding before taking money.
System processing / expected output	Derived balance; allocations prevent counting advances twice.
Database relationship	Section 10.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 10.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Create and select multiple jobs; Draft edit and issue; Delivery information
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot invoice-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Invoices\Controllers\InvoiceController@show
Verification	Verified in cited automated scenario. Example: Tests\Feature\InvoiceManagementTest::test_invoice_balance_uses_existing_advance_and_payment_allocations_without_accepting_payments

F-036 - Draft edit and issue

Feature field	Implemented behavior
Module / business purpose	Invoice management: draft edit and issue. BRD 9, 10, 11
Authorized roles / permissions	administrator, cashier, manager; invoices.issue; record policy also applies.
Navigation path	/invoices/{invoice}/issue (invoices.issue); POST
Required inputs	Use the relevant fields from section 10.1; action-specific selections are identified in the steps below.

Feature field	Implemented behavior
Step-by-step usage	Review draft; append only eligible jobs if required; issue the invoice once.
System processing / expected output	Issued liability and snapshot; earlier draft links cannot be removed.
Database relationship	Section 10.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 10.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Create and select multiple jobs; Advances and invoice totals; Delivery information
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot invoice-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Invoices\Controllers\InvoiceController@issue
Verification	Verified in cited automated scenario. Example: Tests\Feature\InvoiceManagementTest::test_creates_unique_draft_invoices_with_multiple_job_totals

F-037 - Delivery information

Feature field	Implemented behavior
Module / business purpose	Invoice management: delivery information. BRD 9, 10, 11
Authorized roles / permissions	administrator, cashier, manager; invoices.create; record policy also applies.
Navigation path	/invoices (invoices.store); POST
Required inputs	Use the relevant fields from section 10.1; action-specific selections are identified in the steps below.
Step-by-step usage	Record collector, vehicle, delivery date/information when known in the invoice form.
System processing / expected output	Saved delivery metadata, separate from a job's status history.
Database relationship	Section 10.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 10.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Create and select multiple jobs; Advances and invoice totals; Draft edit and issue
Print/export options	No separate print action for this operation; use its related saved document/report where available.


Feature field	Implemented behavior
Screenshot	Screenshot invoice-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Invoices\Controllers\InvoiceController@store
Verification	Not Verified - no directly matched automated scenario.

F-038 - A5 print, duplicate and PDF

Feature field	Implemented behavior
Module / business purpose	Invoice management: a5 print, duplicate and pdf. BRD 9, 10, 11
Authorized roles / permissions	administrator, cashier, manager; invoices.print; record policy also applies.
Navigation path	/invoices/{invoice}/print (invoices.print); GET,HEAD
Required inputs	Use the relevant fields from section 10.1; action-specific selections are identified in the steps below.
Step-by-step usage	Use the issued invoice's Preview/Print, duplicate or PDF action; verify customer/job totals.
System processing / expected output	A5 document and history; export additionally needs policy permission.
Database relationship	Section 10.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 10.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Create and select multiple jobs; Advances and invoice totals; Draft edit and issue
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot invoice-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Invoices\Controllers\InvoiceController@print
Verification	Verified in cited automated scenario. Example: Tests\Feature\InvoiceManagementTest::test_creates_unique_draft_invoices_with_multiple_job_totals

F-039 - Authorized cancellation

Feature field	Implemented behavior
Module / business purpose	Invoice management: authorized cancellation. BRD 9, 10, 11
Authorized roles / permissions	administrator, manager; invoices.cancel; record policy also applies.
Navigation path	/invoices/{invoice}/cancel (invoices.cancel); POST
Required inputs	Use the relevant fields from section 10.1; action-specific selections are identified in the steps below.
Step-by-step usage	Inspect financial state; use Cancel only if permitted and provide a reason of at least ten characters.
System processing / expected output	Retained original and cancellation history; paid allocations constrain action.
Database relationship	Section 10.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 10.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Create and select multiple jobs; Advances and invoice totals; Draft edit and issue
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot invoice-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Invoices\Controllers\InvoiceController@cancel
Verification	Verified in cited automated scenario. Example: Tests\Feature\InvoiceManagementTest::test_issued_snapshot_is_immutable_and_payment_prevents_cancellation



Actual isolated application screenshot: Invoice management. Full-size original: invoice-create.png; continuation panels appear in the User Manual atlas.

11. Payment management

BRD sections: 10, 11. Actual source module inspected; Invoice and advance targets cannot be mixed. Cannot overpay target. Receiver defaults to active signed-in employee; receiving for others requires separate permission.

11.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Invoice or customer/job advance target; positive two-decimal amount; payment date; method; method-specific bank/cheque references; notes if needed

Shared reference	Actual implementation
Validation and common error causes	Invoice and advance targets cannot be mixed. Cannot overpay target. Receiver defaults to active signed-in employee; receiving for others requires separate permission.
Database relationships	payments; payment_allocations; payment_reversals; payment_allocation_releases; customer_account_entries
Balance/record effects	Posts one receipt and allocation/ledger movement atomically. Partial payments update derived balance. Refund and accounting reversal have distinct effects.

F-040 - Cash receipt

Feature field	Implemented behavior
Module / business purpose	Payment management: cash receipt. BRD 10, 11
Authorized roles / permissions	administrator, cashier, manager; payments.create,payments.receive; record policy also applies.
Navigation path	/payments/create (payments.create); GET,HEAD
Required inputs	Use the relevant fields from section 11.1; action-specific selections are identified in the steps below.
Step-by-step usage	Choose Invoice payment, saved invoice, actual cash amount and date; submit once.
System processing / expected output	Payment, allocation and ledger entry atomically.
Database relationship	Section 11.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 11.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Bank transfer receipt; Cheque receipt; Customer or job advance
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot payment-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Payments\Controllers\PaymentController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\LatestPurchaseCostTest::test_correcting_a_payment_changes_collections_without_reducing_the_issued_sale

F-041 - Bank transfer receipt

Feature field	Implemented behavior
Module / business purpose	Payment management: bank transfer receipt. BRD 10, 11
Authorized roles / permissions	administrator, cashier, manager; payments.create,payments.receive; record policy also applies.
Navigation path	/payments/create (payments.create); GET,HEAD
Required inputs	Use the relevant fields from section 11.1; action-specific selections are identified in the steps below.
Step-by-step usage	Select Bank transfer and enter actual amount/date and required reference details.
System processing / expected output	Saved transfer payment and allocation; no invented funds.
Database relationship	Section 11.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 11.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Cash receipt; Cheque receipt; Customer or job advance
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot payment-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Payments\Controllers\PaymentController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\PaymentManagementTest::test_cash_bank_and_cheque_partial_payments_settle_an_invoice

F-042 - Cheque receipt

Feature field	Implemented behavior
Module / business purpose	Payment management: cheque receipt. BRD 10, 11
Authorized roles / permissions	administrator, cashier, manager; payments.create,payments.receive; record policy also applies.
Navigation path	/payments/create (payments.create); GET,HEAD
Required inputs	Use the relevant fields from section 11.1; action-specific selections are identified in the steps below.

Feature field	Implemented behavior
Step-by-step usage	Choose Cheque and complete cheque date/reference/bank fields as shown.
System processing / expected output	Recorded cheque method; recording is not a bank-clearance guarantee.
Database relationship	Section 11.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 11.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Cash receipt; Bank transfer receipt; Customer or job advance
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot payment-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Payments\Controllers\PaymentController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\PaymentManagementTest::test_cash_bank_and_cheque_partial_payments_settle_an_invoice

F-043 - Customer or job advance

Feature field	Implemented behavior
Module / business purpose	Payment management: customer or job advance. BRD 10, 11
Authorized roles / permissions	administrator, cashier, manager; payments.create,payments.receive; record policy also applies.
Navigation path	/payments/create (payments.create); GET,HEAD
Required inputs	Use the relevant fields from section 11.1; action-specific selections are identified in the steps below.
Step-by-step usage	Select Advance and correct customer; optionally target a job; do not also select an invoice.
System processing / expected output	Available advance allocated later without another cash receipt.
Database relationship	Section 11.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 11.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Cash receipt; Bank transfer receipt; Cheque receipt

Feature field	Implemented behavior
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot payment-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Payments\Controllers\PaymentController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\PaymentManagementTest::test_customer_advance_is_applied_once_when_invoice_is_issued

F-044 - Partial and repeated invoice settlements

Feature field	Implemented behavior
Module / business purpose	Payment management: partial and repeated invoice settlements. BRD 10, 11
Authorized roles / permissions	administrator, cashier, manager; payments.create,payments.receive; record policy also applies.
Navigation path	/payments/create (payments.create); GET,HEAD
Required inputs	Use the relevant fields from section 11.1; action-specific selections are identified in the steps below.
Step-by-step usage	Record the genuine partial amount; verify outstanding; repeat only when another payment occurs.
System processing / expected output	One invoice can have many payments. UI settles one invoice per entry.
Database relationship	Section 11.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 11.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Cash receipt; Bank transfer receipt; Cheque receipt
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot payment-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Payments\Controllers\PaymentController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\PaymentManagementTest::test_cash_bank_and_cheque_partial_payments_settle_an_invoice


F-045 - Payment receipt and history

Feature field	Implemented behavior
Module / business purpose	Payment management: payment receipt and history. BRD 10, 11
Authorized roles / permissions	administrator, cashier, manager; payments.view; record policy also applies.
Navigation path	/payments/{payment} (payments.show); GET,HEAD
Required inputs	Use the relevant fields from section 11.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open saved payment, inspect allocations/reversals, then print, duplicate or download where permitted.
System processing / expected output	Saved payment receipt and append-only history.
Database relationship	Section 11.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 11.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Cash receipt; Bank transfer receipt; Cheque receipt
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot payment-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Payments\Controllers\PaymentController@show
Verification	Verified in cited automated scenario. Example: Tests\Feature\LatestPurchaseCostTest::test_correcting_a_payment_changes_collections_without_reducing_the_issued_sale

F-046 - Refund and accounting reversal

Feature field	Implemented behavior
Module / business purpose	Payment management: refund and accounting reversal. BRD 10, 11
Authorized roles / permissions	administrator, manager; payments.reverse; record policy also applies.
Navigation path	/payments/{payment}/reverse (payments.reverse); POST
Required inputs	Use the relevant fields from section 11.1; action-specific selections are identified in the steps below.

Feature field	Implemented behavior
Step-by-step usage	Open original payment; choose the action matching refund versus bookkeeping error; enter reason/method and confirm.
System processing / expected output	Original retained, allocations released and ledger adjusted; collections versus sales remain distinct.
Database relationship	Section 11.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 11.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Cash receipt; Bank transfer receipt; Cheque receipt
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot payment-create: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Payments\Controllers\PaymentController@reverse
Verification	Verified in cited automated scenario. Example: Tests\Feature\PaymentManagementTest::test_refund_and_full_accounting_reversal_restore_invoice_balance_and_log_entries



Actual isolated application screenshot: Payment management. Full-size original: payment-create.png; continuation panels appear in the User Manual atlas.

12. Credit management

BRD sections: 11. Actual source module inspected; Requires credit access; collection also requires payment permissions. Cancelled invoices are excluded.

12.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Customer, date range, outstanding invoice and actual collection amount/method
Validation and common error causes	Requires credit access; collection also requires payment permissions. Cancelled invoices are excluded.
Database relationships	invoices; customers; payments; payment_allocations; customer_account_entries
Balance/record effects	Lists existing debt and settlement history. Collecting credit allocates a payment, not a second sale.

F-047 - Outstanding credit invoices

Feature field	Implemented behavior
Module / business purpose	Credit management: outstanding credit invoices. BRD 11
Authorized roles / permissions	administrator, cashier, manager; credit.view; record policy also applies.
Navigation path	/credit-invoices (credit-invoices.index); GET,HEAD
Required inputs	Use the relevant fields from section 12.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open Credit Management; filter and review actual outstanding invoices.
System processing / expected output	Unpaid/partial finalized credit; cancelled invoices excluded.
Database relationship	Section 12.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 12.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Credit collection; Credit statements and reports
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot credit: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\CreditManagement\Controllers\CreditInvoiceController@index
Verification	Verified in cited automated scenario. Example: Tests\Feature\PaymentManagementTest::test_credit_collections_are_permission_checked_and_support_repeated_partial_payments

F-048 - Credit collection


Feature field	Implemented behavior
Module / business purpose	Credit management: credit collection. BRD 11
Authorized roles / permissions	administrator, cashier, manager; credit.collect,payments.receive; record policy also applies.
Navigation path	/credit-invoices/{invoice}/collect (credit-invoices.collect); GET,HEAD
Required inputs	Use the relevant fields from section 12.1; action-specific selections are identified in the steps below.
Step-by-step usage	Select outstanding invoice; enter actual settlement in the payment form and inspect updated balance.

Feature field	Implemented behavior
System processing / expected output	Payment allocation against existing sale, not new revenue.
Database relationship	Section 12.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 12.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Outstanding credit invoices; Credit statements and reports
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot credit: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\CreditManagement\Controllers\CreditInvoiceController@collect
Verification	Verified in cited automated scenario. Example: Tests\Feature\PaymentManagementTest::test_credit_collections_are_permission_checked_and_support_repeated_partial_payments

F-049 - Credit statements and reports

Feature field	Implemented behavior
Module / business purpose	Credit management: credit statements and reports. BRD 11
Authorized roles / permissions	administrator, receptionist, technician, cashier, storekeeper, manager; reports.view; record policy also applies.
Navigation path	/reports (reports.index); GET,HEAD
Required inputs	Use the relevant fields from section 12.1; action-specific selections are identified in the steps below.
Step-by-step usage	Choose Customer Credit/Overdue or Customer Statement; apply appropriate customer/dates.
System processing / expected output	Authorized debt summaries; export is separately restricted.
Database relationship	Section 12.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 12.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Outstanding credit invoices; Credit collection
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot credit: module figure below and User Manual chapter 24.

Feature field	Implemented behavior
Implementation evidence	App\Modules\Reports\Controllers\ReportController@index
Verification	Verified in cited automated scenario. Example: Tests\Feature\ReportsTest::test_administrator_can_open_every_report_with_empty_business_data



Actual isolated application screenshot: Credit management. Full-size original: credit.png; continuation panels appear in the User Manual atlas.

13. Stock and inventory

BRD sections: 12. Actual source module inspected; Unique SKU and nonnull barcode; unit precision; no negative available stock. Unit cannot change after movements. Issue must be authorized and job open/unbilled.

13.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	SKU/name/unit/price/location; optional barcode/category/brand/supplier/opening cost; movement quantity and reason for stock controls

Shared reference	Actual implementation
Validation and common error causes	Unique SKU and nonnull barcode; unit precision; no negative available stock. Unit cannot change after movements. Issue must be authorized and job open/unbilled.
Database relationships	spare_parts; units_of_measure; stock_locations; stock_movements; stock_adjustments; stock_counts; job_part_usages; stock_returns
Balance/record effects	Opening/GRN movements increase stock; issues/POS/damage decrease it. Requests and quotations do not reserve/deduct stock. Counts post only actual-minus-expected.

F-050 - Register parts, SKU and barcode

Feature field	Implemented behavior
Module / business purpose	Stock and inventory: register parts, sku and barcode. BRD 12
Authorized roles / permissions	administrator, storekeeper; inventory.create; record policy also applies.
Navigation path	/inventory/create (inventory.create); GET,HEAD
Required inputs	Use the relevant fields from section 13.1; action-specific selections are identified in the steps below.
Step-by-step usage	Register part with unique SKU/name/unit/location and price; optionally barcode/category/brand/preferred supplier.
System processing / expected output	Part master; opening quantity/cost creates movement only when entered.
Database relationship	Section 13.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 13.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Edit part and references; Opening stock and known cost; Stock receiving
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot inventory: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Inventory\Controllers\InventoryController@form
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_http_master_registration_validates_precision_and_records_opening_balance

F-051 - Edit part and references

Feature field	Implemented behavior
Module / business purpose	Stock and inventory: edit part and references. BRD 12
Authorized roles / permissions	administrator, storekeeper; inventory.update; record policy also applies.
Navigation path	/inventory/{part}/edit (inventory.edit); GET,HEAD
Required inputs	Use the relevant fields from section 13.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open the correct part, edit permitted details, or create an allowed unit/location/brand/category reference.
System processing / expected output	Updated master; unit frozen after movement; reference grants checked.
Database relationship	Section 13.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 13.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register parts, SKU and barcode; Opening stock and known cost; Stock receiving
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot inventory: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Inventory\Controllers\InventoryController@form
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_http_master_registration_validates_precision_and_records_opening_balance

F-052 - Opening stock and known cost

Feature field	Implemented behavior
Module / business purpose	Stock and inventory: opening stock and known cost. BRD 12
Authorized roles / permissions	administrator, storekeeper; inventory.create; record policy also applies.
Navigation path	/inventory (inventory.store); POST
Required inputs	Use the relevant fields from section 13.1; action-specific selections are identified in the steps below.

Feature field	Implemented behavior
Step-by-step usage	At registration record actual opening quantity once and known unit cost only if supported by records.
System processing / expected output	Opening movement; unknown cost stays unknown rather than zero.
Database relationship	Section 13.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 13.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register parts, SKU and barcode; Edit part and references; Stock receiving
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot inventory: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Inventory\Controllers\InventoryController@save
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_http_master_registration_validates_precision_and_records_opening_balance

F-053 - Stock receiving

Feature field	Implemented behavior
Module / business purpose	Stock and inventory: stock receiving. BRD 12
Authorized roles / permissions	administrator, storekeeper, manager; purchases.receive; record policy also applies.
Navigation path	/purchases/{purchase}/receive (purchases.receive); POST
Required inputs	Use the relevant fields from section 13.1; action-specific selections are identified in the steps below.
Step-by-step usage	Receive the actual purchase line quantity/location through a GRN.
System processing / expected output	Positive source-linked movement and latest cost source.
Database relationship	Section 13.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 13.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register parts, SKU and barcode; Edit part and references; Opening stock and known cost

Feature field	Implemented behavior
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot inventory: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Purchases\Controllers\PurchaseController@receive
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_purchase_grn_payment_reversal_and_shared_stock_integrate_without_duplicate_posting

F-054 - Request repair parts

Feature field	Implemented behavior
Module / business purpose	Stock and inventory: request repair parts. BRD 12
Authorized roles / permissions	administrator, technician; jobs.repair; record policy also applies.
Navigation path	/stock-issues (stock-issues.store); POST
Required inputs	Use the relevant fields from section 13.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open Part Requests, choose accessible job, part, location, quantity and notes; submit.
System processing / expected output	Request only, with no reservation/deduction.
Database relationship	Section 13.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 13.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register parts, SKU and barcode; Edit part and references; Opening stock and known cost
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot inventory: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Inventory\Controllers\InventoryController@requestPart
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_repair_request_does_not_deduct_stock_and_repeated_issue_deducts_once

F-055 - Approve and issue repair parts

Feature field	Implemented behavior
Module / business purpose	Stock and inventory: approve and issue repair parts. BRD 12
Authorized roles / permissions	administrator, storekeeper; inventory.issue; record policy also applies.
Navigation path	/stock-issues/{usage}/issue (stock-issues.issue); POST
Required inputs	Use the relevant fields from section 13.1; action-specific selections are identified in the steps below.
Step-by-step usage	Check request, available stock and customer approval; issue once.
System processing / expected output	Negative movement, cost snapshot and protected job selling charges.
Database relationship	Section 13.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 13.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register parts, SKU and barcode; Edit part and references; Opening stock and known cost
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot inventory: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Inventory\Controllers\InventoryController@issue
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_repair_request_does_not_deduct_stock_and_repeated_issue_deducts_once

F-056 - Cancel request or full unused issue

Feature field	Implemented behavior
Module / business purpose	Stock and inventory: cancel request or full unused issue. BRD 12
Authorized roles / permissions	administrator, storekeeper; inventory.issue; record policy also applies.
Navigation path	/stock-issues/{usage}/cancel (stock-issues.cancel); POST
Required inputs	Use the relevant fields from section 13.1; action-specific selections are identified in the steps below.

Feature field	Implemented behavior
Step-by-step usage	Before billing cancel unissued request, or physically receive the entire unused resalable issued quantity and give a reason.
System processing / expected output	Original retained; full linked return reverses issue. Partial issue return unavailable.
Database relationship	Section 13.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 13.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register parts, SKU and barcode; Edit part and references; Opening stock and known cost
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot inventory: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Inventory\Controllers\InventoryController@cancelUsage
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_complete_unused_repair_issue_can_be_returned_once_without_deleting_history

F-057 - Correction and damage

Feature field	Implemented behavior
Module / business purpose	Stock and inventory: correction and damage. BRD 12
Authorized roles / permissions	administrator, storekeeper; inventory.adjust; record policy also applies.
Navigation path	/inventory/{part}/{operation} (inventory.operation); POST
Required inputs	Use the relevant fields from section 13.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open part; choose correction/damaged, correct location and signed quantity/reason; confirm physical facts.
System processing / expected output	Correction/damage movement; negative availability refused.
Database relationship	Section 13.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 13.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register parts, SKU and barcode; Edit part and references; Opening stock and known cost

Feature field	Implemented behavior
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot inventory: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Inventory\Controllers\InventoryController@operation
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_stock_correction_damage_count_and_replay_preserve_history

F-058 - Physical stock count

Feature field	Implemented behavior
Module / business purpose	Stock and inventory: physical stock count. BRD 12
Authorized roles / permissions	administrator, storekeeper; inventory.stock-count; record policy also applies.
Navigation path	/inventory/{part}/{operation} (inventory.operation); POST
Required inputs	Use the relevant fields from section 13.1; action-specific selections are identified in the steps below.
Step-by-step usage	Count location physically; enter actual count and reason, then review expected-versus-actual difference.
System processing / expected output	Count history and difference movement only.
Database relationship	Section 13.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 13.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register parts, SKU and barcode; Edit part and references; Opening stock and known cost
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot inventory: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Inventory\Controllers\InventoryController@operation
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_stock_correction_damage_count_and_replay_preserve_history


F-059 - Low stock and movements

Feature field	Implemented behavior
Module / business purpose	Stock and inventory: low stock and movements. BRD 12
Authorized roles / permissions	administrator, storekeeper; inventory.view; record policy also applies.
Navigation path	/inventory/{part} (inventory.show); GET,HEAD
Required inputs	Use the relevant fields from section 13.1; action-specific selections are identified in the steps below.
Step-by-step usage	Search part; inspect movements; open Stock report or dashboard alerts for low/out states.
System processing / expected output	Read-only movement history and threshold alerts.
Database relationship	Section 13.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 13.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register parts, SKU and barcode; Edit part and references; Opening stock and known cost
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot inventory: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Inventory\Controllers\InventoryController@show
Verification	Verified in cited automated scenario. Example: Tests\Feature\POSManagementTest::test_cashier_scans_repeated_barcodes_and_completes_sale_with_shared_stock_and_payment

F-060 - Latest purchase valuation

Feature field	Implemented behavior
Module / business purpose	Stock and inventory: latest purchase valuation. BRD 12
Authorized roles / permissions	administrator, receptionist, technician, cashier, storekeeper, manager; reports.view; record policy also applies.
Navigation path	/reports/{report} (reports.show); GET,HEAD
Required inputs	Use the relevant fields from section 13.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open Valuation report with inventory/purchase grants; inspect known and unknown costs.

Feature field	Implemented behavior
System processing / expected output	Latest posted location purchase cost, known opening fallback; old return cannot replace newer cost.
Database relationship	Section 13.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 13.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register parts, SKU and barcode; Edit part and references; Opening stock and known cost
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot inventory: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Reports\Controllers\ReportController@show
Verification	Verified in cited automated scenario. Example: Tests\Feature\LatestPurchaseCostTest::test_old_customer_return_does_not_replace_latest_purchase_cost_for_pos_or_valuation



Actual isolated application screenshot: Stock and inventory. Full-size original: inventory.png; continuation panels appear in the User Manual atlas.

14. Supplier management

BRD sections: 13. Actual source module inspected; Opening balance cannot be changed by editing. Financial operations require purchases.approve; separate opening/purchase targets prevent over-allocation.

14.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Name, address, mobile, opening balance on creation, credit days, active state; optional contact/telephone/email/terms/notes
Validation and common error causes	Opening balance cannot be changed by editing. Financial operations require purchases.approve; separate opening/purchase targets prevent over-allocation.
Database relationships	suppliers; supplier_account_entries; supplier_payments; supplier_payment_allocations; supplier_payment_reversals
Balance/record effects	Keeps supplier master and liability history separate from customer accounts. Reversal retains original payment.

F-061 - Register supplier

Feature field	Implemented behavior
Module / business purpose	Supplier management: register supplier. BRD 13
Authorized roles / permissions	administrator, manager; suppliers.create; record policy also applies.
Navigation path	/suppliers/create (suppliers.create); GET,HEAD
Required inputs	Use the relevant fields from section 14.1; action-specific selections are identified in the steps below.
Step-by-step usage	Enter name/address/mobile/opening balance/credit days/status and optional contact details; Save.
System processing / expected output	SUP master and one nonzero opening ledger entry.
Database relationship	Section 14.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 14.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Edit and search supplier; Supplier accounts and statements; Opening balance settlement
Print/export options	No separate print action for this operation; use its related saved document/report where available.

Feature field	Implemented behavior
Screenshot	Screenshot supplier-detail: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Suppliers\Controllers\SupplierController@form
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_new_pages_render_and_cashier_cannot_change_stock_or_suppliers

F-062 - Edit and search supplier

Feature field	Implemented behavior
Module / business purpose	Supplier management: edit and search supplier. BRD 13
Authorized roles / permissions	administrator, manager; suppliers.update; record policy also applies.
Navigation path	/suppliers/{supplier}/edit (suppliers.edit); GET,HEAD
Required inputs	Use the relevant fields from section 14.1; action-specific selections are identified in the steps below.
Step-by-step usage	Search name/code/mobile; open Edit; correct contacts/terms without changing opening balance.
System processing / expected output	Master metadata updated, original financial opening retained.
Database relationship	Section 14.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 14.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register supplier; Supplier accounts and statements; Opening balance settlement
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot supplier-detail: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Suppliers\Controllers\SupplierController@form
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_supplier_edit_and_search_preserve_the_opening_ledger


F-063 - Supplier accounts and statements

Feature field	Implemented behavior
Module / business purpose	Supplier management: supplier accounts and statements. BRD 13
Authorized roles / permissions	administrator, manager; suppliers.view; record policy also applies.
Navigation path	/suppliers/{supplier} (suppliers.show); GET,HEAD
Required inputs	Use the relevant fields from section 14.1; action-specific selections are identified in the steps below.
Step-by-step usage	Review supplier balance/account entries, purchases and payments; use authorized Supplier Statement report for selected dates.
System processing / expected output	Existing liability history, not a customer ledger.
Database relationship	Section 14.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 14.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register supplier; Edit and search supplier; Opening balance settlement
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot supplier-detail: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Suppliers\Controllers\SupplierController@show
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_new_pages_render_and_cashier_cannot_change_stock_or_suppliers

F-064 - Opening balance settlement

Feature field	Implemented behavior
Module / business purpose	Supplier management: opening balance settlement. BRD 13
Authorized roles / permissions	administrator, manager; purchases.approve; record policy also applies.
Navigation path	/suppliers/{supplier}/opening-payments (suppliers.pay-opening); POST
Required inputs	Use the relevant fields from section 14.1; action-specific selections are identified in the steps below.

Feature field	Implemented behavior
Step-by-step usage	Open supplier; enter actual opening settlement amount/method/reference; save and verify balance.
System processing / expected output	Separate opening allocation; overpayment blocked.
Database relationship	Section 14.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 14.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Register supplier; Edit and search supplier; Supplier accounts and statements
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot supplier-detail: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Suppliers\Controllers\SupplierController@payOpening
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_supplier_opening_balance_payment_and_reversal_use_existing_supplier_ledger



Actual isolated application screenshot: Supplier management. Full-size original: supplier-detail.png; continuation panels appear in the User Manual atlas.

15. Purchase and GRN management

BRD sections: 13. Actual source module inspected; Purchase date not future; supplier reference unique per supplier; receiving cannot exceed remaining ordered quantity. GRN selects one line/location per submission.

15.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Supplier, purchase date, cash/credit terms, discount/other costs, 1-100 part/quantity/unit-cost lines; supplier reference/due date optional
Validation and common error causes	Purchase date not future; supplier reference unique per supplier; receiving cannot exceed remaining ordered quantity. GRN selects one line/location per submission.
Database relationships	purchases; purchase_items; goods_received_notes; goods_received_note_items; stock_movements; supplier_account_entries

Shared reference	Actual implementation
Balance/record effects	Draft has no stock/payable. Finalize posts payable once. Actual partial GRN receipts post stock and latest purchase costs. Supplier return credit must be explicitly agreed.

F-065 - Purchase draft with items

Feature field	Implemented behavior
Module / business purpose	Purchase and GRN management: purchase draft with items. BRD 13
Authorized roles / permissions	administrator, storekeeper, manager; purchases.create; record policy also applies.
Navigation path	/purchases/create (purchases.create); GET,HEAD
Required inputs	Use the relevant fields from section 15.1; action-specific selections are identified in the steps below.
Step-by-step usage	Select supplier/date/terms, add part quantities and unit costs; enter known discount/extras; Save draft.
System processing / expected output	No stock/payable until authorized finalization.
Database relationship	Section 15.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 15.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Purchase finalization; GRN and partial receiving; Supplier payment
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot grn: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Purchases\Controllers\PurchaseController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_purchase_grn_payment_reversal_and_shared_stock_integrate_without_duplicate_posting

F-066 - Purchase finalization

Feature field	Implemented behavior
Module / business purpose	Purchase and GRN management: purchase finalization. BRD 13

Feature field	Implemented behavior
Authorized roles / permissions	administrator, manager; purchases.approve; record policy also applies.
Navigation path	/purchases/{purchase}/finalize (purchases.finalize); POST
Required inputs	Use the relevant fields from section 15.1; action-specific selections are identified in the steps below.
Step-by-step usage	Review supplier invoice/reference and totals; finalize once with appropriate authority.
System processing / expected output	Posts supplier payable once; still no stock receipt.
Database relationship	Section 15.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 15.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Purchase draft with items; GRN and partial receiving; Supplier payment
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot grn: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Purchases\Controllers\PurchaseController@finalize
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_purchase_grn_payment_reversal_and_shared_stock_integrate_without_duplicate_posting

F-067 - GRN and partial receiving

Feature field	Implemented behavior
Module / business purpose	Purchase and GRN management: grn and partial receiving. BRD 13
Authorized roles / permissions	administrator, storekeeper, manager; purchases.receive; record policy also applies.
Navigation path	/purchases/{purchase}/receive (purchases.receive); POST
Required inputs	Use the relevant fields from section 15.1; action-specific selections are identified in the steps below.
Step-by-step usage	Choose one purchase line and location; enter delivered quantity; Save; repeat for other lines/deliveries.
System processing / expected output	Partial source-linked receiving; no overreceiving or duplicate posting.
Database relationship	Section 15.1 lists the verified participating tables and balance effects.

Feature field	Implemented behavior
Validation / common errors	Section 15.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Purchase draft with items; Purchase finalization; Supplier payment
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot grn: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Purchases\Controllers\PurchaseController@receive
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_purchase_grn_payment_reversal_and_shared_stock_integrate_without_duplicate_posting

F-068 - Supplier payment

Feature field	Implemented behavior
Module / business purpose	Purchase and GRN management: supplier payment. BRD 13
Authorized roles / permissions	administrator, manager; purchases.approve; record policy also applies.
Navigation path	/purchases/{purchase}/payments (purchases.pay); POST
Required inputs	Use the relevant fields from section 15.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open finalized purchase; enter genuine amount/method/reference; save and check outstanding.
System processing / expected output	Separate supplier payment/allocation reduces liability.
Database relationship	Section 15.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 15.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Purchase draft with items; Purchase finalization; GRN and partial receiving
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot grn: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Purchases\Controllers\PurchaseController@pay

Feature field	Implemented behavior
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_purchase_grn_payment_reversal_and_shared_stock_integrate_without_duplicate_posting

F-069 - Supplier payment reversal

Feature field	Implemented behavior
Module / business purpose	Purchase and GRN management: supplier payment reversal. BRD 13
Authorized roles / permissions	administrator, manager; purchases.approve; record policy also applies.
Navigation path	/supplier-payments/{payment}/reverse (supplier-payments.reverse); POST
Required inputs	Use the relevant fields from section 15.1; action-specific selections are identified in the steps below.
Step-by-step usage	Select original supplier payment; enter correction reason and reverse when authorized.
System processing / expected output	Full original retained; allocation released and liability restored.
Database relationship	Section 15.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 15.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Purchase draft with items; Purchase finalization; GRN and partial receiving
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot grn: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Purchases\Controllers\PurchaseController@reverse
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_purchase_grn_payment_reversal_and_shared_stock_integrate_without_duplicate_posting


F-070 - Supplier return and agreed credit

Feature field	Implemented behavior
Module / business purpose	Purchase and GRN management: supplier return and agreed credit. BRD 13
Authorized roles / permissions	administrator, storekeeper; purchases.receive,inventory.adjust; record policy also applies.
Navigation path	/purchases/{purchase}/returns (purchases.return); POST
Required inputs	Use the relevant fields from section 15.1; action-specific selections are identified in the steps below.
Step-by-step usage	Select source line/location, physically returned quantity, reason and explicitly agreed supplier credit where authorized.
System processing / expected output	Stock decreases; only entered agreed account credit reduces payable, not cash refund.
Database relationship	Section 15.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 15.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Purchase draft with items; Purchase finalization; GRN and partial receiving
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot grn: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Purchases\Controllers\PurchaseController@returnStock
Verification	Verified in cited automated scenario. Example: Tests\Feature\StockPurchasingWorkflowTest::test_supplier_return_reduces_stock_and_only_agreed_credit_reduces_payable

F-071 - Purchase and GRN documents

Feature field	Implemented behavior
Module / business purpose	Purchase and GRN management: purchase and grn documents. BRD 13
Authorized roles / permissions	administrator, storekeeper, manager; purchases.view; record policy also applies.

Feature field	Implemented behavior
Navigation path	/purchases/{purchase}/document/{format} (purchases.document); GET,HEAD
Required inputs	Use the relevant fields from section 15.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open saved purchase/GRN; choose browser document or PDF and duplicate as needed.
System processing / expected output	Actual purchase/received quantity and protected print history.
Database relationship	Section 15.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 15.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Purchase draft with items; Purchase finalization; GRN and partial receiving
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot grn: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Purchases\Controllers\PurchaseController@document
Verification	Verified in cited automated scenario. Example: Tests\Feature\PrintGapCompletionTest::test_purchase_and_grn_print_pdf_and_duplicate_output_preserve_their_source



Actual isolated application screenshot: Purchase and GRN management. Full-size original: grn.png; continuation panels appear in the User Manual atlas.

16. Point of sale

BRD sections: 12, 14, 23. Actual source module inspected; Positive sale total, sufficient stock and unit precision. Discounts/returns/refunds/verification each need permission. Changed payload cannot reuse an operation key.

16.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Barcode/search; cart quantities; method; cash tender or transfer/cheque reference; cheque date when needed; optional customer, discount and notes

Shared reference	Actual implementation
Validation and common error causes	Positive sale total, sufficient stock and unit precision. Discounts/returns/refunds/verification each need permission. Changed payload cannot reuse an operation key.
Database relationships	pos_sales; pos_sale_items; payments; payment_allocations; stock_movements; stock_returns
Balance/record effects	Cash checkout atomically posts sale, payment and stock. Bank/cheque stays pending until manager verification. Resalable returns restore original recorded cost.

F-072 - Product search and scanner input

Feature field	Implemented behavior
Module / business purpose	Point of sale: product search and scanner input. BRD 12, 14, 23
Authorized roles / permissions	administrator, cashier, storekeeper, manager; pos.view; record policy also applies.
Navigation path	/pos (pos.index); GET,HEAD
Required inputs	Use the relevant fields from section 16.1; action-specific selections are identified in the steps below.
Step-by-step usage	Search SKU/barcode/name/brand/category or focus barcode input and scan; inspect matching product.
System processing / expected output	Available product choices; no stock posting until checkout.
Database relationship	Section 16.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 16.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Cart quantity controls; Permitted discounts; Cash checkout
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot pos: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\POS\Controllers\POSController@index
Verification	Verified in cited automated scenario. Example: Tests\Feature\POSManagementTest::test_cashier_scans_repeated_barcodes_and_completes_sale_with_shared_stock_and_payment

F-073 - Cart quantity controls

Feature field	Implemented behavior
Module / business purpose	Point of sale: cart quantity controls. BRD 12, 14, 23
Authorized roles / permissions	administrator, cashier; pos.sale; record policy also applies.
Navigation path	/pos/cart/add (pos.cart.add); POST
Required inputs	Use the relevant fields from section 16.1; action-specific selections are identified in the steps below.
Step-by-step usage	Add chosen part, change quantity or remove item; check precision, stock and total.
System processing / expected output	Session cart; server revalidates at checkout.
Database relationship	Section 16.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 16.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Product search and scanner input; Permitted discounts; Cash checkout
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot pos: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\POS\Controllers\POSController@addProduct
Verification	Verified in cited automated scenario. Example: Tests\Feature\POSManagementTest::test_cashier_scans_repeated_barcodes_and_completes_sale_with_shared_stock_and_payment

F-074 - Permitted discounts

Feature field	Implemented behavior
Module / business purpose	Point of sale: permitted discounts. BRD 12, 14, 23
Authorized roles / permissions	administrator; pos.discount,pos.sale; record policy also applies.
Navigation path	/pos/checkout (pos.checkout); POST
Required inputs	Use the relevant fields from section 16.1; action-specific selections are identified in the steps below.
Step-by-step usage	Enter authorized discount; review nonnegative net sale before checkout.
System processing / expected output	Discount audit and exact decimal calculation.

Feature field	Implemented behavior
Database relationship	Section 16.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 16.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Product search and scanner input; Cart quantity controls; Cash checkout
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot pos: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\POS\Controllers\POSController@checkout
Verification	Verified in cited automated scenario. Example: Tests\Feature\POSManagementTest::test_cashier_cannot_apply_discount_or_view_pos_without_permission

F-075 - Cash checkout

Feature field	Implemented behavior
Module / business purpose	Point of sale: cash checkout. BRD 12, 14, 23
Authorized roles / permissions	administrator, cashier; pos.sale; record policy also applies.
Navigation path	/pos/checkout (pos.checkout); POST
Required inputs	Use the relevant fields from section 16.1; action-specific selections are identified in the steps below.
Step-by-step usage	Choose Cash, enter actual tender and confirm change; complete checkout once.
System processing / expected output	Atomic finalized sale, total-only payment and negative stock; tender/change retained.
Database relationship	Section 16.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 16.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Product search and scanner input; Cart quantity controls; Permitted discounts
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot pos: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\POS\Controllers\POSController@checkout

Feature field	Implemented behavior
Verification	Verified in cited automated scenario. Example: Tests\Feature\POSManagementTest::test_cashier_scans_repeated_barcodes_and_completes_sale_with_shared_stock_and_payment

F-076 - Pending bank/cheque verification

Feature field	Implemented behavior
Module / business purpose	Point of sale: pending bank/cheque verification. BRD 12, 14, 23
Authorized roles / permissions	administrator, manager; pos.payment.verify; record policy also applies.
Navigation path	/pos/sales/{sale}/verify (pos.sales.verify); POST
Required inputs	Use the relevant fields from section 16.1; action-specific selections are identified in the steps below.
Step-by-step usage	Cashier creates transfer/cheque sale with references; manager verifies actual receipt on saved sale.
System processing / expected output	Before verification: draft, no stock/payment. After: final posting.
Database relationship	Section 16.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 16.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Product search and scanner input; Cart quantity controls; Permitted discounts
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot pos: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\POS\Controllers\POSController@verify
Verification	Verified in cited automated scenario. Example: Tests\Feature\POSManagementTest::test_unverified_bank_and_cheque_sales_do_not_post_payment_or_reduce_stock_until_authorized

F-077 - Sales history

Feature field	Implemented behavior
Module / business purpose	Point of sale: sales history. BRD 12, 14, 23

Feature field	Implemented behavior
Authorized roles / permissions	administrator, cashier, manager; pos.sales.view; record policy also applies.
Navigation path	/pos/sales (pos.sales.index); GET,HEAD
Required inputs	Use the relevant fields from section 16.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open POS sales history, filter and inspect the saved sale/verification state.
System processing / expected output	Policy-protected saved sales and line history.
Database relationship	Section 16.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 16.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Product search and scanner input; Cart quantity controls; Permitted discounts
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot pos: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\POS\Controllers\POSController@sales
Verification	Verified in cited automated scenario. Example: Tests\Feature\LatestPurchaseCostTest::test_correcting_a_payment_changes_collections_without_reducing_the_issued_sale

F-078 - Receipt print and PDF


Feature field	Implemented behavior
Module / business purpose	Point of sale: receipt print and pdf. BRD 12, 14, 23
Authorized roles / permissions	administrator, cashier, manager; pos.receipt.print; record policy also applies.
Navigation path	/pos/sales/{sale}/print (pos.sales.print); GET,HEAD
Required inputs	Use the relevant fields from section 16.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open saved sale; Print, reprint or PDF; use configured thermal width.
System processing / expected output	Receipt and duplicate history with Sinhala-capable font.
Database relationship	Section 16.1 lists the verified participating tables and balance effects.

Feature field	Implemented behavior
Validation / common errors	Section 16.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Product search and scanner input; Cart quantity controls; Permitted discounts
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot pos: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\POS\Controllers\POSController@print
Verification	Verified in cited automated scenario. Example: Tests\Feature\POSManagementTest::test_receipt_uses_sale_snapshots_and_all_paper_formats_generate_pdfs

F-079 - Returns and refunds

Feature field	Implemented behavior
Module / business purpose	Point of sale: returns and refunds. BRD 12, 14, 23
Authorized roles / permissions	administrator, manager; pos.return,pos.refund; record policy also applies.
Navigation path	/pos/returns (pos.returns.store); POST
Required inputs	Use the relevant fields from section 16.1; action-specific selections are identified in the steps below.
Step-by-step usage	Find original sale, enter actual returned quantity and resalable/damaged classification; record authorized refund.
System processing / expected output	Original retained; resalable stock restored at original cost; exact cents preserved.
Database relationship	Section 16.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 16.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Product search and scanner input; Cart quantity controls; Permitted discounts
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot pos: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\POS\Controllers\POSReturnController@store

Feature field	Implemented behavior
Verification	Verified in cited automated scenario. Example: Tests\Feature\LatestPurchaseCostTest::test_old_customer_return_does_not_replace_latest_purchase_cost_for_pos_or_valuation



Actual isolated application screenshot: Point of sale. Full-size original: pos.png; continuation panels appear in the User Manual atlas.

17. Reports and analysis

BRD sections: 15, 18. Actual source module inspected; End date cannot precede start. Financial reports need financial access. Export permission is separate. PDF limit 1000 rows; XLSX/CSV limit 50000 rows.

17.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Report type; applicable date/customer/employee/supplier/item/category/status/method filters; allowlisted sort/direction
Validation and common error causes	End date cannot precede start. Financial reports need financial access. Export permission is separate. PDF limit 1000 rows; XLSX/CSV limit 50000 rows.
Database relationships	Read queries across repair, invoice, payment, stock, purchase and account tables
Balance/record effects	Reports read saved transactions. Latest purchase valuation and recorded-cost profit are estimates; missing cost/freight policy keeps affected values incomplete.

F-080 - Repair and technician reports

Feature field	Implemented behavior
Module / business purpose	Reports and analysis: repair and technician reports. BRD 15, 18
Authorized roles / permissions	administrator, receptionist, technician, manager; reports.view,jobs.view; record policy also applies.
Navigation path	/reports/{report} (reports.show); GET,HEAD
Required inputs	Use the relevant fields from section 17.1; action-specific selections are identified in the steps below.
Step-by-step usage	Choose Repair/Technicians, set dates/status/employee and review saved jobs.
System processing / expected output	Read-only repair cohorts and technician work.
Database relationship	Section 17.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 17.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Sales and collection reports; Financial and credit reports; Inventory and purchase reports
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot reports: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Reports\Controllers\ReportController@show

Feature field	Implemented behavior
Verification	Verified in cited automated scenario. Example: Tests\Feature\ReportsTest::test_administrator_can_export_reports_as_xlsx_pdf_and_csv

F-081 - Sales and collection reports

Feature field	Implemented behavior
Module / business purpose	Reports and analysis: sales and collection reports. BRD 15, 18
Authorized roles / permissions	administrator, receptionist, technician, cashier, storekeeper, manager; reports.view; record policy also applies.
Navigation path	/reports/{report} (reports.show); GET,HEAD
Required inputs	Use the relevant fields from section 17.1; action-specific selections are identified in the steps below.
Step-by-step usage	Choose sales, invoice/POS, cashier, discount/refund or cash collection report using permitted grants.
System processing / expected output	Issued sales distinguished from net cash collections.
Database relationship	Section 17.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 17.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Repair and technician reports; Financial and credit reports; Inventory and purchase reports
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot reports: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Reports\Controllers\ReportController@show
Verification	Verified in cited automated scenario. Example: Tests\Feature\ReportsTest::test_administrator_can_open_every_report_with_empty_business_data

F-082 - Financial and credit reports

Feature field	Implemented behavior
Module / business purpose	Reports and analysis: financial and credit reports. BRD 15, 18

Feature field	Implemented behavior
Authorized roles / permissions	administrator, manager; reports.view,reports.financial; record policy also applies.
Navigation path	/reports/{report} (reports.show); GET,HEAD
Required inputs	Use the relevant fields from section 17.1; action-specific selections are identified in the steps below.
Step-by-step usage	Choose financial/customer/supplier debt report; review time basis and actual entries.
System processing / expected output	Account/expense/collection summaries; restricted financial data.
Database relationship	Section 17.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 17.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Repair and technician reports; Sales and collection reports; Inventory and purchase reports
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot reports: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Reports\Controllers\ReportController@show
Verification	Verified in cited automated scenario. Example: Tests\Feature\ReportsTest::test_administrator_can_open_every_report_with_empty_business_data

F-083 - Inventory and purchase reports

Feature field	Implemented behavior
Module / business purpose	Reports and analysis: inventory and purchase reports. BRD 15, 18
Authorized roles / permissions	administrator, receptionist, technician, cashier, storekeeper, manager; reports.view; record policy also applies.
Navigation path	/reports/{report} (reports.show); GET,HEAD
Required inputs	Use the relevant fields from section 17.1; action-specific selections are identified in the steps below.
Step-by-step usage	Choose Stock/Movements/Repair Parts/POS Parts/Purchases; filter item/category/supplier/location as available.
System processing / expected output	Shared movement, receiving and purchasing evidence.
Database relationship	Section 17.1 lists the verified participating tables and balance effects.

Feature field	Implemented behavior
Validation / common errors	Section 17.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Repair and technician reports; Sales and collection reports; Financial and credit reports
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot reports: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Reports\Controllers\ReportController@show
Verification	Verified in cited automated scenario. Example: Tests\Feature\ReportsTest::test_administrator_can_open_every_report_with_empty_business_data


F-084 - Recorded-cost profit estimate

Feature field	Implemented behavior
Module / business purpose	Reports and analysis: recorded-cost profit estimate. BRD 15, 18
Authorized roles / permissions	administrator, manager; reports.view,reports.financial; record policy also applies.
Navigation path	/reports/{report} (reports.show); GET,HEAD
Required inputs	Use the relevant fields from section 17.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open Profit Estimate; review incomplete flags before interpreting margin.
System processing / expected output	Recorded issued/POS costs, labour and expenses; unresolved extras/refunds stay incomplete.
Database relationship	Section 17.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 17.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Repair and technician reports; Sales and collection reports; Financial and credit reports
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot reports: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Reports\Controllers\ReportController@show

Feature field	Implemented behavior
Verification	Verified in cited automated scenario. Example: Tests\Feature\LatestPurchaseCostTest::test_old_customer_return_does_not_replace_latest_purchase_cost_for_pos_or_valuation

F-085 - PDF, Excel and CSV export

Feature field	Implemented behavior
Module / business purpose	Reports and analysis: pdf, excel and csv export. BRD 15, 18
Authorized roles / permissions	administrator, storekeeper, manager; reports.export; record policy also applies.
Navigation path	/reports/{report}/export/{format} (reports.export); GET,HEAD
Required inputs	Use the relevant fields from section 17.1; action-specific selections are identified in the steps below.
Step-by-step usage	Apply filters; select PDF, XLSX or CSV; narrow range if export limit is reached.
System processing / expected output	A4 landscape PDF or spreadsheet/CSV download with formula-safe text.
Database relationship	Section 17.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 17.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Repair and technician reports; Sales and collection reports; Financial and credit reports
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot reports: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Reports\Controllers\ReportController@export
Verification	Verified in cited automated scenario. Example: Tests\Feature\ReportsTest::test_administrator_can_export_reports_as_xlsx_pdf_and_csv



Actual isolated application screenshot: Reports and analysis. Full-size original: reports.png; continuation panels appear in the User Manual atlas.

18. Employee and account administration

BRD sections: 14. Actual source module inspected; Employee and username identifiers are unique; account creation also needs users.create and roles.manage. Strong password rules apply; final administrator is protected.

18.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Employee identity/contact/employment fields; optional account username/password/role subject to grants
Validation and common error causes	Employee and username identifiers are unique; account creation also needs users.create and roles.manage. Strong password rules apply; final administrator is protected.

Shared reference	Actual implementation
Database relationships	employees; users; roles; role_user; permission_user; audit_logs
Balance/record effects	Employee may exist without login. Deactivation preserves history, disables linked access and invalidates sessions.

F-086 - Employee registration

Feature field	Implemented behavior
Module / business purpose	Employee and account administration: employee registration. BRD 14
Authorized roles / permissions	administrator; employees.create; record policy also applies.
Navigation path	/employees/create (employees.create); GET,HEAD
Required inputs	Use the relevant fields from section 18.1; action-specific selections are identified in the steps below.
Step-by-step usage	Enter employee details; create a linked account only when user/role permissions are also held.
System processing / expected output	Employee may exist without credentials; generated immutable reference.
Database relationship	Section 18.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 18.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Employee editing and activation; Account passwords and status
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot employees: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Employees\Controllers\EmployeeController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\EmployeeManagementTest::test_administrator_can_register_employee_and_link_a_hashed_login_account


F-087 - Employee editing and activation

Feature field	Implemented behavior
Module / business purpose	Employee and account administration: employee editing and activation. BRD 14
Authorized roles / permissions	administrator; employees.update; record policy also applies.
Navigation path	/employees/{employee}/edit (employees.edit); GET,HEAD
Required inputs	Use the relevant fields from section 18.1; action-specific selections are identified in the steps below.
Step-by-step usage	Edit actual contact/employment data; deactivate/activate through authorized controls.
System processing / expected output	History retained; linked inactive account sessions invalidated.
Database relationship	Section 18.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 18.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Employee registration; Account passwords and status
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot employees: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Employees\Controllers\EmployeeController@edit
Verification	Verified in cited automated scenario. Example: Tests\Feature\EmployeeManagementTest::test_employee_deactivation_disables_linked_login_without_deleting_history

F-088 - Account passwords and status

Feature field	Implemented behavior
Module / business purpose	Employee and account administration: account passwords and status. BRD 14
Authorized roles / permissions	administrator; users.update; record policy also applies.
Navigation path	/admin/users/{user} (admin.users.show); GET,HEAD
Required inputs	Use the relevant fields from section 18.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open linked account; administrator resets a strong password or reviews enablement, without exposing credentials.

Feature field	Implemented behavior
System processing / expected output	Hashed password and audit; no public recovery screen.
Database relationship	Section 18.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 18.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Employee registration; Employee editing and activation
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot employees: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Employees\Controllers\UserController@show
Verification	Verified in cited automated scenario. Example: Tests\Feature\CreateUserCommandTest::test_private_bootstrap_creates_a_linked_administrator_with_a_hashed_password



Actual isolated application screenshot: Employee and account administration. Full-size original: employees.png; continuation panels appear in the User Manual atlas.

19. Roles and permission controls

BRD sections: 14, 17. Actual source module inspected; Seeded roles cannot be deleted from UI; administrator cannot lose essential access. Self role/override changes and administrator overrides are restricted.

19.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Role grants or explicit allow/deny/inherit overrides for an eligible different user
Validation and common error causes	Seeded roles cannot be deleted from UI; administrator cannot lose essential access. Self role/override changes and administrator overrides are restricted.
Database relationships	roles; permissions; permission_role; role_user; permission_user
Balance/record effects	Actual role grants plus overrides determine access. Explicit deny wins. Technician assignment is a separate record policy.

F-089 - Role assignment

Feature field	Implemented behavior
Module / business purpose	Roles and permission controls: role assignment. BRD 14, 17
Authorized roles / permissions	administrator; roles.manage; record policy also applies.
Navigation path	/admin/users/{user}/role (admin.users.role); PUT
Required inputs	Use the relevant fields from section 19.1; action-specific selections are identified in the steps below.
Step-by-step usage	Choose another eligible user's role in account administration; review least required access.
System processing / expected output	Role association, last-admin and self-change protections.
Database relationship	Section 19.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 19.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Role grant customization; Individual permission overrides
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot roles: module figure below and User Manual chapter 24.

Feature field	Implemented behavior
Implementation evidence	App\Modules\Employees\Controllers\UserController@updateRole
Verification	Verified in cited automated scenario. Example: Tests\Feature\EmployeeManagementTest::test_individual_denial_overrides_role_permission


F-090 - Role grant customization

Feature field	Implemented behavior
Module / business purpose	Roles and permission controls: role grant customization. BRD 14, 17
Authorized roles / permissions	administrator; roles.manage; record policy also applies.
Navigation path	/admin/roles/{role}/edit (admin.roles.edit); GET,HEAD
Required inputs	Use the relevant fields from section 19.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open Roles & Permissions; inspect current grants, adjust permitted role and save.
System processing / expected output	Actual grant matrix, not an assumption from seeded defaults.
Database relationship	Section 19.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 19.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Role assignment; Individual permission overrides
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot roles: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\RolesPermissions\Controllers\RoleController@edit
Verification	Verified in cited automated scenario. Example: Tests\Feature\EmployeeManagementTest::test_individual_denial_overrides_role_permission

F-091 - Individual permission overrides

Feature field	Implemented behavior
Module / business purpose	Roles and permission controls: individual permission overrides. BRD 14, 17

Feature field	Implemented behavior
Authorized roles / permissions	administrator; permissions.manage; record policy also applies.
Navigation path	/admin/users/{user}/permissions (admin.users.permissions); PUT
Required inputs	Use the relevant fields from section 19.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open eligible user; choose Allow, Deny or Inherit per permission; review effective access.
System processing / expected output	Deny overrides grants; admin/self restrictions preserved.
Database relationship	Section 19.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 19.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Role assignment; Role grant customization
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot roles: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Employees\Controllers\UserController@update Overrides
Verification	Verified in cited automated scenario. Example: Tests\Feature\EmployeeManagementTest::test_individual_denial_overrides_role_permission



Actual isolated application screenshot: Roles and permission controls. Full-size original: roles.png; continuation panels appear in the User Manual atlas.

20. System settings

BRD sections: 16, 19. Actual source module inspected; Currency has three ASCII letters, valid timezone, allowlisted formats. Logo JPEG/PNG at most 2 MB. Secrets/arbitrary configuration cannot be edited.

20.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Business name/address/telephone; PNG/JPEG logo; currency; timezone; language; date/time formats; paper/footer
Validation and common error causes	Currency has three ASCII letters, valid timezone, allowlisted formats. Logo JPEG/PNG at most 2 MB. Secrets/arbitrary configuration cannot be edited.
Database relationships	system_settings; audit_logs
Balance/record effects	Validated settings affect new pages/documents and create audit history; financial history is not rewritten.


F-092 - Business identity and logo

Feature field	Implemented behavior
Module / business purpose	System settings: business identity and logo. BRD 16, 19
Authorized roles / permissions	administrator; settings.update; record policy also applies.
Navigation path	/settings (settings.index); GET,HEAD
Required inputs	Use the relevant fields from section 20.1; action-specific selections are identified in the steps below.
Step-by-step usage	Verify business details; upload actual PNG/JPEG logo within 2 MB; Save.
System processing / expected output	Validated settings and audit, current configured logo only.
Database relationship	Section 20.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 20.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Currency, language and formats
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot settings: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Settings\Controllers\SystemSettingController@index
Verification	Verified in cited automated scenario. Example: Tests\Feature\SystemSupportTest::test_administrator_can_update_safe_business_settings_and_values_apply_on_requests

F-093 - Currency, language and formats

Feature field	Implemented behavior
Module / business purpose	System settings: currency, language and formats. BRD 16, 19
Authorized roles / permissions	administrator; settings.update; record policy also applies.
Navigation path	/settings (settings.index); GET,HEAD
Required inputs	Use the relevant fields from section 20.1; action-specific selections are identified in the steps below.
Step-by-step usage	Choose allowed currency/timezone/language/date/time/paper/footer settings; review new output.

Feature field	Implemented behavior
System processing / expected output	New pages/documents reflect values; no historical amount rewriting.
Database relationship	Section 20.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 20.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Business identity and logo
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot settings: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\Settings\Controllers\SystemSettingController@index
Verification	Verified in cited automated scenario. Example: Tests\Feature\SystemSupportTest::test_administrator_can_update_safe_business_settings_and_values_apply_on_requests



Actual isolated application screenshot: System settings. Full-size original: settings.png; continuation panels appear in the User Manual atlas.

21. Print template management

BRD sections: 16, 19. Actual source module inspected; Allowed paper depends on type; thermal width 40-120 mm. Column widths at most 100%; signature-area arrays valid. Local PNG/JPEG logo paths only.

21.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Existing template, title/branding, allowed paper/orientation, font 7-16 pt, margins 0-30 mm, footer/duplicate marker
Validation and common error causes	Allowed paper depends on type; thermal width 40-120 mm. Column widths at most 100%; signature-area arrays valid. Local PNG/JPEG logo paths only.
Database relationships	print_templates; document_print_histories; audit_logs
Balance/record effects	Editing/reset creates a version and retains older versions. Preparing print/PDF records history; history is not proof of physical printing.

F-094 - Receipt and A6 card templates

Feature field	Implemented behavior
Module / business purpose	Print template management: receipt and a6 card templates. BRD 16, 19
Authorized roles / permissions	administrator; print-templates.update; record policy also applies.
Navigation path	/print-templates (print-templates.index); GET,HEAD
Required inputs	Use the relevant fields from section 21.1; action-specific selections are identified in the steps below.
Step-by-step usage	Open receipt/job-card template, adjust allowed paper/title/margins/fonts/footer and Preview.
System processing / expected output	Versioned A5 receipt/A6 card settings and duplicate labels.
Database relationship	Section 21.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 21.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Quotation and invoice templates; POS and payment receipt templates; Template reset and history
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.

Feature field	Implemented behavior
Screenshot	Screenshot print-templates: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\PrintTemplates\Controllers\PrintTemplateController@index
Verification	Verified in cited automated scenario. Example: Tests\Feature\PrintGapCompletionTest::test_customer_statement_uses_template_title_paper_orientation_sinhala_font_and_print_history

F-095 - Quotation and invoice templates

Feature field	Implemented behavior
Module / business purpose	Print template management: quotation and invoice templates. BRD 16, 19
Authorized roles / permissions	administrator; print-templates.update; record policy also applies.
Navigation path	/print-templates (print-templates.index); GET,HEAD
Required inputs	Use the relevant fields from section 21.1; action-specific selections are identified in the steps below.
Step-by-step usage	Review A4/A5 quotation or A5 invoice settings; preview long descriptions before use.
System processing / expected output	Versioned customer document defaults; original financial values retained.
Database relationship	Section 21.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 21.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Receipt and A6 card templates; POS and payment receipt templates; Template reset and history
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot print-templates: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\PrintTemplates\Controllers\PrintTemplateController@index
Verification	Verified in cited automated scenario. Example: Tests\Feature\PrintGapCompletionTest::test_customer_statement_uses_template_title_paper_orientation_sinhala_font_and_print_history


F-096 - POS and payment receipt templates

Feature field	Implemented behavior
Module / business purpose	Print template management: pos and payment receipt templates. BRD 16, 19
Authorized roles / permissions	administrator; print-templates.update; record policy also applies.
Navigation path	/print-templates (print-templates.index); GET,HEAD
Required inputs	Use the relevant fields from section 21.1; action-specific selections are identified in the steps below.
Step-by-step usage	Review thermal width or payment receipt paper/font/footer and inspect a saved fixture output.
System processing / expected output	Versioned receipt output; physical hardware acceptance separate.
Database relationship	Section 21.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 21.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Receipt and A6 card templates; Quotation and invoice templates; Template reset and history
Print/export options	Use the document print/PDF or report export actions described on the saved page; permission-specific actions are listed in the User Manual.
Screenshot	Screenshot print-templates: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\PrintTemplates\Controllers\PrintTemplateController@index
Verification	Verified in cited automated scenario. Example: Tests\Feature\PrintGapCompletionTest::test_customer_statement_uses_template_title_paper_orientation_sinhala_font_and_print_history

F-097 - Template reset and history

Feature field	Implemented behavior
Module / business purpose	Print template management: template reset and history. BRD 16, 19
Authorized roles / permissions	administrator; print-templates.reset; record policy also applies.
Navigation path	/print-templates/{template}/reset (print-templates.reset); POST

Feature field	Implemented behavior
Required inputs	Use the relevant fields from section 21.1; action-specific selections are identified in the steps below.
Step-by-step usage	Use Reset only for the intended template; inspect the new version and older history.
System processing / expected output	New version of original defaults; prior versions retained.
Database relationship	Section 21.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 21.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Receipt and A6 card templates; Quotation and invoice templates; POS and payment receipt templates
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot print-templates: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\PrintTemplates\Controllers\PrintTemplateController@reset
Verification	Verified in cited automated scenario. Example: Tests\Feature\PrintGapCompletionTest::test_customer_statement_uses_template_title_paper_orientation_sinhala_font_and_print_history



Actual isolated application screenshot: Print template management. Full-size original: print-templates.png; continuation panels appear in the User Manual atlas.

22. Audit history


BRD sections: 17. Actual source module inspected; audit.view permission required; credentials are redacted. Polymorphic target has no invented universal FK.

22.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Optional date/actor/action/entity filters
Validation and common error causes	audit.view permission required; credentials are redacted. Polymorphic target has no invented universal FK.
Database relationships	audit_logs; users; historical polymorphic entity_type/entity_id
Balance/record effects	Reads append-only evidence of account, financial, stock, settings and print operations.

F-098 - Audit search and review

Feature field	Implemented behavior
Module / business purpose	Audit history: audit search and review. BRD 17
Authorized roles / permissions	administrator; audit.view; record policy also applies.
Navigation path	/audit-logs (audit-logs.index); GET,HEAD
Required inputs	Use the relevant fields from section 22.1; action-specific selections are identified in the steps below.
Step-by-step usage	Search action/actor/date/entity and inspect saved history during an investigation.
System processing / expected output	Append-only audit evidence with credential redaction.
Database relationship	Section 22.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 22.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot audit: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\AuditLogs\Controllers\AuditLogController@index
Verification	Verified in cited automated scenario. Example: Tests\Unit\AuditSafetyTest::test_credential_key_variants_are_redacted_in_both_audit_snapshots with data set #0



Actual isolated application screenshot: Audit history. Full-size original: audit.png; continuation panels appear in the User Manual atlas.

23. Backup and restore

BRD sections: 17. Actual source module inspected; Private root outside web/application; checksum/nonempty file; restore confirmation, exact target and fresh safety backup required. Restore is unavailable over HTTP.

23.1. Module input and validation reference

Shared reference	Actual implementation
Required inputs	Approved private backup root and MySQL clients; existing backup ID for verify/download/restore; authorized administrator/password for CLI restore

Shared reference	Actual implementation
Validation and common error causes	Private root outside web/application; checksum/nonempty file; restore confirmation, exact target and fresh safety backup required. Restore is unavailable over HTTP.
Database relationships	backup_histories; backup_restores; system_settings; audit_logs
Balance/record effects	Default 02:00 Asia/Colombo, 30 days/30 scheduled copies. Operational destination and Drive credentials remain unset. Recovery test uses disposable data only.

F-099 - Manual backup and history

Feature field	Implemented behavior
Module / business purpose	Backup and restore: manual backup and history. BRD 17
Authorized roles / permissions	administrator; backups.create; record policy also applies.
Navigation path	/backups (backups.create); POST
Required inputs	Use the relevant fields from section 23.1; action-specific selections are identified in the steps below.
Step-by-step usage	After approved private destination/client configuration, Create backup; inspect success/size/checksum/history.
System processing / expected output	Protected nonempty SQL dump, or recorded failure. Current live destination is unset.
Database relationship	Section 23.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 23.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Backup verification and download; Schedule and retention policy; Backup failure alerts
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot backups: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\BackupRestore\Controllers\BackupController@create
Verification	Verified in cited automated scenario. Example: Tests\Feature\BackupManagementTest::test_backup_destination_is_disabled_until_private_mysql_tools_are_configured

F-100 - Backup verification and download

Feature field	Implemented behavior
Module / business purpose	Backup and restore: backup verification and download. BRD 17
Authorized roles / permissions	administrator; backups.view; record policy also applies.
Navigation path	/admin/backups/{backup}/verify (backups.verify); POST
Required inputs	Use the relevant fields from section 23.1; action-specific selections are identified in the steps below.
Step-by-step usage	Verify saved backup; download only if authorized and integrity passes.
System processing / expected output	SHA-256 evidence; private authorized download, not public link.
Database relationship	Section 23.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 23.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Manual backup and history; Schedule and retention policy; Backup failure alerts
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot backups: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\BackupRestore\Controllers\BackupController@verify
Verification	Verified in cited automated scenario. Example: Tests\Feature\Step11BackupTest::test_changed_missing_or_path_traversal_backups_fail_verification

F-101 - Schedule and retention policy

Feature field	Implemented behavior
Module / business purpose	Backup and restore: schedule and retention policy. BRD 17
Authorized roles / permissions	administrator; backups.configure; record policy also applies.
Navigation path	/admin/backups/configure (backups.configure); POST
Required inputs	Use the relevant fields from section 23.1; action-specific selections are identified in the steps below.
Step-by-step usage	Review 02:00 Asia/Colombo and 30-day/30-copy policy; check host scheduler separately.

Feature field	Implemented behavior
System processing / expected output	Policy exists, but this task does not activate scheduler; Drive is blank.
Database relationship	Section 23.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 23.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Manual backup and history; Backup verification and download; Backup failure alerts
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot backups: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\BackupRestore\Controllers\BackupController@configure
Verification	Verified in cited automated scenario. Example: Tests\Feature\Step11BackupTest::test_retention_preserves_manual_and_latest_recoverable_copy_and_keeps_history


F-102 - Backup failure alerts

Feature field	Implemented behavior
Module / business purpose	Backup and restore: backup failure alerts. BRD 17
Authorized roles / permissions	administrator; backups.view; record policy also applies.
Navigation path	/backups (backups.index); GET,HEAD
Required inputs	Use the relevant fields from section 23.1; action-specific selections are identified in the steps below.
Step-by-step usage	Review failed/missed/cloud states; correct configuration through authorized operator and retry.
System processing / expected output	Local/cloud statuses separate; local success does not imply Drive success.
Database relationship	Section 23.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 23.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Manual backup and history; Backup verification and download; Schedule and retention policy
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot backups: module figure below and User Manual chapter 24.

Feature field	Implemented behavior
Implementation evidence	App\Modules\BackupRestore\Controllers\BackupController@index
Verification	Verified in cited automated scenario. Example: Tests\Feature\BackupManagementTest::test_backup_destination_is_disabled_until_private_mysql_tools_are_configured

F-103 - Authenticated CLI restore

Feature field	Implemented behavior
Module / business purpose	Backup and restore: authenticated cli restore. BRD 17
Authorized roles / permissions	administrator; backups.restore; record policy also applies.
Navigation path	/backups (backups.index); GET,HEAD
Required inputs	Use the relevant fields from section 23.1; action-specific selections are identified in the steps below.
Step-by-step usage	With separately approved target/recovery point, run backup:restore ID; confirm exact DB/admin/password and safety copy.
System processing / expected output	Maintenance lifecycle and audited import; only isolated recovery tested here.
Database relationship	Section 23.1 lists the verified participating tables and balance effects.
Validation / common errors	Section 23.1 is the input/state checklist. Missing grants, invalid input or incompatible saved state refuse the action; stock paths also check available quantity/location.
Related features	Manual backup and history; Backup verification and download; Schedule and retention policy
Print/export options	No separate print action for this operation; use its related saved document/report where available.
Screenshot	Screenshot backups: module figure below and User Manual chapter 24.
Implementation evidence	App\Modules\BackupRestore\Controllers\BackupController@index
Verification	Verified in cited automated scenario. Example: Tests\Feature\BackupManagementTest::test_database_restore_is_not_available_over_http



Actual isolated application screenshot: Backup and restore. Full-size original: backups.png; continuation panels appear in the User Manual atlas.

24. Twelve practical workflows

24.1. New customer and repair

Customers > search/register individual/company > New repair receipt > actual intake/advance > Save > receipt/job/card.

24.2. Inspection and quotation decision

Repair Jobs > Assign > technician inspection > Quotations create/issue > record actual customer approval/rejection. No stock posts at quote.

24.3. Repair completion and invoice

Approved work > request/issue parts > actual repair/costs > Repair Completed > Create Invoice > same-customer jobs > Issue > later delivery status.

24.4. Advance and partial payment

Receive advance once > issue invoice > inspect applied advance > receive actual remaining partial amounts > inspect outstanding after each.

24.5. Credit collection

Credit Management > outstanding invoice > Collect > actual payment method/reference > saved allocation > customer statement.

24.6. Purchase and GRN

Supplier > purchase draft > management finalize > receive actual line/location quantities, possibly several deliveries > print GRN > settle supplier.

24.7. Repair parts issue

Technician Part Requests > job/part/location/quantity > issuer checks approval/availability > Issue once > movement history.

24.8. POS sale

POS > scan/search > cart quantity > permitted discount > cash tender/change or pending transfer/cheque > manager verify where needed > receipt.

24.9. Stock return and adjustment

Identify original issue/sale/purchase > choose authorized supported return path > physically verify goods > return/reason > review movement; use damage/count/correction for their actual purpose.

24.10. Dashboard and reports

Dashboard period/date Apply > read cohort/card basis > Business Reports matching filters > inspect incomplete flags > permitted PDF/XLSX/CSV.

24.11. Manual backup

Obtain approved private destination/client configuration first > Backup Management > Create > inspect history > Verify > permitted protected Download; local/Drive states distinct.

24.12. Roles and permissions

Administration > Roles & Permissions/current user > inspect grants > authorized change on eligible other account > verify access; explicit deny and assigned-job policy remain.

25. BRD gaps and verification boundaries

Not Implemented: public self-registration/password-reset/account-settings UI, multi-invoice payment allocation form, partial return of a single repair issue. No production build/installer/deployment is part of this task. Google Drive integration is source-present but unconfigured and Not Verified against a real account. Live operational recovery/scheduler, hardware, capacity and owner sign-off are Not Verified. These distinctions prevent treating every BRD line as functioning software.

Feature verification	Count
Verified in cited automated scenario	102
Not Verified - no directly matched automated scenario	1

A verified-scenario feature card means at least one related assertion scenario passed; it does not certify every input, alternative path, permission combination or physical operation on that card. Feature catalogue mappings are preserved in sources/feature-catalogue.json. The full source matrix, including optional and future requirements, follows in the test-report appendix.

26. Screenshot index

Screenshot	Actual navigation	Location in User Manual
Login page - empty credentials	/login	Chapter 24; original login.png
Dashboard	/dashboard	Chapter 24; original dashboard.png
Customer list	/customers	Chapter 24; original customers.png
Register individual customer	/customers/create	Chapter 24; original customer-create.png
Register company	/customers/create	Chapter 24; original company-create.png
Customer profile	/customers/1	Chapter 24; original customer-profile.png
Customer statement	/customers/1/statement	Chapter 24; original customer-statement.png
Repair receipt registration	/repair-receipts/create	Chapter 24; original receipt-create.png
Repair receipt list	/repair-receipts	Chapter 24; original receipts.png
A5 receipt preview	/repair-receipts/1/print	Chapter 24; original receipt-preview.png
Repair jobs	/repair-jobs	Chapter 24; original jobs.png
Job details and status history	/repair-jobs/3	Chapter 24; original job-detail.png
Technician assignment	/repair-jobs/3/assign	Chapter 24; original job-assign.png

Screenshot	Actual navigation	Location in User Manual
A6 job card preview	/repair-jobs/1/job-card	Chapter 24; original job-card.png
Job status tracking	/repair-jobs/status	Chapter 24; original job-status.png
Quotation creation	/quotations/create	Chapter 24; original quotation-create.png
Quotation preview	/quotations/2/print	Chapter 24; original quotation-preview.png
Quotation details and customer decision	/quotations/2	Chapter 24; original quotation-approval.png
Invoice creation - two eligible same-customer jobs selected (not submitted)	/invoices/create?customer_id=1	Chapter 24; original invoice-create.png
A5 invoice preview	/invoices/1/print	Chapter 24; original invoice-preview.png
Payment entry	/payments/create?invoice_id=1	Chapter 24; original payment-create.png
Payment details	/payments/2	Chapter 24; original payment-detail.png
Credit invoice management	/credit-invoices	Chapter 24; original credit.png
Inventory list	/inventory	Chapter 24; original inventory.png
Spare part registration	/inventory/create	Chapter 24; original part-create.png
Part details and movements	/inventory/1	Chapter 24; original stock-movements.png
Repair part requests and issue	/stock-issues	Chapter 24; original stock-issues.png
Supplier registration	/suppliers/create	Chapter 24; original supplier-create.png
Supplier account	/suppliers/1	Chapter 24; original supplier-detail.png
Purchase management	/purchases	Chapter 24; original purchases.png
Purchase draft entry	/purchases/create	Chapter 24; original purchase-create.png
Purchase details and GRN receiving	/purchases/1	Chapter 24; original grn.png
GRN document preview	/goods-received-notes/1/document/html	Chapter 24; original grn-preview.png
POS checkout	/pos	Chapter 24; original pos.png
POS receipt preview	/pos/sales/1/print	Chapter 24; original pos-receipt.png
POS sales history	/pos/sales	Chapter 24; original pos-sales.png
Report catalogue	/reports	Chapter 24; original reports.png
Stock report and export actions	/reports/stock	Chapter 24; original report-detail.png
Employee management	/employees	Chapter 24; original employees.png

Screenshot	Actual navigation	Location in User Manual
Employee registration	/employees/create	Chapter 24; original employee-create.png
Roles and permissions	/admin/roles	Chapter 24; original roles.png
System settings	/settings	Chapter 24; original settings.png
Print template management	/print-templates	Chapter 24; original print-templates.png
Backup management - unconfigured destination	/admin/backups	Chapter 24; original backups.png
Audit log	/audit-logs	Chapter 24; original audit.png

Use the corresponding User Manual figure atlas for the full real screen panels. All original PNGs accompany these PDFs; no substitute/mock screenshots were used.