Output response

✓	64	03:23:19	INSERT INTO User VALUES (1, 'hkim946', '1234password', 'Seller', '2263428593', 'harrykim@gmail.com')	1 row(s) affected	0.000 sec
✓	65	03:23:19	INSERT INTO Category VALUES (2, 'Electronics')	1 row(s) affected	0.000 sec
✓	66	03:23:19	INSERT INTO Address VALUES (5, '1915 Western Avenue', 'London', 'Ontario', 'N5X0N7', 'Canada')	1 row(s) affected	0.000 sec
✓	67	03:23:19	INSERT INTO Listing (listingID, seller, categoryID, price, description, addressID, images) VALUES (123, 1, (SELECT categoryID FROM Category WHERE name = 'Electronics'), 299.99, ...	1 row(s) affected	0.000 sec
✓	68	03:23:19	INSERT INTO Address VALUES (8, '18 North Road', 'New York', 'New York State', '10009', 'United States of America')	1 row(s) affected	0.000 sec
✓	69	03:23:19	INSERT INTO Category VALUES (4, 'Sports')	1 row(s) affected	0.000 sec
✓	70	03:23:19	INSERT INTO User VALUES (8, 'seller123', 'password0000', 'Seller', '4832022423', 'sellingman23@outlook.com')	1 row(s) affected	0.016 sec
✓	71	03:23:19	INSERT INTO Listing (listingID, seller, categoryID, price, description, addressID, images) SELECT 2, 8, 4, 249.99, 'Used Bicycle in excellent condition', addressID, 'bicycle_image.jpg' FROM Category, Address WHERE C...	1 row(s) affected Records: 1 Duplicates: 0 Warnings: 0	0.000 sec
✓	72	03:23:19	SELECT * FROM Listing WHERE listingID IS NOT NULL LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓	73	03:23:19	SELECT * FROM User WHERE userID IS NOT NULL LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

User table

	userID	displayName	password	role	phoneNo	email
▶	1	hkim946	1234password	Seller	2263428593	harrykim@gmail.com
	8	seller123	password0000	Seller	4832022423	sellingman23@outlook.com
*	NULL	NULL	NULL	NULL	NULL	NULL

Listing Table

	listingID	seller	categoryID	price	description	addressID	images
▶	2	8	4	249.99	Used Bicycle in excellent condition	8	bicycle_image.jpg
	123	1	2	299.99	Used, almost new iPhone 15	5	phonepic.jpg
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL