multibyte_composition: recovering four key bytes from raw traces

What this folder shows

Section 5.3 quotes a result from the long version: using the full raw ASCAD traces (100,000 points each, instead of the usual 700-point window), four key bytes are recovered exactly from a few hundred traces. Four scripts, run in order:

1. `fetch_raw_ascad.py` downloads the ANSSI archive (4.4 GB), checks it, unpacks the 6 GB raw trace file, and checks that too. If the file is already there, it is only checked.
2. `scan_raw_ascad_pois.py` finds the points in the trace that relate to each key byte.
3. `train_raw_ascad_byte_attacker.py --target-byte B` trains a small network for one key byte on those points and saves its guesses on the attack traces. The paper trains bytes 0, 1, 2, 3, 4, 5, 8 and 15.
4. `compose_four_byte_recovery.py` picks the four best bytes and counts, for each number of traces, how often all four are recovered at once.

Level D checks the result.

Before you start

The Docker image (or the Python environment with `requirements-ml.txt`), 11 GB of free disk while unpacking, and the 4.4 GB download.

Run

```
python -m multibyte_composition.fetch_raw_ascad
```

```
$ python -m multibyte_composition.fetch_raw_ascad
datasets/raw/ascad_raw/ATMega8515_raw_traces.h5: checksum verified (raw traces)
[exit code 0, 4 s]
```

```
python -m multibyte_composition.scan_raw_ascad_pois
```

```
$ python -m multibyte_composition.scan_raw_ascad_pois
Scanning datasets/raw/ascad_raw/ATMega8515_raw_traces.h5
samples=20000 trace_len=100000 label_columns=48 key=[77, 251, 224, 242, 114, 33, 254, 16, 167, 141, 74, 220,
     142, 73, 4, 105]
processed columns 0:2048
processed columns 20480:22528
processed columns 40960:43008
processed columns 61440:63488
processed columns 81920:83968
processed columns 98304:100000
Done. Wrote results/multibyte_composition/poi_scan
[exit code 0, 20 s]
```

```
python -m multibyte_composition.train_raw_ascad_byte_attacker --target-byte 0
```

```
$ python -m multibyte_composition.train_raw_ascad_byte_attacker --target-byte 0
byte=0 device=cpu
raw=datasets/raw/ascad_raw/ATMega8515_raw_traces.h5 n_total=60000 trace_len=100000 base_pois=24 expanded_fea
    tures=374
{'epoch': 1, 'train_loss': 4.53458910484314, 'train_acc': 0.045625, 'val_loss': 3.639897346496582, 'val_acc'
    : 0.15139999985694885}
{'epoch': 2, 'train_loss': 2.876675573348999, 'train_acc': 0.2672, 'val_loss': 2.3179752826690674, 'val_acc'
    : 0.3569999933242798}
{'epoch': 3, 'train_loss': 2.058112125778198, 'train_acc': 0.40785, 'val_loss': 1.842622995376587, 'val_acc'
    : 0.44859999418258667}
{'epoch': 4, 'train_loss': 1.7304063884735108, 'train_acc': 0.469825, 'val_loss': 1.603329062461853, 'val_ac
    c': 0.505299985408783}
{'epoch': 5, 'train_loss': 1.5603917753219605, 'train_acc': 0.5108, 'val_loss': 1.4557256698608398, 'val_acc
    ': 0.5360000133514404}
{'epoch': 6, 'train_loss': 1.4503826194763183, 'train_acc': 0.534275, 'val_loss': 1.4223123788833618, 'val_a
    cc': 0.5444999933242798}
{'epoch': 7, 'train_loss': 1.3656475721359254, 'train_acc': 0.559425, 'val_loss': 1.3832685947418213, 'val_a
    cc': 0.5530999898910522}
{'epoch': 8, 'train_loss': 1.3045739156723022, 'train_acc': 0.57215, 'val_loss': 1.2709510326385498, 'val_ac
    c': 0.5859000086784363}
{'epoch': 9, 'train_loss': 1.2549477767944337, 'train_acc': 0.58735, 'val_loss': 1.3662909269332886, 'val_ac
    c': 0.5565000176429749}
{'epoch': 10, 'train_loss': 1.2107664630889892, 'train_acc': 0.598725, 'val_loss': 1.3216325044631958, 'val_
    acc': 0.5644999742507935}
{'epoch': 11, 'train_loss': 1.1746892864227294, 'train_acc': 0.609525, 'val_loss': 1.2272446155548096, 'val_
    acc': 0.5889000296592712}
{'epoch': 12, 'train_loss': 1.1444717561721802, 'train_acc': 0.618425, 'val_loss': 1.301535964012146, 'val_a
    cc': 0.5629000067710876}
{'epoch': 13, 'train_loss': 1.1197312480926513, 'train_acc': 0.625575, 'val_loss': 1.19923734664917, 'val_ac
    c': 0.6003999710083008}
{'epoch': 14, 'train_loss': 1.1182953819274903, 'train_acc': 0.6248, 'val_loss': 1.1591306924819946, 'val_ac
    c': 0.6115999817848206}
{'epoch': 15, 'train_loss': 1.0911867448806762, 'train_acc': 0.63175, 'val_loss': 1.1777411699295044, 'val_a
    cc': 0.6040999889373779}
{'epoch': 16, 'train_loss': 1.0273464309692384, 'train_acc': 0.655375, 'val_loss': 1.2560102939605713, 'val_
    acc': 0.5803999900817871}
{'epoch': 17, 'train_loss': 1.0474480457305908, 'train_acc': 0.64315, 'val_loss': 1.2235177755355835, 'val_a
    cc': 0.5946000218391418}
{'epoch': 18, 'train_loss': 1.0151738401412964, 'train_acc': 0.655625, 'val_loss': 1.1578502655029297, 'val_
    acc': 0.6089000105857849}
{'epoch': 19, 'train_loss': 0.9850387971878052, 'train_acc': 0.66515, 'val_loss': 1.1150726079940796, 'val_a
    cc': 0.6229000091552734}
{'epoch': 20, 'train_loss': 0.9545434204101563, 'train_acc': 0.672525, 'val_loss': 1.1815303564071655, 'val_
    acc': 0.6035000085830688}
{'epoch': 21, 'train_loss': 0.9196196630477905, 'train_acc': 0.68655, 'val_loss': 1.1663388013839722, 'val_a
    cc': 0.6086999773979187}
{'epoch': 22, 'train_loss': 0.9424442041397094, 'train_acc': 0.67855, 'val_loss': 1.117039442062378, 'val_ac
    c': 0.6273000240325928}
{'epoch': 23, 'train_loss': 0.9081079523086548, 'train_acc': 0.6898, 'val_loss': 1.129392147064209, 'val_acc
    ': 0.6162999868392944}
{'epoch': 24, 'train_loss': 0.8994436281204223, 'train_acc': 0.689, 'val_loss': 1.1848090887069702, 'val_acc
    ': 0.6018999814987183}
{'epoch': 25, 'train_loss': 0.86946695728302, 'train_acc': 0.702825, 'val_loss': 1.12627112865448, 'val_acc'
    : 0.6215999722480774}
{'epoch': 26, 'train_loss': 0.863576152896881, 'train_acc': 0.702, 'val_loss': 1.1631706953048706, 'val_acc'
    : 0.6105999946594238}
{'epoch': 27, 'train_loss': 0.8674269212722778, 'train_acc': 0.702, 'val_loss': 1.1412405967712402, 'val_acc
    ': 0.6182000041007996}
{'epoch': 28, 'train_loss': 0.8456347496986389, 'train_acc': 0.707575, 'val_loss': 1.1405495405197144, 'val_
    acc': 0.6183000206947327}
{'epoch': 29, 'train_loss': 0.8112096353530884, 'train_acc': 0.723175, 'val_loss': 1.154564380645752, 'val_a
    cc': 0.6189000010490417}
{'epoch': 30, 'train_loss': 0.8086490453720093, 'train_acc': 0.7206, 'val_loss': 1.1500589847564697, 'val_ac
    c': 0.6173999905586243}
early stopping at epoch 30
{'target_byte': 0, 'correct_key': 77, 'device': 'cpu', 'features': 374, 'base_pois': 24, 'val_top1': 0.6273,
     'attack_top1': 0.613, 'val_rank_at_5000': 0, 'val_top_key_at_5000': 77, 'attack_rank_at_500 …
```

```
[exit code 0, 14 s]
```

```
for b in 1 2 3 4 5 8 15; do python -m multibyte_composition.train_raw_ascad_byte_attacker --target-byte $b; done
```

```
$ for b in 1 2 3 4 5 8 15; do python -m multibyte_composition.train_raw_ascad_byte_attacker --target-byte $b
    ; done
[... earlier output omitted; key lines kept ...]
[...]
raw=datasets/raw/ascad_raw/ATMega8515_raw_traces.h5 n_total=60000 trace_len=100000 base_pois=24 expanded_fea
    tures=467
{'epoch': 1, 'train_loss': 5.6159713684082035, 'train_acc': 0.00375, 'val_loss': 5.603087425231934, 'val_acc
    ': 0.0035599999938160181}
{'epoch': 2, 'train_loss': 5.57390411453247, 'train_acc': 0.00465, 'val_loss': 5.587144374847412, 'val_acc':
     0.0037000000001117587}
{'epoch': 3, 'train_loss': 5.543312022399903, 'train_acc': 0.00675, 'val_loss': 5.5852742195129395, 'val_acc
    ': 0.004699999932199717}
{'epoch': 4, 'train_loss': 5.50355710067749, 'train_acc': 0.008125, 'val_loss': 5.588804244995117, 'val_acc'
    : 0.0049999999888241291}
{'epoch': 5, 'train_loss': 5.456061603546143, 'train_acc': 0.011575, 'val_loss': 5.587375164031982, 'val_acc
    ': 0.0048000000227987766}
{'epoch': 6, 'train_loss': 5.41102508468628, 'train_acc': 0.01395, 'val_loss': 5.5984673500061035, 'val_acc'
    : 0.0051000000184029341}
{'epoch': 7, 'train_loss': 5.360977879333496, 'train_acc': 0.016575, 'val_loss': 5.598837852478027, 'val_acc
    ': 0.004600000102072954}
{'epoch': 8, 'train_loss': 5.308055637359619, 'train_acc': 0.0209, 'val_loss': 5.6111626625061035, 'val_acc'
    : 0.004300000014603138}
{'epoch': 9, 'train_loss': 5.252480249786377, 'train_acc': 0.0266, 'val_loss': 5.638446807861328, 'val_acc':
     0.0052000000014156103}
{'epoch': 10, 'train_loss': 5.194245663452149, 'train_acc': 0.03125, 'val_loss': 5.6371331214904785, 'val_ac
    c': 0.004600000102072954}
{'epoch': 11, 'train_loss': 5.124626295471192, 'train_acc': 0.0364, 'val_loss': 5.668533802032471, 'val_acc'
    : 0.0054000000140070915}
{'epoch': 12, 'train_loss': 5.059530299377442, 'train_acc': 0.040825, 'val_loss': 5.6955108642578125, 'val_a
    cc': 0.005799999926239252}
{'epoch': 13, 'train_loss': 4.98784701538086, 'train_acc': 0.048625, 'val_loss': 5.726359844207764, 'val_acc
    ': 0.00559999980032444}
{'epoch': 14, 'train_loss': 4.906269721221924, 'train_acc': 0.057575, 'val_loss': 5.774349689483643, 'val_ac
    c': 0.0054000000140070915}
{'epoch': 15, 'train_loss': 4.832916606140136, 'train_acc': 0.065625, 'val_loss': 5.807893753051758, 'val_ac
    c': 0.0049999999888241291}
{'epoch': 16, 'train_loss': 4.742859647369385, 'train_acc': 0.074375, 'val_loss': 5.873347282409668, 'val_ac
    c': 0.004699999932199717}
{'epoch': 17, 'train_loss': 4.664942729187012, 'train_acc': 0.084975, 'val_loss': 5.898531913757324, 'val_ac
    c': 0.00559999980032444}
{'epoch': 18, 'train_loss': 4.558479870605469, 'train_acc': 0.097175, 'val_loss': 5.962531089782715, 'val_ac
    c': 0.0052999998442828655}
{'epoch': 19, 'train_loss': 4.4635367111206055, 'train_acc': 0.11, 'val_loss': 6.012396812438965, 'val_acc':
     0.006099999882280827}
{'epoch': 20, 'train_loss': 4.360960036468506, 'train_acc': 0.120625, 'val_loss': 6.053176403045654, 'val_ac
    c': 0.004900000058114529}
{'epoch': 21, 'train_loss': 4.247399985122681, 'train_acc': 0.1362, 'val_loss': 6.113973140716553, 'val_acc'
    : 0.0049999999888241291}
{'epoch': 22, 'train_loss': 4.137599621582031, 'train_acc': 0.153375, 'val_loss': 6.193124771118164, 'val_ac
    c': 0.0049999999888241291}
{'epoch': 23, 'train_loss': 4.034635978698731, 'train_acc': 0.1674, 'val_loss': 6.272961139678955, 'val_acc'
    : 0.0052999998442828655}
{'epoch': 24, 'train_loss': 3.9163462478637694, 'train_acc': 0.18335, 'val_loss': 6.334290027618408, 'val_ac
    c': 0.004300000014603138}
{'epoch': 25, 'train_loss': 3.8115455101013183, 'train_acc': 0.198125, 'val_loss': 6.421292304992676, 'val_a
    cc': 0.004600000102072954}
{'epoch': 26, 'train_loss': 3.695244569396973, 'train_acc': 0.217025, 'val_loss': 6.471382141113281, 'val_ac
    c': 0.004900000058114529}
{'epoch': 27, 'train_loss': 3.5871133697509765, 'train_acc': 0.233125, 'val_loss': 6.5391316413879395, 'val_
    acc': 0.0052000000014156103}
early stopping at epoch 27
{'target_byte': 15, 'correct_key': 105, 'device': 'cpu', 'features': 467, 'base_pois': 24, 'val_top1': 0.006
    1, 'attack_top1': 0.0043, 'val_rank_at_5000': 0, 'val_top_key_at_5000': 105, 'attack_rank_at …
[exit code 0, 1 min 13 s]
```

```
python -m multibyte_composition.compose_four_byte_recovery --campaigns 250 \
  --trace-counts 1,2,5,10,20,50,100,200,500,1000,2000
```

```
$ python -m multibyte_composition.compose_four_byte_recovery --campaigns 250 --trace-counts 1,2,5,10,20,50,1
    00,200,500,1000,2000
Selected bytes: [0, 1, 5, 15]
{'trace_count': 1, 'campaigns': 250, 'selected_bytes': '0,1,5,15', 'full_successes': 0, 'empirical_full_succ
    ess': 0.0, 'full_kl_binom_upper': 0.01191141971501136, 'dc_product_empirical_byte_success':  …
{'trace_count': 2, 'campaigns': 250, 'selected_bytes': '0,1,5,15', 'full_successes': 0, 'empirical_full_succ
    ess': 0.0, 'full_kl_binom_upper': 0.01191141971501136, 'dc_product_empirical_byte_success':  …
{'trace_count': 5, 'campaigns': 250, 'selected_bytes': '0,1,5,15', 'full_successes': 1, 'empirical_full_succ
    ess': 0.004, 'full_kl_binom_upper': 0.022758629748741373, 'dc_product_empirical_byte_success …
{'trace_count': 10, 'campaigns': 250, 'selected_bytes': '0,1,5,15', 'full_successes': 0, 'empirical_full_suc
    cess': 0.0, 'full_kl_binom_upper': 0.01191141971501136, 'dc_product_empirical_byte_success': …
{'trace_count': 20, 'campaigns': 250, 'selected_bytes': '0,1,5,15', 'full_successes': 2, 'empirical_full_suc
    cess': 0.008, 'full_kl_binom_upper': 0.03040810753359119, 'dc_product_empirical_byte_success …
{'trace_count': 50, 'campaigns': 250, 'selected_bytes': '0,1,5,15', 'full_successes': 19, 'empirical_full_su
    ccess': 0.076, 'full_kl_binom_upper': 0.12376632275053528, 'dc_product_empirical_byte_succes …
{'trace_count': 100, 'campaigns': 250, 'selected_bytes': '0,1,5,15', 'full_successes': 23, 'empirical_full_s
    uccess': 0.092, 'full_kl_binom_upper': 0.14317237674998431, 'dc_product_empirical_byte_succe …
{'trace_count': 200, 'campaigns': 250, 'selected_bytes': '0,1,5,15', 'full_successes': 83, 'empirical_full_s
    uccess': 0.332, 'full_kl_binom_upper': 0.4071589899734266, 'dc_product_empirical_byte_succes …
{'trace_count': 500, 'campaigns': 250, 'selected_bytes': '0,1,5,15', 'full_successes': 207, 'empirical_full_
    success': 0.828, 'full_kl_binom_upper': 0.8809919727269426, 'dc_product_empirical_byte_succe …
{'trace_count': 1000, 'campaigns': 250, 'selected_bytes': '0,1,5,15', 'full_successes': 245, 'empirical_full
    _success': 0.98, 'full_kl_binom_upper': 0.9947047526881427, 'dc_product_empirical_byte_succe …
{'trace_count': 2000, 'campaigns': 250, 'selected_bytes': '0,1,5,15', 'full_successes': 250, 'empirical_full
    _success': 1.0, 'full_kl_binom_upper': 1.0, 'dc_product_empirical_byte_success': 1.0, 'dc_pr …
[exit code 0, 3 min 36 s]
```

```
$ python -c "import pandas as pd; print(pd.read_csv('results/multibyte_composition/byte_attackers/multibyte_
    composition_summary.csv')[['trace_count', 'campaigns', 'full_successes', 'empirical_full_success', 'full
    _kl_binom_upper', 'median_full_rank']].to_string(index=False))"
 trace_count  campaigns  full_successes  empirical_full_success  full_kl_binom_upper  median_full_rank
           1        250               0                   0.000             0.011911          115809.5
           2        250               0                   0.000             0.011911           16799.0
           5        250               1                   0.004             0.022759            8234.0
          10        250               0                   0.000             0.011911            3522.0
          20        250               2                   0.008             0.030408             609.5
          50        250              19                   0.076             0.123766              49.5
         100        250              23                   0.092             0.143172              16.0
         200        250              83                   0.332             0.407159               2.0
         500        250             207                   0.828             0.880992               0.0
        1000        250             245                   0.980             0.994705               0.0
        2000        250             250                   1.000             1.000000               0.0
[exit code 0, 1 s]
```

What to look for

- Each training run prints how well the network does on held-out traces. The composition step picks the four best bytes: 0, 1, 5 and 15.
- In the summary, `full_successes` is the number of tries (out of 250) in which all four bytes were right with that many traces. `median_rank` should be 0 from 500 traces on.