

```

React > day1-react > src > components > da1.jsx > App
1  import React from "react";
2
3  const App = () => {
4    return (
5      <div style={{ padding: "20px", fontFamily: "Arial" }}>
6
7        /* 1. Block vs Inline */
8        <h1>Block-level vs Inline Elements</h1>
9
10       <p>
11         <b>Block-level</b> → full width, new line (div, p, h1)
12       </p>
13
14       <p>
15         <b>Inline</b> → same line, only needed space (span, a, img)
16       </p>
17
18       <div style={{ background: "■#eee", padding: "10px" }}>
19         I am a block element (div)
20       </div>
21
22       <span style={{ color: "red" }}>Inline text</span>{" "}
23       <a href="#">Link</a>
24
25       <hr />
26
27       /* 2. Common Tags */
28       <h2>Common Tags</h2>
29       <p>Paragraph</p>
30       <h3>Heading</h3>
31       <div>Div container</div>
32       <span>Span text</span>
33
34       <hr />
35

```

```
const App = () => {  
  /* 2. Common Tags */  
  <h2>Common Tags</h2>  
  <p>Paragraph</p>  
  <h3>Heading</h3>  
  <div>Div container</div>  
  <span>Span text</span>  
  
  <hr />  
  
  /* 3. Semantic Tags */  
  <h2>Semantic Tags</h2>  
  
  <header style={{ background: "#ddd", padding: "10px" }}>  
    | Header  
  </header>  
  
  <nav style={{ background: "#ccc", padding: "10px" }}>  
    | Navigation  
  </nav>  
  
  <main style={{ background: "#eee", padding: "10px" }}>  
    <section>  
      | <article>Article content</article>  
    </section>  
    <aside>Sidebar</aside>  
  </main>  
  
  <footer style={{ background: "#ddd", padding: "10px" }}>  
    | Footer  
  </footer>  
  
  <hr />  
}
```

```
0  { /* 4. Formatting Tags */ }
1  <h2>Formatting Tags</h2>
2
3
4  <p>
5      <b>Bold</b>, <strong>Important</strong>, <i>Italic</i>,{ " "}
6      <em>Emphasis</em>, <u>Underline</u>, <mark>Highlight</mark>,{ " "}
7      <small>Small</small>
8  </p>
9
10 <hr />
11
12 { /* 5. Interactive Tags */ }
13 <h2>Interactive Tags</h2>
14
15 <a href="https://www.google.com" target="_blank" rel="noreferrer">
16     Go to Google
17 </a>
18
19 <br /><br />
20
21 <button>Click Me</button>
22
23 <br /><br />
24 <input type="text" placeholder="Enter text" />
25
26 <br /><br />
27
28 <textarea placeholder="Type here"></textarea>
29
30 <hr />
```

```
{/* 6. Forms */}
<h2>Form Example</h2>

<form>
  <label>Name:</label><br />
  <input type="text" placeholder="Enter name" required /><br /><br />

  <label>Email:</label><br />
  <input type="email" required /><br /><br />

  <label>Password:</label><br />
  <input type="password" /><br /><br />

  <button type="submit">Submit</button>
</form>

<hr />

{/* 7. Lists */}
<h2>Lists</h2>

<ul>
  <li>Apple</li>
  <li>Orange</li>
</ul>

<ol>
  <li>Step 1</li>
  <li>Step 2</li>
</ol>

<hr />
```

```

3    const App = () => {
124
125        {/* 8. Table */}
126        <h2>Table</h2>
127
128        <table border="1">
129            <thead>
130                <tr>
131                    <th>Name</th>
132                    <th>Age</th>
133                </tr>
134            </thead>
135            <tbody>
136                <tr>
137                    <td>Selin</td>
138                    <td>21</td>
139                </tr>
140            </tbody>
141        </table>
142
143        <hr />
144
145        {/* 9. Iframe (Embed) */}
146        <h2>Iframe Example</h2>
147
148        <iframe
149            src="https://www.wikipedia.org"
150            title="wiki"
151            width="300"
152            height="200"
153        ></iframe>
154
155    </div>
156    );
157};
158
159 export default App;

```