

DAY 11 -MY SQL ASSIGNMENT

-- practice

```
CREATE TABLE company(  
cid int, cname VARCHAR(50),  
Address VARCHAR(100),  
Mobile bigint,  
email VARCHAR(50),  
uid VARCHAR(50),  
pwd VARCHAR(50)  
);
```


```
ALTER TABLE company  
ADD PRIMARY KEY (cid);  
DELIMITER //
```

```
CREATE PROCEDURE insCompany(  
IN cid INT,  
IN cname VARCHAR(50),  
IN Address VARCHAR(100),  
IN Mobile BIGINT,  
IN email VARCHAR(50),  
IN uid VARCHAR(50),  
IN pwd VARCHAR(50)  
)  
BEGIN  
INSERT INTO company  
VALUES(cid,cname,Address,Mobile,email,uid,pwd);  
END  
//DELIMITER ;
```

```
DROP PROCEDURE inscompany;
```

```
CALL insCompany(1,'ABC Ltd','Chennai',9876543210,'abc@gmail.com','abcuser','1234');
```

select * from company;



	cid	cname	Address	Mobile	email	uid	pwd
▶	1	ABC Ltd	Chennai	9876543210	abc@gmail.com	abcuser	1234
	2	HCL	Chennai	9876543210	abc@gmail.com	abc125	pass123
	3	zoho	Chennai	9876543210	abc@gmail.com	abc125	pass123
•	NULL	NULL	NULL	NULL	NULL	NULL	NULL

-- retrieve the data uid,pwd

DROP PROCEDURE IF EXISTS chklogin;

DELIMITER //

CREATE PROCEDURE chklogin(

IN puid VARCHAR(50),

IN ppwd VARCHAR(50)

)

BEGIN

SELECT COUNT(*)

FROM company

WHERE uid = puid


AND pwd = ppwd;

END //

DELIMITER ;

CALL chklogin('abcuser','1234');

OUTPUT



	COUNT(*)
▶	1

-- update

DROP PROCEDURE IF EXISTS updCompany;

DELIMITER //

CREATE PROCEDURE updCompany(

```

IN pcid INT,
IN pname VARCHAR(50),
IN pAddress VARCHAR(100),
IN pMobile BIGINT,
IN pemail VARCHAR(50),
IN puid VARCHAR(50),
IN ppwd VARCHAR(50)
)
BEGIN
UPDATE company
SET cname = pname,
Address = pAddress,
Mobile = pMobile,
email = pemail,
uid = puid,
pwd = ppwd
WHERE cid = pcid;
END //
DELIMITER ;
CALL updCompany(1,'ABC Pvt Ltd','Salem',9999999999,'new@gmail.com','newuser','5678');

```

-- delete

```

DROP PROCEDURE IF EXISTS delCompany;
DELIMITER //
CREATE PROCEDURE delCompany(
IN pcid INT
)
BEGIN
DELETE FROM company
WHERE cid = pcid;
END //
DELIMITER ;
CALL delCompany(3);

```

OUTPUT:

	cid	cname	Address	Mobile	email	uid	pwd
▶	1	ABC Pvt Ltd	Salem	9999999999	new@gmail.com	newuser	5678
	2	HCL	Chennai	9876543210	abc@gmail.com	abc125	pass123
✱	NULL	NULL	NULL	NULL	NULL	NULL	NULL

-- Select the data using uid(Primary key)

DROP PROCEDURE IF EXISTS getLoginData;

DELIMITER //

CREATE PROCEDURE getLoginData(

IN pcid INT

)

BEGIN

SELECT uid,pwd

FROM company

WHERE cid = pcid;

END //

DELIMITER ;

CALL getLoginData(1);

OUTPUT

Result Grid		Filter Rows:
uid	pwd	
newuser	5678	