## Expt-3:

# Map Reduce program to process a weather dataset.

#### AIM:

To implement MapReduce program to process a weather dataset.

#### **PROCEDURE:**

1. Create Weather Dataset:

```
nano weather_data.txt

Example content:
20220101 30.5
```

2. Mapper Program (mapper.py):

20220102 29.8

```
#!/usr/bin/env python3
import sys
for line in sys.stdin:
  line = line.strip()
  month = line[4:6] # Extracting month
  temp = line[7:11] # Extracting temperature
  print(f'{month}\t{temp}')
```

3. Reducer Program (reducer.py):

```
#!/usr/bin/env python3
import sys


current_month = None
current_max_temp = -float('inf')

for line in sys.stdin:
    line = line.strip()
    month, temp = line.split('\t')
```

```
try:
                temp = float(temp)
              except ValueError:
                continue
              if current month == month:
                current max temp = max(current max temp, temp)
              else:
                if current month:
                  print(f'{current_month}\t{current_max_temp}')
                current_month = month
                current_max_temp = temp
           if current_month == month:
              print(f'{current_month}\t{current_max_temp}')
4. Run the Program:
           hdfs dfs -mkdir /weatherdata
           hdfs dfs -copyFromLocal weather_data.txt /weatherdata
           hadoop jar $HADOOP HOME/share/hadoop/tools/lib/hadoop-streaming-*.jar \
           -input /weatherdata/weather_data.txt \
           -output /weatherdata/output \
           -mapper mapper.py \
           -reducer reducer.py
5. Check Output:
```

hdfs dfs -cat /weatherdata/output/part-00000

## **OUTPUT:**



# **RESULT:**

Thus, the program for weather dataset using Map Reduce has been executed successfully.