

Ricercare

for recorder (bass and tenor, 1 player) and live electronics

per Gian Paolo Capuzzo

Michele Biasutti

Vivo ♩ = 100

Tenor Recorder

Live Electronics

ppp

DELAY IN 1, (4") feedback. 40%

The musical score is written for Tenor Recorder and Live Electronics in 4/4 time. It consists of 33 measures, divided into systems of five measures each, with measure numbers 5, 10, 15, 18, 21, 24, 27, 30, and 33 marked at the beginning of their respective lines. The score includes various musical notations such as notes, rests, slurs, and triplets. Dynamics include *ppp*, *mf*, *p*, and *f*. Live electronics instructions include "DELAY IN 1, (4'') feedback. 40%" and "ARM 1 (in delay) +0.5 IN".

5

10

15

18

21

24

27

30

33

mf

ppp

p

f

ARM 1 (in delay) +0.5 IN

36

3

39

3

pp

ARM 1 + -0.5 OUT ARM 2 (in delay) +-1.5 IN

42

3

mf

45

3

f

48

3

51

3

mf

ARM 2 + - 1.5 OUT

54

3

pp

57

3

mf

60

3

63

3

rallentando

66

3

71 *a tempo*

ppp
(slap tongue) (after the delay)

74

p

77

80

mp

84

mf

87

89

f
ARM 1 (in delay) +0.5 IN

91

93

mf

95

97 *ff*

99

ARM 1 +0.5 OUT

101

ARM 2 (in delay) +1.5 IN

103

105

107

109

111

ARM +1.5 OUT

114

Delay feedback. 10%

117

4

123

ppp

128

p

131

mp

134

mf

137

f

140

143

p
ARM 3 (in delay) -12-7 IN

146

p

149

mp

152

mp

155 *mf*

158

161

164

166 *f*

168 *ff*

170

Delay feedback. 50%

172 *mf*

ARM 3 -12 -7 OUT

175 *mp*

178

take Bass Recorder

183

lasts about 30"

Più Lento ♩ = 50**Bass Recorder**

182

pp *very slow glissato*DELAY IN 0,
REV 10", ARM 3 (in reverb) -12 -7 IN

DELAY IN 1, REV 3.5", ARM 4 (in delay) -12 +9 IN

(harmonics of the fundamental F, rhythm free)

184

185

lasts about 8"

lasts about 8"

(multiphonics+ singing F)

188

lasts about 8"

lasts about 16"

take Tenor Recorder

(multiphonics+ singing A)

ARM 4 -12 +9 OUT

Tenor Recorder

190

pp

ARM 5 (in delay) -12 +12 IN

mf

(glissato lentissimo)

Presto

201

pp

202

203

mf

204

ppp

ARM 3 (in delay) -12 -7 IN

205

206

pp

207

p

208

mp

209

mf

210

f

211

212

ppp

213

fff

Delay feedback. 10%

DELAY OUT O, REV 10"