

SC2015DI07446

D02.02 – Core Public Service Vocabulary Application Profile 2.2

CPSV-AP 2.2



Document Metadata

Property	Value
Release date	2018-07-20
Status	Accepted
Version	1.00
Authors	Michiel De Keyzer – PwC EU Services Florian Barthélemy – PwC EU Services
Reviewed by	Nikolaos Loutas – PwC EU Services
Approved by	Miguel Alvarez-Rodriguez, ISA ² Programme

This report was prepared for the ISA² Programme by:
PwC EU Services

Disclaimer:

The views expressed in this report are purely those of the authors and may not, in any circumstances, be interpreted as stating an official position of the European Commission.

The European Commission does not guarantee the accuracy of the information included in this study, nor does it accept any responsibility for any use thereof.

Reference herein to any specific products, specifications, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favouring by the European Commission. All care has been taken by the author to ensure that s/he has obtained, where necessary, permission to use any parts of manuscripts including illustrations, maps, and graphs, on which intellectual property rights already exist from the titular holder(s) of such rights or from her.

Table of Contents

1.	INTRODUCTION.....	7
1.1.	SCOPE AND OBJECTIVES	7
1.2.	PROCESS AND METHODOLOGY	7
1.3.	STRUCTURE OF THIS DOCUMENT	9
2.	USE CASES.....	10
2.1.	USE CASE 1 – FINDING INFORMATION ABOUT PUBLIC SERVICES MORE EASILY	10
2.2.	USE CASE 2 – BUILDING USER-CENTRIC CATALOGUES OF PUBLIC SERVICES AT ALL LEVELS FROM REGIONAL TO A EUROPEAN FEDERATED CATALOGUE.....	10
2.3.	USE CASE 3 – MANAGING PORTFOLIOS OF PUBLIC SERVICES	11
2.4.	USE CASE 4 – FINDING INFORMATION OF GENERIC AND SPECIALISED PUBLIC SERVICES	12
3.	CORE PUBLIC SERVICE VOCABULARY APPLICATION PROFILE (CPSV-AP)	13
3.1.	MANDATORY AND OPTIONAL CLASSES AND PROPERTIES OF CPSV-AP	15
3.2.	THE PUBLIC SERVICE CLASS	16
3.2.1.	<i>Identifier</i>	16
3.2.2.	<i>Name</i>	16
3.2.3.	<i>Description</i>	16
3.2.4.	<i>Keyword</i>	16
3.2.5.	<i>Sector</i>	17
3.2.6.	<i>Thematic Area</i>	17
3.2.7.	<i>Type</i>	17
3.2.8.	<i>Language</i>	17
3.2.9.	<i>Status</i>	17
3.2.10.	<i>Is Grouped By</i>	18
3.2.11.	<i>Requires</i>	18
3.2.12.	<i>Related</i>	18
3.2.13.	<i>Has Criterion</i>	18
3.2.14.	<i>Has Competent Authority</i>	18
3.2.15.	<i>Has Participation</i>	19
3.2.16.	<i>Has Input</i>	19
3.2.17.	<i>Has Legal Resource</i>	19
3.2.18.	<i>Produces</i>	19
3.2.19.	<i>Follows</i>	20
3.2.20.	<i>Spatial</i>	20
3.2.21.	<i>Has Contact Point</i>	20
3.2.22.	<i>Has Channel</i>	21
3.2.23.	<i>Processing time</i>	21
3.2.24.	<i>Has Cost</i>	21
3.2.25.	<i>Is Described At</i>	22
3.2.26.	<i>Is Classified By</i>	22
3.3.	THE EVENT CLASS.....	22
3.3.1.	<i>Identifier</i>	22
3.3.2.	<i>Name</i>	22

3.3.3.	<i>Description</i>	23
3.3.4.	<i>Type</i>	23
3.3.5.	<i>Related Service</i>	23
3.4.	THE BUSINESS EVENT CLASS	23
3.5.	THE LIFE EVENT CLASS.....	23
3.6.	THE PUBLIC SERVICE DATASET CLASS	24
3.6.1.	<i>Identifier</i>	24
3.6.2.	<i>Publisher</i>	24
3.6.3.	<i>Name</i>	24
3.6.4.	<i>Landing Page</i>	24
3.7.	THE PARTICIPATION CLASS	25
3.7.1.	<i>Identifier</i>	25
3.7.2.	<i>Description</i>	25
3.7.3.	<i>Role</i>	25
3.8.	THE CRITERION REQUIREMENT CLASS.....	26
3.8.1.	<i>Identifier</i>	26
3.8.2.	<i>Name</i>	26
3.8.3.	<i>Type</i>	26
3.9.	THE EVIDENCE CLASS	26
3.9.1.	<i>Identifier</i>	27
3.9.2.	<i>Name</i>	27
3.9.3.	<i>Description</i>	27
3.9.4.	<i>Type</i>	27
3.9.5.	<i>Related Documentation</i>	27
3.9.6.	<i>Language</i>	28
3.10.	THE OUTPUT CLASS	28
3.10.1.	<i>Identifier</i>	28
3.10.2.	<i>Name</i>	28
3.10.3.	<i>Description</i>	28
3.10.4.	<i>Type</i>	28
3.11.	THE COST CLASS	29
3.11.1.	<i>Identifier</i>	29
3.11.2.	<i>Value</i>	29
3.11.3.	<i>Currency</i>	29
3.11.4.	<i>Description</i>	29
3.11.5.	<i>Is Defined By</i>	29
3.11.6.	<i>If Accessed Through</i>	30
3.12.	THE CHANNEL CLASS.....	30
3.12.1.	<i>Identifier</i>	30
3.12.2.	<i>Owned By</i>	30
3.12.3.	<i>Type</i>	30
3.12.4.	<i>Has Input</i>	30
3.12.5.	<i>Opening Hours</i>	31
3.12.6.	<i>Availability restriction</i>	31

3.13.	THE OPENING HOURS SPECIFICATION CLASS	31
3.14.	THE RULE CLASS.....	32
3.14.1.	Identifier.....	32
3.14.2.	Description	32
3.14.3.	Language	32
3.14.4.	Name.....	33
3.14.5.	Implements	33
3.15.	THE AGENT CLASS	33
3.15.1.	Name.....	33
3.15.2.	Identifier.....	33
3.15.3.	Plays Role	33
3.15.4.	Has Address.....	34
3.16.	THE LEGAL RESOURCE CLASS	34
3.16.1.	Related.....	34
3.17.	THE PUBLIC ORGANIZATION CLASS	34
3.18.	THE CONTACT POINT CLASS	35
3.18.1.	Availability restriction	35
3.19.	THE CONCEPT CLASS	35
3.20.	THE COLLECTION CLASS	36
3.20.1.	Member	36
4.	RECOMMENDED CONTROLLED VOCABULARIES	37
5.	EXAMPLE DESCRIPTION OF A PUBLIC SERVICE WITH CPSV-AP	41
5.1.	PUBLIC SERVICE CLASS	41
5.2.	BUSINESS EVENT CLASS.....	43
5.3.	EVIDENCE	43
5.4.	OUTPUT	44
5.5.	CHANNEL.....	44
5.6.	PUBLIC ORGANIZATION	45
6.	CONFORMANCE STATEMENT.....	46
6.1.	PROVIDER REQUIREMENTS	46
6.2.	RECEIVER REQUIREMENTS	46
7.	ACCESSIBILITY AND MULTILINGUAL ASPECTS.....	47
8.	NAMESPACES AND PREFIXES	48
9.	ACKNOWLEDGEMENTS.....	49
10.	CHANGE LOG.....	52
ANNEX I.	DETAILED LIST OF MANDATORY AND OPTIONAL CLASSES AND PROPERTIES	54
ANNEX II.	THE CORE PUBLIC SERVICE VOCABULARY	58
ANNEX III.	KEY CONCEPTS USED THROUGHOUT THIS DOCUMENT	60
ANNEX IV.	DESCRIPTION OF 1ST LEVEL LIFE EVENTS	62
ANNEX V.	DESCRIPTION OF 2ND LEVEL BUSINESS EVENTS	64
ANNEX VI.	DESCRIPTION OF OUTPUT TYPES	66

List of Figures

Figure 1 - Request handling.....	8
Figure 2 - Graphical representation of the relationships between the classes and properties of the full Core Public Service Vocabulary Application Profile	14
Figure 3 - CPSV diagram representation of current data model	58

List of Tables

Table 1: CPSV-AP controlled vocabularies.....	37
Table 2: Example of Public Service class – Human readable	41
Table 3: Example of Public Service class – Machine readable.....	42
Table 4: Example of Business Event class – Human readable	43
Table 5: Example of Public Service class – Machine readable.....	43
Table 6: Example of Evidence class – Human readable.....	43
Table 7: Example of Evidence class – Machine readable	43
Table 8: Example of Formal Framework class – Human readable.....	44
Table 9: Example of Output class – Machine readable	44
Table 10: Example of Channel class 1 – Human readable	44
Table 11: Example of Channel class 2 – Human readable	44
Table 12: Example of Channel class – Machine readable.....	44
Table 13: Example of Public Organization class – Human readable.....	45
Table 14: Example of Public Organization class – Machine readable.....	45
Table 15: Namespaces and Prefixes	48
Table 16: CPSV-AP Working Group Members	49
Table 17: Mandatory and optional classes and properties	54
Table 18: Definition of key concepts	60
Table 19: Description of 1st level life events.....	62
Table 20: Description of 2nd level business events.....	64
Table 21: Description of output types.....	66

1. INTRODUCTION

The original CPSV-AP was prepared in the context of Action 2016.29 – Accessing Member State information resources at European level – Catalogue of Services¹ of the European Commission's Interoperability for European Public Administrations (ISA) programme². The CPSV-AP has been seen as a first step for creating a model for describing public services related to business and life events, to facilitate the set-up of catalogues of services oriented to businesses and citizens.

This document defines an update to the Core Public Service Vocabulary Application Profile version 2.1 (CPSV-AP v2.2³). The update finds its motivation in the experience of implementing version 2.1 of the CPSV-AP by different MSs and stakeholders and consequent requests received from them in GitHub⁴ or during webinars⁵ and the workshop organised in Sofia⁶.

1.1. Scope and objectives

Since the publication of the CPSV-AP, several Member States and European projects started to reuse and extend the data model for their own needs. The usage of this data model in national or regional contexts, has led to the identification of potential areas of improvement and extension. In undertaking to respond to the feedback received, version 2.2 is updating the previous version of the specifications by aligning with ELI, updating ways for classifying the public services and corresponding properties and fixing some bugs.

This work also keeps into account the current implementations of the CPSV-AP by different entities, trying to keep the specifications as stable as possible.

1.2. Process and methodology

This common data model has been defined as an **Application Profile of the ISA Core Public Service Vocabulary**⁷ (henceforth referred to as the CPSV-AP). An Application Profile⁸ is a specification that re-uses terms from one or more base standards, adding more specificity by identifying mandatory, recommended and optional elements to be used for a particular application, as well as recommendations for controlled vocabularies to be used.

¹ European Commission. Interoperability for European Public Administrations (ISA). Accessing Member State information resources at European level. http://ec.europa.eu/isa/actions/01-trusted-information-exchange/1-3action_en.htm

² European Commission. Interoperability for European Public Administrations (ISA). http://ec.europa.eu/isa/index_en.htm

³ <https://joinup.ec.europa.eu/release/core-public-service-vocabulary-application-profile/22>

⁴ <https://github.com/catalogue-of-services-isa/CPSV-AP/issues>

⁵ <https://joinup.ec.europa.eu/event/catalogue-services-webinar-reuse-and-implementation-cpsv-ap-19-march-2018> and <https://joinup.ec.europa.eu/event/catalogue-services-webinar-reuse-and-implementation-cpsv-ap-23-april-2018>

⁶ <https://joinup.ec.europa.eu/event/catalogue-services-workshop-15-june-back-back-semic-2018>

⁷ https://joinup.ec.europa.eu/asset/core_public_service/description

⁸ <http://dublincore.org/documents/2001/04/12/usageguide/glossary.shtml#A>

The identification and handling of change requests follows the “Change management release and publication process for structural metadata specifications developed by the ISA Programme”. In particular this deliverable covers the request handling of the change management process.



Figure 1 - Request handling

CPSV-AP 2.1 is developed under the responsibility of the European Commission's ISA² Programme⁹ and the chairs of the Working Group. The Working Group is responsible for defining the specifications and is established from:

- Members of the EUGO Network;
- MS representatives from other eGovernment portals;
- Members of the CPSV Working Group;
- ISA² Committee representatives;
- Experts on government and modelling of life events and public services; and
- European Institutions and initiatives (e.g. DG GROW, YourEurope, eSENS...).

The methodology explains the specification process and its approach. It describes the elements that should be included in the specification, including use cases and definition of terms (i.e. classes and properties) and recommended controlled vocabularies, based on the research and review of existing solutions.

Naturally, the specification of the CPSV-AP 2.2 began with the original CPSV-AP version 2.1 and input from Member States and organisations who had first-hand experience of using it. That input was collected and analysed during two webinars and one workshop which led to the recording of a number of specific change requests.

In general, the feedback received was positive. Of course, implementing it in the national context implied the need for adapting the model to the corresponding context. In most cases the CPSV(-AP) was extended with additional classes, properties, controlled vocabularies...

⁹ https://ec.europa.eu/isa2/home_en

1.3. Structure of this document

This document consists of the following sections.

- Section 2 defines the main use cases that drive the specification of the Application Profile;
- The classes and properties defined for the Application Profile are identified in section 3;
- In section 4, controlled vocabularies are proposed for use as value sets for a number of properties;
- An example, helping to show how the CPSV-AP can be used in practice for describing a public service, is being described in section 5;
- Section 6 contains the Conformance Statement for this Application Profile;
- Accessibility and multilingual issues are addressed in section 7;
- Namespaces and prefixes used throughout the specifications are listed in section 8;
- Acknowledgements related to the development of this Application Profile are contained in section 9;
- Finally, in section 0, an overview of changes to the specification is provided in the change log.

2. USE CASES

The CPSV-AP is designed to meet the use cases described below. These are modified versions of the use cases that motivated the development of the original CPSV-AP, taking into account citizens' life events as well as business events. Although the core motivation remains the same, the scope is wider than the original set.

2.1. Use Case 1 – Finding information about public services more easily

In several countries (e.g. Austria, Spain, Germany, Belgium...) different local and regional electronic Points of Single Contact (PSCs) and eGovernment portals may exist. These national, regional or local one-stop-shops for public services may have different ways for making information about public services and the business or life event they correspond to, available.

Information on public services is often structured according to the organisational structure of public administration within a Member State or organised by service providers. Businesses, however, expect to find information organised according to their needs or based on the business lifecycle, and thus structured according to business events. This gap makes the discovery of relevant information on the PSCs harder for businesses.

The same is true for individuals seeking services relevant to life events. A citizen is unlikely to begin his or her search by examining the organisational structure of the local public administrations. Much more likely it is a search based on a change in their immediate situation, such as a birth, a child approaching school age, planning a home extension, etc.

A common data model for describing public services and making it possible to group them logically into business and life events, such as the CPSV-AP, would assist public authorities in providing high-quality descriptions of public services from a user-centric perspective. In this way, businesses and citizens can find the relevant information on public services to be executed in the context of a particular event or context, without having to know how the public administration is organised.

In the light of these, it is useful to have a single digital gateway for information on events and related public services, especially in the context of cross-border service delivery. A common data model for business events, life events and public services, such as the CPSV-AP, enables the flexible exchange and integration of the different public service descriptions and facilitates the publication of this information on the single digital gateway.

2.2. Use Case 2 – Building user-centric catalogues of public services at all levels from regional to a European federated catalogue

A prerequisite of the EU Single Market is the free movement of goods, services and capital across the EU. In this context, the Services Directive foresees simplification measures, such as the PSCs and eGovernment portals, to increase transparency for businesses and citizens when they want to provide or use services in the single market.

In this light, PSCs and eGovernment portals have been established at the national and regional level in the Member States. The CPSV-AP is designed to make this easier at all levels from regional to pan-European. Currently, the Your Europe Portal¹⁰ provides the EU rules for running a business in Europe, for example. Additionally, MSs are obliged to provide information on the transposition of these rules in their country. This information is also being provided by Your Europe.

A pan-European Single Digital Gateway, federating harmonised descriptions of business and life events and related public services from the MSs, could further enhance the cross-border access to these public services. Such a platform, which could extend the work of Your Europe, would then provide a unified view of public services related to business and life events across the EU Member States. It would facilitate the discovery and comparison of services, and allow businesses to make informed decisions about their investments. This would not only improve the discoverability of information within the EU, it would also lower the information access barriers for third country nationals to find their way and invest in an EU Member State.

Using a common data model such as the CPSV-AP for describing public services, enables the flexible exchange and integration of service descriptions between the national/regional authorities and pan-European one-stop-shops. This way, the common data model acts as a bridge, a common language that enables mapping all different ways of describing public services, and the business and life events for grouping them, to one common basis.

2.3. Use Case 3 – Managing portfolios of public services

In most countries, the ownership and management of public services is split amongst different public administrations leading to different ways of managing their lifecycle. This makes it difficult to have a complete view of the public services offered within the context of a Member State, and to have a holistic approach for their management and the way the public services are grouped into business and life events.

Public service portfolio management allows a public administration to apply a holistic and systematic management to their investments in public service provision in order to optimise their coverage of citizens' and businesses' needs against the overall value of their investments.

Public service portfolio management improves the management of the lifecycle of public services e.g. by:

- Identifying for which domain, sector, business or life event public services are missing;
- Identifying public services that are not used or outdated;
- Identifying redundant public services;

¹⁰ <http://europa.eu/youreurope/business/>

- Providing information on public services of higher quality, i.e. more detailed, complete, valid and timely description of public services and the events they are grouped by.

One of the key elements of any service portfolio management methodology is the use of a common data model for describing events and public services. In this vein, using a common data model, such as the CPSV-AP, provides a standardised way of documenting public services and business or life events for grouping these public services. Complete, reusable, machine-readable descriptions of public services and the events by which they are grouped will facilitate the measurement and quantification of their costs and benefits, and will enable their comparison, evaluation, monitoring, management and continuous improvement.

2.4. Use case 4 – Finding information of generic and specialised public services

Several European countries (Germany, Austria, Belgium, Spain...) are divided into regions, municipalities, etc. In these countries, a subset of public services and their descriptions varies depending on the level of appliance (national, regional or local). Catalogues of public services can publish generic descriptions at national level and point to the regional or local specialisation of the public service description on the local or regional level to get further detailed information. For instance, the cost of the public service, the service provider at local level, but also the descriptive elements of the public service itself (title, description...) etc.


Using a common data model that allows describing and relating generic and specific public service descriptions helps public administrations linking the information and offering it to citizens and businesses according to the user needs. The CPSV-AP covers the relationship of different instances of public service descriptions at national, regional or local level. This way, the information can be linked throughout portals at different levels, guiding the user to the most detailed information about a public service depending on the level or location of appliance.

3. CORE PUBLIC SERVICE VOCABULARY APPLICATION PROFILE (CPSV-AP)

The specification of the Core Public Service Vocabulary Application Profile is represented in a UML class diagram. Figure 2 shows the full profile which includes:

- The classes and properties that define the service itself: the necessary inputs, possible outputs, the responsible public authority and the events that trigger service use;
- The classes and properties that describe the context in which the service is offered. This includes relevant legislation and rules of operation for the service; and
- The interface between the service and its users: how and when it can be accessed.

Figure 2 - Graphical representation of the relationships between the classes and properties of the full Core Public Service Vocabulary Application Profile



3.1. Mandatory and optional classes and properties of CPSV-AP

To indicate the minimum requirements to comply with the CPSV-AP, the classes and properties are being classified as being mandatory or optional. A minimal implementation of the CPSV-AP at least provides information on the mandatory properties of the mandatory classes. Optional classes can still have mandatory properties for which information should be provided when the particular class is used in the description of the public services and the business events.

The terms mandatory class, optional class, mandatory property and optional property have the following meaning:

- **Mandatory class:** a receiver of data **MUST** be able to process information about instances of the class; a sender of data **MUST** provide information about instances of the class.
- **Optional class:** a receiver **MUST** be able to process information about instances of the class; a sender **MAY** provide the information but is not obliged to do so.
- **Mandatory property:** a receiver **MUST** be able to process the information for that property; a sender **MUST** provide the information for that property. In case the corresponding class is classified as being optional, a receiver **MUST** be able to process the information for that property; a sender **MUST** provide the information for that property if it uses the corresponding class.
- **Optional property:** a receiver **MUST** be able to process the information for that property; a sender **MAY** provide the information for that property if it is available.

All classes include the mandatory property of identifier that in Linked Data/RDF encodings will be IRIs. Where the entities do not exist independently of the Public Service, it is permissible for these to be local to the implementation, i.e. blank nodes are explicitly allowed. Global IRIs **SHOULD** be assigned to the Public Service itself, public organisations, events, outputs, agents and evidence.

The meaning of the terms **MUST**, **MUST NOT**, **SHOULD** and **MAY** in this section and in the following sections are as defined in RFC 2119¹¹.

In the given context, the term "processing" means that receivers must accept incoming data and transparently provide these data to applications and services. It does neither imply nor prescribe what applications and services finally do with the data (parse, convert, store, make searchable, display to users, etc.).

"Detailed list of mandatory and optional classes and properties" gives an overview of which classes are classified as mandatory or optional. For each class an overview is given of which properties are classified as being mandatory and for which ones the usage is optional.

Additionally the proposal in "Detailed list of mandatory and optional classes and properties" has been discussed with the Working Group.

¹¹ <https://www.ietf.org/rfc/rfc2119.txt>

3.2. The Public Service Class

This class represents the Public Service itself, as it is described in a public service catalogue. A Public Service is a mandatory or discretionary set of activities performed, or able to be performed, by or on behalf of a public organisation, publicly funded and arise from public policy. Services may be for the benefit of an individual, a business, or other public authority, or groups of any of these. A service exists whether it is used or not, and the term 'benefit' may apply in the sense of enabling the fulfilment of an obligation. As defined in the revised version of the European Interoperability Framework¹², a European public service comprises any service provided by public administrations in Europe, or by other organisations on their behalf, to businesses, citizens or others public administrations.

Class name	Mandatory/Optional	URI
Public Service	Mandatory	cpsv:PublicService

The following subsections define the properties of the Public Service class.

3.2.1. Identifier

This property represents a formally-issued Identifier for the Public Service.

Property	URI	Range	Cardinality
identifier	dct:identifier	Text ¹³	1..1

3.2.2. Name

This property represents the official Name of the Public Service.

Property	URI	Range	Cardinality
name	dct:title	Text	1..1

3.2.3. Description

This property represents a free text Description of the Public Service. The description is likely to be the text that potential users of the Public Service see in any public service catalogue. Public administrations are encouraged to include a reasonable level of detail in the description, for instance including basic eligibility requirements for the particular Public Service and contact information.

Property	URI	Range	Cardinality
description	dct:description	Text	1..1

3.2.4. Keyword

This property represents a keyword, term or phrase to describe the Public Service.

¹² http://ec.europa.eu/isa/documents/isa_annex_ii_eif_en.pdf

¹³ This property should be a URI if it is modelled in RDF.

Property	URI	Range	Cardinality
keyword	dcat:keyword	Text	0..n

3.2.5. Sector

This property represents the industry or sector a Public Service relates to, or is intended for. For example: environment, safety, housing. Note that a single Public Service may relate to multiple sectors. The possible values for this property are provided as a controlled vocabulary. The recommended controlled vocabularies are listed in section 4.

Property	URI	Range	Cardinality
sector	cv:sector	Concept	0..n

3.2.6. Thematic Area

This property represents the Thematic Area of a Public Service as described in a controlled vocabulary, for instance social protection, health, recreation, culture and religion, family, traveling economic affairs, tax, staff, environment... The recommended controlled vocabularies are listed in section 4.

Property	URI	Range	Cardinality
Thematic area	cv:thematicArea	Concept	0..n

3.2.7. Type

This property represents the Type of a Public Service as described in a controlled vocabulary. For the indicating the Type, we are referring to the functions of government to indicate the purpose of a government activity, which the public service is intended for. The recommended controlled vocabularies are listed in section 4.

Property	URI	Range	Cardinality
Type	dct:type	Concept	0..n

3.2.8. Language

This property represents the language(s) in which the Public Service is available. This could be one language or multiple languages, for instance in countries with more than one official language. The possible values for this property are described in a controlled vocabulary. The recommended controlled vocabularies are listed in section 4.

Property	URI	Range	Cardinality
language	dct:language	dct:LinguisticSystem	0..n

3.2.9. Status

Indicates whether a Public Service is active, inactive, under development etc. according to a controlled vocabulary.

Property	URI	Range	Cardinality
----------	-----	-------	-------------

status	adms:status	Concept	0..1
--------	-------------	---------	------

3.2.10. *Is Grouped By*

This property links the Public Service to the Event class (section 3.2.25). Several Public Services may be associated with a particular Event and, likewise, the same Public Service may be associated with several different Events.

Property	URI	Range	Cardinality
isGroupedBy	cv:isGroupedBy	Event	0..n

3.2.11. *Requires*

One Public Service may require, or in some way make use of, the output of one or several other Public Services. In this case, for a Public Service to be executed, another Public Service must be executed beforehand. The nature of the requirement will be described in the associated Rule or Input.

Property	URI	Range	Cardinality
requires	dct:requires	Public Service	0..n

3.2.12. *Related*

This property represents a Public Service related to the particular instance of the Public Service class.

Property	URI	Range	Cardinality
related	dct:relation	Public Service	0..n

3.2.13. *Has Criterion*

Links a Public Service to a class that describes the criteria for needing or using the service, such as residency in a given location, being over a certain age etc. The Criterion class is defined in the Core Criterion and Core Evidence Vocabulary¹⁴.

Property	URI	Range	Cardinality
hasCriterion	cv:hasCriterion	Criterion Requirement	0..n

3.2.14. *Has Competent Authority*

This property links a Public Service to a Public Organization, which is the responsible Agent for the delivery of the Public Service. Whether the particular Public Organization provides the public service directly or outsources it is not relevant. The Public Organization that is the Competent Authority of the service is the one that is ultimately responsible for managing and providing the public service.

¹⁴ https://joinup.ec.europa.eu/asset/criterion_evidence_cv/description

The term Competent Authority is defined in the Services Directive (2006/123/EC) in the following way:

“Any body or authority which has a supervisory or regulatory role in a Member State in relation to service activities, including, in particular, administrative authorities, including courts acting as such, professional bodies, and those professional associations or other professional organisations which, in the exercise of their legal autonomy, regulate in a collective manner access to service activities or the exercise thereof”.

Property	URI	Range	Cardinality
hasCompetentAuthority	cv:hasCompetentAuthority	Public Organisation	1..1

3.2.15. *Has Participation*

The CPSV-AP defines the two basic roles of Competent Authority and Service Provider, but this simple model can be extended if required using the Has Participation property that links to the Participation class (see section 3.6).

Property	URI	Range	Cardinality
hasParticipation	cv:hasParticipation	Participation	0..n

3.2.16. *Has Input*

The Has Input property links a Public Service to one or more instances of the Evidence class (see section 3.9). A specific Public Service may require the presence of certain pieces of Evidence in order to be delivered. If the evidence required to make use of a service varies according to the channel through which it is accessed, then Has Input should be at the level of the Channel (section 3.12.4).

Property	URI	Range	Cardinality
hasInput	cpsv:hasInput	Evidence	0..n

3.2.17. *Has Legal Resource*

The Has Legal Resource property links a Public Service to a Legal Resource. It indicates the Legal Resource (e.g. legislation) to which the Public Service relates, operates or has its legal basis.

Property	URI	Range	Cardinality
hasLegalResource	cv:hasLegalResource	Legal Resource	0..n

3.2.18. *Produces*

The Produces property links a Public Service to one or more instances of the Output class (see section 3.10), describing the actual result of executing a given Public

Service. Outputs can be any resource, for instance a document, artefact or anything else being produced as a result of executing the Public Service.

Property	URI	Range	Cardinality
produces	cpsv:produces	Output	0..n

3.2.19. *Follows*

The follows property links a Public Service to the Rule(s) under which it operates. The definition of the Rule class is very broad. In a typical case, the competent authority that provides the public service will also define the rules that will implement its own policies. The CPSV-AP is flexible to allow for significant variation in such a scenario.

Property	URI	Range	Cardinality
follows	cpsv:follows	Rule	0..n

3.2.20. *Spatial*

A Public Service is likely to be available only within a given area, typically the area covered by a particular public authority.

A common usage of the spatial property will be to define the Administrative Territorial Unit(s) – typically a country or region – in which a Public Service is available. The Publications Office of the European Union offers a URI set¹⁵ that is suitable for this purpose, e.g. Malta is identified by <http://publications.europa.eu/resource/authority/atu/MLT>, West Flanders by http://publications.europa.eu/resource/authority/atu/BEL_PR_WVL and so on.

N.B. The spatial restriction is not meant to be used to describe eligibility or the speed of operation of the service. These aspects will be covered by the Criterion class.

Property	URI	Range	Cardinality
spatial	dct:spatial	Location	0..n

3.2.21. *Has Contact Point*

A contact point for the service is almost always helpful. The value of this property, the contact information itself, should be provided using schema:ContactPoint. Note that the contact information should be relevant to the Public Service which may not be the same as contact information for the Competent Authority or any Participant.

Property	URI	Range	Cardinality
hasContactPoint	cv:hasContactPoint	Contact Point	0..n

¹⁵ <http://publications.europa.eu/resource/authority/atu/>

3.2.22. *Has Channel*

This property links the Public Service to any Channel through which an Agent provides, uses or otherwise interacts with the Public Service, such as an online service, phone number or office. See section 3.12.

Property	URI	Range	Cardinality
hasChannel	cv:hasChannel	Channel	0..n

3.2.23. *Processing time*

The value of this property is the (estimated) time needed for executing a Public Service. The actual information is provided using the ISO8601 syntax for durations. Some examples are provided below:

Duration	Syntax
5 years	P5Y
1 month	P1M
3 days	P3D
2 days 4 hours	P2DT4H

Durations begin with an uppercase P followed by the number and the relevant designator, formally: P[n]Y[n]M[n]DT[n]H[n]M[n]S, where Y is for years, M for months etc. Note that days and times are separated by an uppercase T which also disambiguates M as meaning month (P2M means 2 months) or minute (PT2M means 2 minutes). Durations may also be defined as a number of weeks so P4W means 4 weeks. A full explanation is provided in the Wikipedia page¹⁶ that references the official ISO standard¹⁷.

This approach is consistent with both schema.org and the W3C OWL Time Ontology.

Property	URI	Range	Cardinality
processingTime	cv:processingTime	Duration	0..1

3.2.24. *Has Cost*

The Has Cost property links a Public Service to one or more instances of the Cost class (see section 3.11). It indicates the costs related to the execution of a Public Service for the citizen or business related to the execution of the particular Public Service. Where the cost varies depending on the channel through which the service is accessed, it can be linked to the channel using the If Accessed Through relationship (section 3.11.6).

Property	URI	Range	Cardinality
hasCost	cv:hasCost	Cost	0..n

¹⁶ https://en.wikipedia.org/wiki/ISO_8601#Durations

¹⁷ http://www.iso.org/iso/catalogue_detail?csnumber=40874

3.2.25. *Is Described At*

The Is Described At property links a Public Service to the Public Service Dataset(s) (see 3.6) in which it is being described (see section 3.6).

Property	URI	Range	Cardinality
isDescribedAt	cv:isDescribedAt	Public Service Dataset	0..n

3.2.26. *Is Classified By*

The Is Classified By property allows to classify the Public Service with any Concept (section 3.19), other than those already foreseen and defined explicitly in the CPSV-AP (Thematic Area, Sector, ...). It is a generic property which can be further specialised to make the classification explicit, for instance for classifying public services according level of digitisation, type of audience ...

The Concept is at its turn related to a Collection (section 3.20), which groups the different concepts into a controlled vocabulary.

Property	URI	Range	Cardinality
isClassifiedBy	cv:isClassifiedBy	Concept	0..n

3.3. The Event Class

This class represents an event that can be of any type that triggers, makes use of, or in some way is related to, a Public Service. It is not expected to be used directly, rather, one or other of its subclasses should be used. The properties of the class are, of course, inherited by those subclasses.

The Event class is used as a hook either to a single related Public Service, such as diagnosis of illness being related to application for sickness benefit (section 3.3.5); or to a group of Public Services, such as all those related to the establishment of a new business (see section 3.2.10).

Class name	Mandatory/Optional	URI
Event	Optional	cv:Event

3.3.1. *Identifier*

This property represents an Identifier for the Event.

Property	URI	Range	Cardinality
identifier	dct:identifier	Text ¹⁸	1..1

3.3.2. *Name*

This property represents the Name (or title) of the Event.

¹⁸ This property should be a URI if it is modelled in RDF.

Property	URI	Range	Cardinality
name	dct:title	Text	1..1

3.3.3. Description

This property represents a free text description of the Event. The description is likely to be the text that a business or citizen sees for that specific Event when looking for relevant Public Services. Public administrations are therefore encouraged to include a reasonable level of detail in the description.

Property	URI	Range	Cardinality
description	dct:description	Text	0..1

3.3.4. Type

The type property links an Event to a controlled vocabulary of event types and it is the nature of those controlled vocabularies that is the major difference between a business event, such as creating the business in the first place and a life event, such as the birth of a child.

Property	URI	Range	Cardinality
type	dct:type	Concept	0..n

3.3.5. Related Service

This property links an event directly to a public service that is related to it.

Property	URI	Range	Cardinality
relatedService	dct:relation	Public Service	0..n

3.4. The Business Event Class

This class represents a Business Event, which specialises Event. A Business Event is a specific situation or event in the lifecycle of a business that fulfils one or more needs or (legal) obligations of that business at this specific point in time. A Business Event requires a set of public services to be delivered and consumed in order for the associated business need(s) or obligation(s) to be fulfilled. Business Events are defined within the context of a particular Member State.

In other words, a Business Event groups together a number of public services that need to be delivered for completing that particular event.

Class name	Mandatory/Optional	URI
Business Event	Optional	cv:BusinessEvent

3.5. The Life Event Class

The Life Event class represents an important event or situations in a citizen's life where public services may be required. Note the scope: an individual will encounter any number of 'events' in the general sense of the word. In the context of the CPSV-

AP, the Life Event class **only** represents an event for which a Public Service is related. For example, a couple becoming engaged is not a CPSV-AP Life Event, getting married is, since only the latter has any relevance to public services.

Class name	Mandatory/Optional	URI
Life Event	Optional	cv:LifeEvent

3.6. The Public Service Dataset Class

The Public Service Dataset, is a specialisation of the Dataset class of the Data Catalog Vocabulary (DCAT)¹⁹ and inherits all its properties. The class describes the metadata of where the dataset is being described, for instance on a regional public service portal and/or a national eGovernment portal.

Class name	Mandatory/Optional	URI
Public Service Dataset	Optional	cv:PublicServiceDataset

The properties being described in the following sections define the mandatory properties if the class is being instantiated. We refer to DCAT for the definition of the other properties being inherited.

3.6.1. Identifier

This property represents an Identifier for the Public Service Dataset.

Property	URI	Range	Cardinality
identifier	dct:identifier	Text ²⁰	1..1

3.6.2. Publisher

This property represents the Publisher of the Public Service Dataset, i.e. an entity (organisation) responsible for making the Public Service Dataset available.

Property	URI	Range	Cardinality
publisher	dct:publisher	Agent	1..1

3.6.3. Name

This property contains a name given to the Public Service Dataset. This property can be repeated for parallel language versions of the name.

Property	URI	Range	Cardinality
name	dct:title	Text	1..n

3.6.4. Landing Page

This property refers to a web page that provides access to the Public Service Dataset. It is intended to point to a landing page at the original data provider, not to a page on a site of a third party, such as an aggregator.

¹⁹ <https://www.w3.org/TR/vocab-dcat/#class-dataset>

²⁰ This property should be a URI if it is modelled in RDF.

Property	URI	Range	Cardinality
landingPage	dcat:landingPage	Document	1..n

3.7. The Participation Class

The CPSV-AP recognises a common role connected with public services, i.e. the Competent Authority (section 3.2.14). However, this simple structure does not allow statements to be made about those participants, such the start and end date of a contract, nor does it support the inclusion of other roles. The Participation class supports this extra complexity if required, for instance, the description of a service user or a service provider. The model is consistent with the CPOV which in turn is based on the W3C Organization Ontology that supports the common cases simply but allows the complex cases where necessary. The Participation class can be mapped to the Organization Ontology's Membership class that allows more complex relationships and richer metadata to be applied to a role filled by a given Agent.

Class name	Mandatory/Optional	URI
Participation	Optional	cv:Participation

3.7.1. Identifier

This property represents an Identifier for the Participation.

Property	URI	Range	Cardinality
identifier	dct:identifier	Text ²¹	1..1

3.7.2. Description

A free text description of the Participation.

Property	URI	Range	Cardinality
description	dct:description	Text	1..1

3.7.3. Role

Provides the role played. This should be provided using a controlled vocabulary. Since this is an extension mechanism for the CSPV-AP, the controlled vocabulary should be decided to suit local implementations.

Property	URI	Range	Cardinality
role	cv:role	Concept	1..n

²¹ This property should be a URI if it is modelled in RDF.

3.8. The Criterion Requirement Class

Not all public services are needed or usable by everyone. For example, the visa service operated by European countries is not needed by European citizens but is needed by some citizens from elsewhere, or public services offering unemployment benefits and grants are targeting specific societal groups. The CPSV reuses the Core Criterion and Core Evidence Vocabulary²² for this class. The CCCEV provides more details but the Criterion Requirement class has three mandatory properties.

Class name	Mandatory/Optional	URI
Criterion Requirement	Optional	cv:CriterionRequirement

3.8.1. Identifier

This property represents an Identifier for the Criterion Requirement.

Property	URI	Range	Cardinality
identifier	dct:identifier	Text ²³	1..1

3.8.2. Name

This property represents the official Name of the Criterion Requirement.

Property	URI	Range	Cardinality
name	dct:title	Text	1..1

3.8.3. Type

This property represents the type of Criterion Requirement as described in a controlled vocabulary. The recommended controlled vocabularies are listed in section 4.

Property	URI	Range	Cardinality
type	dct:type	Concept	0..n

3.9. The Evidence Class

The Evidence class is defined in the Core Criterion and Core Evidence vocabulary (CCCEV) as any resource that can document or support a criterion response. It contains information that proves that a criterion requirement exists or is true, in particular evidences are used to prove that a specific criterion is met.

Although the wording of the definition is different, the semantics are an exact match for CPSV's Input class which it replaces.

²² https://joinup.ec.europa.eu/asset/criterion_evidence_cv/description

²³ This property should be a URI if it is modelled in RDF.

Evidence can be any resource - document, artefact – anything needed for executing the Public Service. In the context of Public Services, Evidence is usually administrative documents or completed application forms. A specific Public Service may require the presence of certain Evidence or combinations of Evidence in order to be delivered.

In some cases, the Output of one service will be Evidence for another service. Such relationships should be described in the associated Rule(s).

Class name	Mandatory/Optional	URI
Evidence	Optional	cv:Evidence

3.9.1. Identifier

This property represents an Identifier for the piece of Evidence.

Property	URI	Range	Cardinality
identifier	dct:identifier	Text ²⁴	1..1

3.9.2. Name

This property represents the official Name of the piece of Evidence.

Property	URI	Range	Cardinality
name	dct:title	Text	1..1

3.9.3. Description

This property represents a free text Description of the piece of Evidence.

Property	URI	Range	Cardinality
description	dct:description	Text	0..1

3.9.4. Type

This property represents the type of Evidence as described in a controlled vocabulary. The recommended controlled vocabularies are listed in section 4.

Property	URI	Range	Cardinality
type	dct:type	Concept	0..1

3.9.5. Related Documentation

This property represents documentation that contains information related to the Evidence, for instance a particular template for an administrative document, an application or a guide on formatting the Input.

Property	URI	Range	Cardinality
relatedDocumentation	foaf:page	Document	0..n

²⁴ This property should be a URI if it is modelled in RDF.

3.9.6. Language

Indicates the language(s) in which the Evidence must be provided.

Property	URI	Range	Cardinality
language	dct:language	dct:LinguisticSystem	0..n

3.10. The Output Class

Outputs can be any resource - document, artefact – anything produced by the Public Service. In the context of a Public Service, the output provides an official document or other artefact of the Competent Authority (Public Organization) that permits/authorises/entitles an Agent to (do) something.

In some cases, the Output of one Public Service will be used as evidence to fulfil a criterion requirement of another Public Service. Such relationships should be described in the associated Rule(s).

Class name	Mandatory/Optional	URI
Output	Optional	cv:Output

3.10.1. Identifier

This property represents an Identifier for the Output.

Property	URI	Range	Cardinality
identifier	dct:identifier	Text ²⁵	1..1

3.10.2. Name

This property represents the official Name of the Output.

Property	URI	Range	Cardinality
name	dct:title	Text	1..1

3.10.3. Description

This property represents a free text Description of the Output.

Property	URI	Range	Cardinality
description	dct:description	Text	0..1

3.10.4. Type

This property represents the type of Output as defined in a controlled vocabulary. The recommended controlled vocabularies are listed in section 4.

Property	URI	Range	Cardinality
type	dct:type	Concept	0..n

²⁵ This property should be a URI if it is modelled in RDF.

3.11. The Cost Class

The Cost class represents any costs related to the execution of a Public Service that the Agent consuming it needs to pay.

Class name	Mandatory/Optional	URI
Cost	Optional	cv:Cost

3.11.1. Identifier

This property represents an Identifier for the Cost.

Property	URI	Range	Cardinality
identifier	dct:identifier	Text ²⁶	1..1

3.11.2. Value

This property represents a numeric value indicating the amount of the Cost.

Property	URI	Range	Cardinality
value	cv:value	Number	0..1

3.11.3. Currency

This property represents the currency in which the Cost needs to be paid and the value of the Cost is expressed. The possible values for this property are described in a controlled vocabulary. The recommended controlled vocabularies are listed in section 4.

Property	URI	Range	Cardinality
currency	cv:currency	Concept	0..1

3.11.4. Description

This property represents a free text description of the Cost.

Property	URI	Range	Cardinality
description	dct:description	Text	0..1

3.11.5. Is Defined By

This property links the Cost class with one or more instances of the Public Organization class (section 3.16). This property indicates which Public Organization is the Competent Authority for defining the costs associated with the delivery of a particular Public Service.

Property	URI	Range	Cardinality
isDefinedBy	cv:isDefinedBy	PublicOrganisation	0..n

²⁶ This property should be a URI if it is modelled in RDF.

3.11.6. *If Accessed Through*

Where the cost varies depending on the channel used, for example, if accessed through an online service cf. accessed at a physical location, the cost can be linked to the channel using the If Accessed Through property.

Property	URI	Range	Cardinality
ifAccessedThrough	cv:ifAccessedThrough	Channel	0..1

3.12. The Channel Class

The Channel class represents the medium through which an Agent provides, uses or interacts in another way with a Public Service. Typical examples include online services, phone, walk-in centres etc.

Class name	Mandatory/Optional	URI
Channel	Optional	cv:Channel

3.12.1. *Identifier*

This property represents an Identifier for the Channel.

Property	URI	Range	Cardinality
identifier	dct:identifier	Text ²⁷	1..1

3.12.2. *Owned By*

This property links the Channel class with one or more instances of the Agent class (section 3.15). This property indicates the owner of a specific Channel through which a Public Service is being delivered. Note that Public Organization is a sub class of Agent so that if the owner is the Public Organization, the ownedBy property can link to it.

Property	URI	Range	Cardinality
ownedBy	cv:ownedBy	Public Organisation	0..n

3.12.3. *Type*

This property represents the type of Channel as defined in a controlled vocabulary. The recommended controlled vocabularies are listed in section 4.

Property	URI	Range	Cardinality
type	dct:type	Concept	0..1

3.12.4. *Has Input*

In the majority of cases, the evidence required to use a Public Service will be independent of the channel through which the service is accessed. The Has Input property should normally be used to link a Public Service directly to one or more

²⁷ This property should be a URI if it is modelled in RDF.

pieces of Evidence (see section 3.9). However, where the type of Evidence required varies according to the channel used to access the Public Service, then the Has Input property may be used at the Channel level. For example, a digital signature may be required for an online channel, whereas a physical signature may be required for a face to face service provision.

Property	URI	Range	Cardinality
hasInput	cpsv:hasInput	Evidence	0..n

3.12.5. Opening Hours

This property represents the normal opening hours of a channel. The value should follow the flexible format defined for schema.org's opening hours property²⁸. Following that structure, days of the week are represented by two letter codes (Mo, Tu, We, Th, Fr, Sa, Su). Lists should be comma separated (for example: Mo, We, Fr) and periods separated by a hyphen (for example: Mo-Fr).

If it is appropriate to add opening hours then this follows the day so if a phone service is available 08:00 – 20:00 Monday to Saturday and 08:00 – 18:00 on Sundays that would be encoded as Mo-Sa 08:00-20:00, Su 08:00-18:00.

Property	URI	Range	Cardinality
openingHours	schema:openingHours	Text	0..n

3.12.6. Availability restriction

This property links a channel to information about when the channel is *not* available, overriding the general opening hours information (3.12.5). The details are provided using the Opening Hours Specification class (section 3.13).

Property	URI	Range	Cardinality
availabilityRestriction	schema:hoursAvailable	Opening Hours Specification	0..1

3.13. The Opening Hours Specification Class

The CPSV-AP makes use of schema.org's openingHours property (section 3.12.5) to provide details of regular operations. The Opening Hours Specification²⁹ class can be used to provide details of exceptional circumstances, such as being closed on public holidays, which is encoded (in Turtle), thus:

```
ex:PublicHolidayClosed a schema:OpeningHoursSpecification;
  schema:dayOfWeek <http://schema.org/PublicHoliday>.
```

Note that the property schema:opens is not used, therefore the contact point is closed. More specific closures can be indicated by including the schema:validFrom and schema:validThrough properties, for example:

²⁸ <http://schema.org/openingHours>

²⁹ <http://schema.org/OpeningHoursSpecification>

ex: ChristmasClosed a schema: OpeningHoursSpecification;
 schema: validFrom "2016-12-24T012:00Z";
 schema: validThrough "2017-01-02T09:00Z".

Class name	Mandatory/Optional	URI
openingHours	Optional	schema: OpeningHoursSpecification

3.14. The Rule Class

The Rule class represents a document that sets out the specific rules, guidelines or procedures that the Public Service follows. It includes the terms of service, licence, and authentication requirements of the Public Service.

Instances of the Rule class are FRBR Expressions, that is, a concrete expression such as a document, of the more abstract concept of the rules themselves. The CPSV-AP does not envisage instances of the Rule class as machine-readable business rules.

Detailed modelling of the rules related to Public Services is out of scope of the CPSV-AP.

Class name	Mandatory/Optional	URI
Rule	Optional	cpsv: Rule

3.14.1. Identifier

This property represents an Identifier for the Rule.

Property	URI	Range	Cardinality
identifier	dct: identifier	Text ³⁰	1..1

3.14.2. Description

This property represents a free text Description of the Rule.

Property	URI	Range	Cardinality
description	dct: description	Text	1..1

3.14.3. Language

This property represents the language(s) in which the Rule is available. This could be one or multiple languages, for instance in countries with more than one official language. The possible values for this property are described in a controlled vocabulary. The recommended controlled vocabularies are listed in section 4.

Property	URI	Range	Cardinality
language	dct: language	dct: LinguisticSystem	0..n

³⁰ This property should be a URI if it is modelled in RDF.

3.14.4. *Name*

This property represents the name of the Rule.

Property	URI	Range	Cardinality
name	dct:title	Text	1..1

3.14.5. *Implements*

The Implements property links a Rule to relevant legislation or policy documents i.e. the Legal Resource under which the Rules are being defined (see section 3.16).

Property	URI	Range	Cardinality
implements	cpsv:implements	Public Service	0..n

3.15. The Agent Class

The Agent class is any resource that acts or has the power to act. This includes people, organisations and groups. The Public Organization class, defined in the Core Public Organisation Vocabulary, is a notable sub class of Agent.

Class name	Mandatory/Optional	URI
Agent	Optional	dct:Agent

3.15.1. *Name*

This property represents the Name of the Agent.

Property	URI	Range	Cardinality
name	dct:title	Text	1..1

3.15.2. *Identifier*

This property represents an Identifier for the Agent.

Property	URI	Range	Cardinality
identifier	dct:identifier	Text ³¹	1..1

3.15.3. *Plays Role*

This property links an Agent to the Participation class. The Participation class is defined in section 3.6 and facilitates the detailed description of how an Agent participates in or interacts with a Public Service and may include temporal and spatial constraints on that participation.

Property	URI	Range	Cardinality
playsRole	cv:playsRole	Participation	0..n

³¹ This property should be a URI if it is modelled in RDF.

3.15.4. Has Address

This property represents an Address related to an Agent. Asserting the address relationship implies that the Agent has an Address.

Property	URI	Range	Cardinality
hasAddress	cv:hasAddress	Address	0..1

3.16. The Legal Resource Class

This class represents the legislation, policy or policies that lie behind the Rules that govern the service.

The definition and properties of the Legal Resource class in the CPSV-AP are aligned with the ontology included in "Council conclusions inviting the introduction of the European Legislation Identifier (ELI)"³².

For describing the attributes of a Legal Resource (labels, preferred labels, alternative labels, definition ...) we refer to the ELI ontology.

Class name	Mandatory/Optional	URI
Legal Resource	Optional	eli:LegalResource

3.16.1. Related

This property represents another instance of the Legal Resource class that is related to the particular Legal Resource being described.

Property	URI	Range	Cardinality
Related	dct:relation	Legal Resource	0..n

3.17. The Public Organization Class

The CPSV-AP reuses the Core Public Organisation Vocabulary³³ that defines the concept of a Public Organization and associated properties and relationships. It is largely based on the W3C Organization Ontology³⁴.

Class name	Mandatory/Optional	URI
Public Organization	Mandatory	cv:PublicOrganisation

Within the CPSV-AP the following properties are mandatory:

- preferred label
- spatial

The value of the latter should be a URI from the Administrative Territorial Units³⁵ Named Authority List maintained by the Publications Office's Metadata Registry.

³² <http://publications.europa.eu/mdr/eli/>

³³ https://joinup.ec.europa.eu/asset/cpov/asset_release/all

³⁴ <http://www.w3.org/TR/vocab-org/>

³⁵ <http://publications.europa.eu/mdr/authority/atu/>

Property	URI	Range	Cardinality
preferredLabel	skos:prefLabel	Text	1..1
spatial	dct:spatial	Concept	1..1

3.18. The Contact Point Class

This class represents the contact information for a Public Service, Channel, Public Organization, etc. It is defined in the Core Public Organisation Vocabulary and is provided as a schema:ContactPoint. Like Channel, a Contact Point may have regular opening hours (section 3.12.5) that are then overridden by, for example, public holidays, using the Opening Hours Specification class (section 3.13).

Class name	Mandatory/Optional	URI
Contact Point	Optional	schema:ContactPoint

3.18.1. Availability restriction

This property links a contact point to information about when the contact point is *not* available. The details are provided using the Opening Hours Specification class (section 3.13).

Property	URI	Range	Cardinality
availabilityRestriction	schema:hoursAvailable	Opening Hours Specification	0..n

3.19. The Concept Class

This class represents any concept that can be used for classifying the Public Service and which relates to the Public Service through the property Is Classified By (section 3.2.26). This class has been added in the CPSV-AP to complement the need for adding other ways of classifying the Public Service, which have not been explicitly defined in the CPSV-AP.

In this context the CPSV-AP reuses the Concept³⁶ class as defined in the SKOS Simple Knowledge Organization System³⁷. For describing the attributes of a Concept (labels, preferred labels, alternative labels, definition ...) we refer to SKOS.

The Concept may or may not belong to (member) a certain Collection (section 3.20).

Class name	Mandatory/Optional	URI
Concept	Optional	skos:Concept

³⁶ <https://www.w3.org/TR/skos-reference/#concepts>

³⁷ <https://www.w3.org/TR/skos-reference/>

3.20. The Collection Class

This class represents the Collection to which a Concept (section 3.19) belongs. Grouping different concepts defines a controlled vocabulary.

In this context the CPSV-AP reuses the Collection³⁸ class as defined in the SKOS Simple Knowledge Organization System³⁹. For describing the attributes of a Collection (labels, preferred labels, alternative labels, definition ...) we refer to SKOS.

Class name	Mandatory/Optional	URI
Collection	Optional	skos:Collection

3.20.1. Member

The Member property, as defined in SKOS, allows to indicate the Concepts (section 3.19) that are part of a Collection.

Property	URI	Range	Cardinality
Member	skos:member	Concept	0..n

³⁸ <https://www.w3.org/TR/skos-reference/#concepts>

³⁹ <https://www.w3.org/TR/skos-reference/>

4. RECOMMENDED CONTROLLED VOCABULARIES

In order to facilitate the exchange of information on Public Services grouped into business events or life events, controlled vocabularies are intended to harmonise the possible values for certain properties. This improves the interoperability of the descriptions and eases the integration of information coming from different sources. As for the CPSV-AP Domain Model described in section 3, Public Organizations can map the values of the controlled vocabularies they use for describing Public Services in their MS, to the specific values of the controlled vocabularies suggested below.

It is important to mention that the recommended controlled vocabularies in CPSV-AP are not mandatory. Therefore, other controlled vocabularies which are more suitable or tailored to the national context may be used. They can also be extended by the MSs in order to meet their specific needs. In particular, this can be useful for recommended controlled vocabularies of which only high-level values have been defined. For example, for the property "Thematic Area" of the class "Business Event", a MS can extend this particular controlled vocabulary by adding additional events or providing additional levels of granularity.

Where possible, Table 1 provides a suggestion for the controlled vocabularies for the properties included in the CPSV-AP. For elaborating the overview, controlled vocabularies that have been developed in the context of European initiatives or other supra-national initiatives (e.g. EL, Named Authority Lists, Eurovoc, NACE,...) and that have already been used in multiple applications, are maximally being re-used. Also, in order to align with existing Core Vocabularies, the controlled vocabularies already used there are maximally reused in this application profile. Also, existing controlled vocabularies in the Member States are also taken into account.

Specifically for the list 1st and 2nd level business events, 1st level life events and output types, the suggested controlled vocabulary was based on an analysis done. For this, data was collected from literature and existing public service portals, and this data was compared, interpreted and analysed in order to come up with a proposal. This proposal was discussed in a meeting of the WG, and the feedback received was processed into amended versions which have been added to this specification as recommended controlled vocabularies for:

- Business event type;
- Life event type; and
- Output type.

Table 1: CPSV-AP controlled vocabularies

Class	Property	Controlled vocabulary
Business Event	Type ⁴⁰	Starting business - Registering a company

⁴⁰ The 2nd level business events might apply for different 1st level business events, leading to a many-to-many mapping between 1st and 2nd level business events. A description for each 2nd level business event has been included in "Description of 2nd level business events".

Class	Property	Controlled vocabulary
		<ul style="list-style-type: none"> - Needing a licence, permit or certificate to start or continue an activity - Registering Intellectual Property - Registering a branch - Starting a new activity - Financing a company - Hiring an employee <p>Starting cross-border business</p> <ul style="list-style-type: none"> - Registering a cross-border business - Registering a branch <p>Doing business</p> <ul style="list-style-type: none"> - Financing a company - Needing a licence, permit or certificate to start or continue an activity - Registering Intellectual Property - Hiring an employee - Participating in public procurement - Notifying and reporting to authorities - Starting a new activity - Registering a branch - Having problems in paying creditors <p>Closing business</p> <ul style="list-style-type: none"> - Restructuring of a company - Dissolution of a company
Life Event	Type ⁴¹	<p>Having a child</p> <p>Becoming a (social) caretaker</p> <p>Starting education</p> <p>Looking for a new job</p> <p>Losing/quitting a job</p> <p>Looking for a place to live</p> <p>Changing relationship status</p> <p>Driving a vehicle</p> <p>Travelling abroad</p> <p>Moving to/from the country</p> <p>Going into military service</p> <p>Facing an emergency / health problem</p> <p>Facing a crime</p>

⁴¹ The list currently only includes a 1st level for life events. A description for each 1st level life events has been included in "Description of 1st level life events".

Class	Property	Controlled vocabulary
		Retirement Death of a relative
Public Service	Type	TBC
	Thematic Area	TBC
	Language	European Publications Office's Languages Named Authority List (NAL) ⁴²
	Sector	List of NACE codes ⁴³
	Spatial	MDR Continents Named Authority List ⁴⁴ , MDR Countries Named Authority List ⁴⁵ , MDR Places Named Authority List ⁴⁶ , Geonames ⁴⁷
	Status	ADMS Status vocabulary ⁴⁸
Participation	Role	TBC
CriterionRequirement	Type	TBC
Evidence	Type	TBC
	Language	European Publications Office's Languages Named Authority List (NAL) ⁴⁹
Output	Type ⁵⁰	Declaration Physical object Code Financial obligation Financial benefit Recognition Permit
Cost	Currency	European Publications Office's Currencies Named Authority List (NAL) ⁵¹

⁴² <http://publications.europa.eu/mdr/authority/language/index.html>

⁴³ http://ec.europa.eu/competition/mergers/cases/index/nace_all.html

⁴⁴ <http://publications.europa.eu/mdr/authority/continent/index.html>

⁴⁵ <http://publications.europa.eu/mdr/authority/country/>

⁴⁶ <http://publications.europa.eu/mdr/authority/place/index.html>

⁴⁷ <http://sws.geonames.org/>

⁴⁸ <http://purl.org/adms/status/>

⁴⁹ <http://publications.europa.eu/mdr/authority/language/index.html>

⁵⁰ A description for each output type has been included in "Description of output types".

⁵¹ <http://publications.europa.eu/mdr/authority/currency/index.html>

Class	Property	Controlled vocabulary
Channel	Type	E-mail Homepage Fax Assistant Telephone Mobile App Digital TV Mail Service Bureau Client's Location
Rule	Language	European Publications Office's Languages Named Authority List (NAL) ⁵²
Public Organization	Spatial	MDR Continents Named Authority List ⁵³ , MDR Countries Named Authority List ⁵⁴ , MDR Places Named Authority List ⁵⁵ , Geonames ⁵⁶

⁵² <http://publications.europa.eu/mdr/authority/language/index.html>

⁵³ <http://publications.europa.eu/mdr/authority/continent/index.html>

⁵⁴ <http://publications.europa.eu/mdr/authority/country/>

⁵⁵ <http://publications.europa.eu/mdr/authority/place/index.html>

⁵⁶ <http://sws.geonames.org/>

5. EXAMPLE DESCRIPTION OF A PUBLIC SERVICE WITH CPSV-AP

This section includes an example description of a public service and its main properties and associated classes. The example that has been described starts from describing the public service (5.1).

Some of the properties of a public service are actually an association with another class. In the case of “has competent authority” for instance, this links the Public Service class with the Public Organization class. In the example “has competent authority” gets a URI as a value, and the Public Organization itself is described in section 5.6. In the example description of a public service, this also applies to “is grouped by” (5.2), “has input” (not described in detail in this example), “produces” (5.4), “has channel” (5.5) and “has cost” (not described in detail in this example).

The example provides data in two different formats:

- Human readable: described in a table per class, where each row of a table is a property of the corresponding class for which the name of the property, cardinality and value are being provided; and
- Machine readable: for each class, the same information is also represented in RDF Turtle.

The data has been created based on an example public service from the Finnish Point of Single Contact⁵⁷, but has been complemented with fictitious data where needed.

5.1. Public Service class

Table 2: Example of Public Service class – Human readable

Property	Value
Identifier	https://www.yrityssuomi.fi/en/palvelu/-/palvelu/electronicapplicationforatrademark?region=helsinki
Name	Electronic application for a trademark
Description	<p>A trademark is a symbol that distinguishes goods and services from the similar goods and services of others.</p> <p>A trademark is a symbol that distinguishes goods and services from the similar goods and services of others. A trademark is a symbol which distinguishes the goods and services of a company from the similar goods and services of other companies. A trademark acts as a means of distinction in the market.</p> <p>A trademark is also an exclusive right. It gives the holder the exclusive right to use the mark in the marketing, packaging or business documents of the goods or services or in any other way, including orally.</p> <p>There are different types of trademarks. A trademark can, for example be, a word, figure, slogan or even a sound.</p>

⁵⁷ <https://www.yrityssuomi.fi/en/?region=helsinki>

Property	Value
	When you register your trademark, you will obtain protection for it for ten years. The protection provided by registration begins on the date of application and can be renewed every ten years.
Has competent authority	https://www.yrityssuomi.fi/en/organisaatio?id=workspace://SpacesStore/8566c45a-8b9e-46d5-8371-81c8ad002362&region=helsinki
Language	http://publications.europa.eu/resource/authority/language/ENG
Is grouped by	http://europa.eu/youreurope/businessOntology#start-grow
Has input	https://www.prh.fi/input/form
Produces	https://www.prh.fi/output/result
Has channel	https://www.prh.fi/channel/online
Has channel	https://www.prh.fi/channel/mail
Has cost	https://www.prh.fi/input/cost

Table 3: Example of Public Service class – Machine readable

```

<https://www.yrityssuomi.fi/en/palvelu/-/palvelu/electronicapplicationforatrademark?region=helsinki>
cpsv:PublicService ;
  dct:title "Electronic application for a trademark" ;
  dct:description
    "A trademark is a symbol that distinguishes goods and services from the similar goods and services of others.
    A trademark is a symbol that distinguishes goods and services from the similar goods and services of others. A
    trademark is a symbol which distinguishes the goods and services of a company from the similar goods and
    services of other companies. A trademark acts as a means of distinction in the market.
    A trademark is also an exclusive right. It gives the holder the exclusive right to use the mark in the marketing,
    packaging or business documents of the goods or services or in any other way, including orally.
    There are different types of trademarks. A trademark can, for example be, a word, figure, slogan or even a sound.
    When you register your trademark, you will obtain protection for it for ten years. The protection provided by
    registration begins on the date of application and can be renewed every ten years" ;
  cv:hasCompetentAuthority
    <https://www.yrityssuomi.fi/en/organisaatio?id=workspace://SpacesStore/8566c45a-8b9e-46d5-8371-81c8ad002362&region=helsinki> ;
  dct:language
    <http://publications.europa.eu/resource/authority/language/ENG> ;
  cv:isGroupedBy
    <http://europa.eu/youreurope/businessOntology#start-grow> ;

```

cpsv:hasInput <https://www.prh.fi/input/form> ;
cpsv:produces <https://www.prh.fi/output/result> ;
cv:hasChannel <https://www.prh.fi/channel/online> ;
cv:hasChannel <https://www.prh.fi/channel/mail> ;
cv:hasCost <https://www.prh.fi/input/cost> .

5.2. Business Event class

Table 4: Example of Business Event class – Human readable

Property	Value
Identifier	http://europa.eu/youreurope/businessOntology#start-grow
Name	Start & grow
Type	Registering intellectual property
Related service	https://www.yrityssuomi.fi/en/palvelu/-/palvelu/electronicapplicationforatrademark?region=helsinki

Table 5: Example of Public Service class – Machine readable

```

<http://europa.eu/youreurope/businessOntology#start-grow>          a
cv:BusinessEvent ;
  dct:title "Start & grow" ;
  dct:type <http://127.0.0.1:3333/Registering+intellectual+property> ;
  dct:relation <https://www.yrityssuomi.fi/en/palvelu/-/palvelu/electronicapplicationforatrademark?region=helsinki> .
  
```

5.3. Evidence

Table 6: Example of Evidence class – Human readable

Property	Value
Identifier	https://www.prh.fi/input/form
Name	Form to apply for a trademark
Description	The application must include the applicant's name or company name, domicile or registered office and address. A trademark can be applied for by either a company, an organization or a private person.
Language	http://publications.europa.eu/resource/authority/language/FIN
Language	http://publications.europa.eu/resource/authority/language/SWE
Related documentation	https://www.prh.fi/stc/forms/tavaramerkin_rekisterointihakemus.pdf

Table 7: Example of Evidence class – Machine readable

```

<https://www.prh.fi/input/form> a cv:Evidence ;
  dct:title "Form to apply for a trademark" ;
  dct:description "The application must include the applicant's name or company name, domicile or registered office and address. A trademark can be applied for by either a company, an organization or a private person" ;
  
```

```

dct:language
<http://publications.europa.eu/resource/authority/language/FIN> ;
dct:language
<http://publications.europa.eu/resource/authority/language/SWE> ;
foaf:page
<https://www.prh.fi/stc/forms/tavaramerkin\_rekisterointihakemus.pdf
> .

```

5.4. Output

Table 8: Example of Output class – Human readable

Property	Value
Identifier	https://www.prh.fi/output/result
Name	Trademark
Type	Recognition

Table 9: Example of Output class – Machine readable

```

<https://www.prh.fi/output/result> a cv:Output ;
dct:title "Trademark" ;
dct:type <http://127.0.0.1:3333/Recognition> .

```

5.5. Channel

Table 10: Example of Channel class 1 – Human readable

Property	Value
Identifier	https://www.prh.fi/channel/online
Owned by	https://www.yrityssuomi.fi/en/organisaatio?id=workspace://SpacesStore/8566c45a-8b9e-46d5-8371-81c8ad002362&region=helsinki

Table 11: Example of Channel class 2 – Human readable

Property	Value
Identifier	https://www.prh.fi/channel/mail
Owned by	https://www.yrityssuomi.fi/en/organisaatio?id=workspace://SpacesStore/8566c45a-8b9e-46d5-8371-81c8ad002362&region=helsinki
Has input	https://www.prh.fi/stc/forms/tavaramerkin_rekisterointihakemus.pdf

Table 12: Example of Channel class – Machine readable

```

<https://www.prh.fi/channel/online> a cv:Channel ;
cv:isOwnedBy
<https://www.yrityssuomi.fi/en/organisaatio?id=workspace://SpacesStore/8566c45a-8b9e-46d5-8371-81c8ad002362&region=helsinki> .
<https://www.prh.fi/channel/mail> a cv:Channel ;
cv:ownedBy
<https://www.yrityssuomi.fi/en/organisaatio?id=workspace://SpacesStore/8566c45a-8b9e-46d5-8371-81c8ad002362&region=helsinki> ;

```

cv:hasInput
 <https://www.prh.fi/stc/forms/tavaramerkin_rekisterointihakemus.pdf> .

5.6. Public Organization

Table 13: Example of Public Organization class – Human readable

Property	Value
Identifier	https://www.yrityssuomi.fi/en/organisaatio?id=workspace://SpacesStore/8566c45a-8b9e-46d5-8371-81c8ad002362®ion=helsinki
Name	The Finnish Patent and Registration Office (PRH)
Preferred label	The Finnish Patent and Registration Office
Alternative label	PRH
Has address	http://www.prh.fi/address
Spatial	http://publications.europa.eu/resource/authority/atu/FIN

Table 14: Example of Public Organization class – Machine readable

```
<https://www.yrityssuomi.fi/en/organisaatio?id=workspace://SpacesStore/8566c45a-8b9e-46d5-8371-81c8ad002362&region=helsinki>      a
cv:PublicOrganisation ;
  dct:title "The Finnish Patent and Registration Office (PRH)" ;
  skos:prefLabel "The Finnish Patent and Registration Office" ;
  skos:altLabel "PRH" ;
  cv:hasAddress
<http://ec.europa.eu/taxation_customs/resources/documents/taxation/vat/trade
rs/vat_refunds/refund_contact_details_table_en.pdf#country/Belgium/Address>
;
  spatial <http://publications.europa.eu/resource/authority/atu/FIN>
```

6. CONFORMANCE STATEMENT

6.1. Provider requirements

In order to conform to the Core Public Service Vocabulary Application Profile (CPSV-AP), any implementation **MUST**:

- Include at least all mandatory properties of all mandatory classes as indicated in "Detailed list of mandatory and optional classes and properties";
- Include at least all mandatory properties of any optional class used for describing the Public Service, as indicated in "Detailed list of mandatory and optional classes and properties";
- Not have more than one instance of those properties that have 1 as maximum cardinality as specified in each subsection from Section 3.2 to Section 3.18;
- Define each property value according to the type specified in section 3 (see the UML diagram in Figure 2);
- Use the terms (classes and properties) in a way consistent with their semantics as declared in Section 3.

A conforming implementation of the Core Public Service Vocabulary Application Profile may include classes and properties from other data models (vocabularies). In addition, a conforming implementation of the Core Public Service Vocabulary Application Profile may include terms from recommended controlled vocabularies for the corresponding properties, as listed in section 4.

The Core Public Service Vocabulary Application Profile is technology-neutral and a publisher may use any of the terms defined in this document encoded in any technology although RDF and XML are preferred.

6.2. Receiver requirements

In order to conform to the Core Public Service Vocabulary Application Profile, any application that receives metadata **MUST** be able to:

- Process information for all classes specified in Section 3;
- Process information for all properties specified in Section 3.
- Process information for all controlled vocabularies specified in Section 4.

"Processing" means that receivers must accept incoming data and transparently provide these data to applications and services. It does neither imply nor prescribe what applications and services finally do with the data (parse, convert, store, make searchable, display to users, etc.).

7. ACCESSIBILITY AND MULTILINGUAL ASPECTS

The CPSV-AP can operate in any language as:

- In a multilingual context, all datatype properties with datatype "text" (for instance Name, Description...), where the value for that property may exist in multiple languages, the property has multiple instances which are tagged with a language identifier for each language in which the value for that property exists.
- The language(s) in which a service is available can easily be specified;
- The specification strongly encourages the use of URIs as identifiers and all URIs are 'dumb strings.' Although they clearly make use of English words, they do not convey those words - that is done by the human-readable labels which can be multilingual.
- The acronym URI is used throughout the document due to widespread familiarity. However, Internationalised Resource Identifiers (IRIs) are equally usable, and these can use any character in any script⁵⁸.
- Translations of the labels used in the various terms can readily be added to the schema (please contact the working group if you can help with this). The CPSV Working Group⁵⁹ has already provided multilingual labels and descriptions for classes and properties⁶⁰.

⁵⁸ <http://www.ietf.org/rfc/rfc3987.txt>

⁵⁹ <https://joinup.ec.europa.eu/node/52600/>

⁶⁰

https://docs.google.com/spreadsheet/ccc?key=0Arqf55JwcBx4dGpvVG5BcTVqaUNKTEFJX09xcXpaRUE&usp=drive_web#gid=3

8. NAMESPACES AND PREFIXES

This specification uses the following prefixes and namespaces.

Table 15: Namespaces and Prefixes

Prefix	Namespace
cv	http://data.europa.eu/m8g/
cpsv	http://purl.org/vocab/cpsv#
adms	http://www.w3.org/ns/adms#
eli	http://data.europa.eu/eli/ontology#
dct	http://purl.org/dc/terms/
dcat	http://www.w3.org/ns/dcat#
skos	http://www.w3.org/2004/02/skos/core#
schema	http://schema.org/
locn	http://www.w3.org/ns/locn#
foaf	http://xmlns.com/foaf/0.1/

9. ACKNOWLEDGEMENTS

Table 16: CPSV-AP Working Group Members

Name	Organisation
Aart Kooij	Netherlands Enterprise Agency
Airi Reidi	Ministry of Economic Affairs and Communications
Albert Jan de Rooij	Netherlands Enterprise Agency
Aleida Alcaide	Ministry of Finance and Civil Service
Alenka Žužek Nemec	Ministry of Public Administration
Alexandros Gerontas	Technological Educational Institute of Epirus, Greece
Ana Rosa Guzmán	Ministerio de Hacienda y Función Pública
Andrzej Jarzewski	Ministry of Energy
Anne Marie Smid	
Anneli Hagdahl	Ministry of Enterprise, Energy and Communication
Antonio Rotundo	Agency for Digital Italy
Antonios Stasis	Hellenic Ministry of Interior and Administrative Reconstruction
Bart Hanssens	SPF BOSA (Federale overheidsdienst Beleid en Ondersteuning) DG Transformation digitale
Carolina Gario	European Commission
Christina Andersson	External actions
Deirdre Lee	Derilinx
Dieter De Paepe	Ghent University, Belgium
Dita Gabalina	VARAM
Dominic Taylor	Department of Public Expenditure and Reform, Ireland
Dominik Klauser	Austrian Federal Chancellery
Edouard Vercrujssse	e-Wallonie-Bruxelles Simplification (eWBS)
Eduards Cauna	Ministry of Environmental Protection and Regional Development of the Republic of Latvia
Efthimios Tambouris	University of Macedonia
Efthimios Tambouris	University of Macedonia
Eleni Kamateri	University of Macedonia
Enda Holland	Department of Public Expenditure and Reform, Ireland
Eugeniu Costetchi	Publications Office
Fleur Breuillin	DG GROW
Francesca Gleria	Trento PaT
Gabriele Ciasullo	Agency for Digital Italy
Geert Thijs	Flemish Agency for Information - Informatie Vlaanderen
Gemma Del Rey Almansa	Ministerio de Hacienda y Función Pública
George Papastefanatos	Athena Research Center

Giorgia Lodi	Agency for Digital Italy
Giovanni Paolo Sellitto	ANAC Autorità Nazionale Anticorruzione
Hans Ekstål	Swedish Companies Registration Office
Hans Overbeek	Ministry for the Interior of the Netherlands
Ilze Magrica	Regional Development Agency
Janek Rozov	Ministry of Economic Affairs and Communications
Jarmo Kovero	Centre for Economic Development, Transport and Environment
Jaroslav Tomaszewski	Institute of Logistics and Warehousing
Joseph Azzopardi	Malta Information Technology Agency
Josje Majoor	Netherlands Enterprise Agency
Julien Silverio	Centre des technologies de l'information de l'Etat
Katrien de Smet	Flemish Agency for Information - Informatie Vlaanderen
Katrin Hänni	Ministry of Economic Affairs and Communications
Konstantinas Pečiulis	Enterprise Lithuania
Kuldar Taveter	University of Tallinn
Liene Strazdiņa	Ministry of Environmental Protection and Regional Development of the Republic of Latvia
Loukia Demiri	Hellenic Ministry of Interior and Administrative Reconstruction
Lucia Fabryova	Ministry of Finance of the Slovak Republic
Lyubomir Blagoev	USW Ltd
Marcin Kraska	Institute of Logistics and Warehousing
Marco Aarts	ICTU
Marco Combetto	Trento PaT
Marco Latvanen	Suomi.fi
Marek Surek	Datalan
Mark Warren	Department of Public Expenditure and Reform, Ireland
Mats Goffhe	Swedish National Financial Management Authority
Mihkel Lauk	PwC Estonia
Mikael Österlund	Swedish Companies Registration Office
Mikael Skyman	Swedish Tax Agency
Miroslav Liška	Datalan
Muriel Foulonneau	Luxembourg Institute of Science & Technology
Neven Vrček	University of Zagreb
Nicola Guarino	CNR
Niina Etelävuori	Finish Competition and Consumer Authority
Panagiotis Kranidiotis	GFOSS (Open Technologies Alliance)
Peep Küngas	Register OÜ
Per Granstrand	Swedish Companies Registration Office
Per Ola Niblaeus	Government Offices of Sweden
Peter Winstanley	The Scottish Government
Raf Buyle	Flanders Geographical Information Agency
Rene Bakker	Netherlands Enterprise Agency
Risto Hinno	Ministry of Economic Affairs and Communications

Siegfried Vanlischout	Flanders Geographical Information Agency
Themis Tambouris	University of Macedonia
Theodoros G. Karounos	GFOSS (Open Technologies Alliance)
Thimo Thoeve	Ghent info
Thomas Bohan	Department of Public Expenditure and Reform, Ireland
Thomas D'haenens	Flemish Agency for Information - Informatie Vlaanderen
Ute Wein	European Commission
Vytautas Juršėnas	Ministry of the Interior
Werner Vanborren	DG GROW
Wilfried Walter	Federal Ministry for Economic Affairs and Energy
Yannis Charalabidis	National Technical University of Athens
Nikolaos Loutas	PwC EU Services
Michiel De Keyzer	
Christophe Parrein	

10. CHANGE LOG

Changes since the CPSV-AP 2.0 revision kick-off meeting (<https://joinup.ec.europa.eu/asset/cpsv-ap/event/cpsv-ap-v20-revision-wg-virtual-meeting-kick>).

- Removal of Type from Agent (in response to <https://joinup.ec.europa.eu/asset/cpsv-ap/issue/removal-type-property-agent-class>).
- Update the range of Public Service Language and Related Documentation of Evidence (in response to <https://joinup.ec.europa.eu/asset/cpsv-ap/issue/error-range-and-domain-certain-classes>).
- Update of the Related Documentation of Evidence and Has Participation property of Public Service in the specifications and RDF Schema (in response to <https://joinup.ec.europa.eu/asset/cpsv-ap/issue/error-range-and-domain-certain-classes>).
- Revision of the Public Service Class definition (in response to <https://joinup.ec.europa.eu/asset/cpsv-ap/issue/public-service-identifier-and-general-definition>).
- Addition of the Public Service Dataset Class as optional, and the mandatory properties Identifier, Name, Publisher and Landing Page (in response to <https://joinup.ec.europa.eu/asset/cpsv-ap/issue/add-new-class-cover-description-catalogue>). Addition also of the optional property Is Described At from the Public Service Class to the Public Service Dataset Class.
- Update the Type property of the Criterion Requirement as optional (in response to <https://joinup.ec.europa.eu/asset/cpsv-ap/issue/criterion-requirement-class-cardinality-type-property>).
- Modify the range of every Identifier property as Text, adding a usage note indicating that it should be a URI if described in RDF (in response to <https://joinup.ec.europa.eu/discussion/errors-second-draft-cpsv-ap>).
- Update the range of the Language property of a Public Service to dct:LinguisticSystem (in response to <https://joinup.ec.europa.eu/discussion/error-range-and-domain-certain-classes>).
- Removal of service provider from the Public Service class (in response to https://joinup.ec.europa.eu/sites/default/files/event/attachment/d04.01-meeting_minutes_cpsv-ap_final_webinar_-_20161118_v0.01.docx).
- Modify the cardinality of the Has Contact Point of a Public Service to 0..n (in response to <https://joinup.ec.europa.eu/discussion/cardinality-has-contact-point-property>).
- Revision of the Participation class definition to cover the different types of participation in a Public Service (in response to https://joinup.ec.europa.eu/sites/default/files/event/attachment/d04.01-meeting_minutes_cpsv-ap_final_webinar_-_20161118_v0.01.docx).
- Modify the URI of the Related Documentation property of the Evidence class to foaf:page, and range to Document (in response to <https://joinup.ec.europa.eu/discussion/errors-second-draft-cpsv-ap>).
- Correct the range of the Has Input property of a Channel, to cpsv:hasInput.
- Revision of the usage of the recommended controlled vocabularies in section 4. Update the conformance statement section as well (in response to <https://joinup.ec.europa.eu/discussion/type-formal-framework>).
- Alignment of the recommended controlled vocabularies of the Spatial property to the recommendation from DCAT-AP (in response to

<https://joinup.ec.europa.eu/event/cpsv-ap-v20-revision-wg-virtual-meeting-webinar-3>).

- Fix existing errors in the example of the definition of a Public Organization (in response to <https://joinup.ec.europa.eu/discussion/comments-example-included-cpsv-ap-v20>).
- The status property (class Public Service) was defined as `adms:status`.
- `FormalFramework` was replaced by `LegalResource`.
- Two classes were added: `Concept` and `Collection`.
- The following errors were fixed
 - `dct:identifier` was added to the RDF Schema (as it was missing).
 - data type of `"processingTime"` was corrected in the PDF of the specifications.
 - `availability restriction` property was added to the `Contact Point Class` in the PDF of the specifications.
 - <http://purl.org/dc/terms/related> was corrected to <http://purl.org/dc/terms/relation> in the RDF Schema.
 - The line "Event" was deleted from the PDF of the specifications (section Controlled Vocabulary).
 - Mentions of `Formal Framework` were removed from the PDF of the specifications.
 - In the PNG, the range of `dct:spatial` for class `PublicService` was changed to `dct:Location` to be consistent with the PDF of the specifications and the RDF Schema.
 - The domain of `relatedDocumentation` (class `Evidence`) was added to the RDF Schema.
 - The data type of `identifier` (Rule class) was corrected in the PNG.
- During the webinar of the 10th of April, it was explained that the authoritative source of the codelist COFOG referred to in the CPSV-AP specification v2.1 for `dct:type` of `Public Service` was no longer publicly available. As a result, it has been agreed that, for the time being, the issue would be left open on GitHub until the UN Nations address the issue but COFOG would be removed from the specifications of the CPSV-AP.

ANNEX I. DETAILED LIST OF MANDATORY AND OPTIONAL CLASSES AND PROPERTIES

Table 17: Mandatory and optional classes and properties

Class	Property	Mandatory/optional
Public Service		Mandatory
Public Service	Identifier	Mandatory
Public Service	Name	Mandatory
Public Service	Description	Mandatory
Public Service	Keyword	Optional
Public Service	Sector	Optional
Public Service	Thematic Area	Optional
Public Service	Type	Optional
Public Service	Language	Optional
Public Service	Status	Optional
Public Service	Is Grouped By	Optional
Public Service	Requires	Optional
Public Service	Related	Optional
Public Service	Has Criterion	Optional
Public Service	Has Competent Authority	Mandatory
Public Service	Has Participation	Optional
Public Service	Has Input	Optional
Public Service	Has Legal Resource	Optional
Public Service	Produces	Optional
Public Service	Follows	Optional
Public Service	Spatial	Optional
Public Service	Has Contact Point	Optional
Public Service	Has Channel	Optional
Public Service	Processing Time	Optional
Public Service	Has Cost	Optional
Public Service	Is Described At	Optional
Public Service	Is Classified By	Optional

Class	Property	Mandatory/optional
Event		Optional
Event	Identifier	Mandatory
Event	Name	Mandatory
Event	Description	Optional
Event	Type	Optional
Event	Related Service	Optional
Business Event		Optional
Life Event		Optional
Public Service Dataset		Optional
Public Service Dataset	Identifier	Mandatory
Public Service Dataset	Name	Mandatory
Public Service Dataset	Publisher	Mandatory
Public Service Dataset	Landing Page	Mandatory
Participation		Optional
Participation	Identifier	Mandatory
Participation	Description	Mandatory
Participation	Role	Mandatory
Criterion Requirement		Optional
Criterion Requirement	Identifier	Mandatory
Criterion Requirement	Name	Mandatory
Criterion Requirement	Type	Optional
Evidence		Optional
Evidence	Identifier	Mandatory
Evidence	Name	Mandatory
Evidence	Description	Optional
Evidence	Type	Optional
Evidence	Related Documentation	Optional
Evidence	Language	Optional
Output		Optional
Output	Identifier	Mandatory

Class	Property	Mandatory/optional
Output	Name	Mandatory
Output	Description	Optional
Output	Type	Optional
Cost		Optional
Cost	Identifier	Mandatory
Cost	Value	Optional
Cost	Currency	Optional
Cost	Description	Optional
Cost	Is Defined By	Optional
Cost	If Accessed Through	Optional
Channel		Optional
Channel	Identifier	Mandatory
Channel	Owned By	Optional
Channel	Type	Optional
Channel	Has Input	Optional
Channel	Opening Hours	Optional
Channel	Availability Restriction	Optional
Opening Specification	Hours	Optional
Rule		Optional
Rule	Identifier	Mandatory
Rule	Description	Mandatory
Rule	Language	Optional
Rule	Name	Mandatory
Rule	Implements	Optional
Legal Resource		Optional
Legal Resource	Related	Optional
Agent		Optional
Agent	Identifier	Mandatory
Agent	Name	Mandatory
Agent	Plays Role	Optional

Class	Property	Mandatory/optional
Agent	Has Address	Optional
Public Organization		Mandatory
Public Organization	Preferred Label	Mandatory
Public Organization	Spatial	Mandatory
Contact Point		Optional
Concept		Optional
Collection		Optional
Collection	Member	Optional


ANNEX II. THE CORE PUBLIC SERVICE VOCABULARY

The Core Public Service Vocabulary⁶¹ is a simplified, reusable and extensible data model that captures the fundamental characteristics of a service offered by public administration. It has been designed to make it easy to exchange basic information about individual public sector services. By using the vocabulary, **almost certainly augmented with sector-specific information**, organizations publishing data about their services will enable:

Easier discovery of those services with and between countries;
Easier discovery of the legislation and policies that underpin service provision;
Easier recognition of how services provided by a single organization interrelate and are used either by other services or external users; and
Easier comparison of similar services provided by different organizations.

The diagram representation of the current data model of the CPSV can be found in Figure 3.

Figure 3 - CPSV diagram representation of current data model



Following the ISA Process and Methodology for Developing Core Vocabularies⁶², the CPSV Working Group was set up for the creation of the vocabulary. It consisted of the following types of stakeholders that partake in the public service provision process:

23 representatives of e-Government interoperability frameworks and strategies from the Member States and owners/managers of e-Government portals operating at different government levels;

5 experts from EU-funded Large Scale Pilot projects, e.g. SPOCS and representatives from EU Institutions.

5 representatives of standardisation bodies already active in service modelling, e.g. W3C, OASIS, The Open Group and OMG.

⁶¹ https://joinup.ec.europa.eu/asset/core_public_service/description

⁶² <https://joinup.ec.europa.eu/community/semic/document/isa-deliverable-process-and-methodology-developing-core-vocabularies>

18 representatives of software vendors, IT companies and other private companies already active in service modelling, e.g. SAP and IBM.

18 experts on service modelling (SOA, service science) from research institutes and universities across Europe and beyond.

There following known implementation of the CPSV exist:

- **BE - Flemish Government.** The Flemish Government is piloting the CPSV (as part of its OSLO vocabulary⁶³) to publish its intergovernmental product and service catalogue⁶⁴ as Linked Data.
- **EE – Integrated portfolio management of public services.** The Estonian Ministry of Economic Affairs created an extension⁶⁵ of the CPSV to address local needs, as well as to cover the public service lifecycle. New classes and properties were introduced to cover information related to security, evaluation and the underlying Web Service(s) supporting the delivery of a public service. The extended CPSV is also the basis for the Estonian framework for the dynamic management of public service portfolios (focused on the evaluation of public services and the governance of their lifecycle).
- **FI – Service map for the City of Helsinki.** The City of Helsinki has described the services they offer to citizens and made them available through a Service Map⁶⁶. It enables to search for services in different ways, locate them on a map and retrieve more information on particular services.
- **EU - ISA Programme.** The CPSV pilot “Describe your public service once to publish on multiple Government Access Portals”⁶⁷ is a known implementation of the CPSV. It demonstrates that the Core Public Service can be used as a foundational RDF Vocabulary to homogenise public service data that originates from local, regional, and national e-Government portals. It also demonstrates that the definition of uniform HTTP URI sets for public services facilitates information management. Finally the implementation shows that a linked data infrastructure can provide access to homogenised, linked and enriched public service data. The pilot⁶⁸ and report⁶⁹ documenting the findings can be accessed through Joinup.

In this work, the CPSV will be extended to ensure that all relevant information concerning business events and public services from national, regional and/or local electronic PSCs can be captured.

⁶³

<http://www.google.com/url?q=http%3A%2F%2Fdata.vlaanderen.be%2Fns%2Fdienst&sa=D&sntz=1&usq=AFOjCNGH7izItYODIIDLohHJocHrmxXylw>

⁶⁴

http://www.google.com/url?q=http%3A%2F%2Fdata.vlaanderen.be%2Fdoc%2Fapplicatieprofiel%2Fdienstencatalog&sa=D&sntz=1&usq=AFOjCNF822tdefDM-5nEivmP-Dvhpfp_Xg

⁶⁵[https://www.mkm.ee/sites/default/files/study_-_](https://www.mkm.ee/sites/default/files/study_-_integrated_portfolio_management_of_public_services_-_brief_summary.pdf)

integrated_portfolio_management_of_public_services_-_brief_summary.pdf

⁶⁶

<http://www.hel.fi/palvelukartta/Default.aspx?language=en&city=91>

⁶⁷

<https://joinup.ec.europa.eu/node/63148>

⁶⁸

<http://cpsv.testproject.eu/CPSV/>

⁶⁹

<https://joinup.ec.europa.eu/node/63148>

ANNEX III. KEY CONCEPTS USED THROUGHOUT THIS DOCUMENT

The working terminology in the table below was defined for the original CPSV-AP in the context of the work of ISA Action 1.3 based on an analysis of existing work and related studies. The same terms are used here as in that work with the addition of concepts as described in section 3.

Table 18: Definition of key concepts

Term	Definition
Administrative formality	A Public Service that is mandatory in the context of given Business Event.
Public Service	A public service is the capacity to carry out a procedure and exists whether it is used or not. It is a set of deeds and acts performed by or on behalf of a public administration for the benefit of, or mandatory to be executed by a citizen, a business or another public administration.
Business Lifecycle	The Business Lifecycle is the lifecycle of a business from its creation until its termination. It is comprised of different situations or events a business can be in during its existence. These situations or events are called business events.
Business Event ⁷⁰	A specific situation or event in the lifecycle of a business, which relates to one or more needs or obligations of that business at this specific point in time. A Business Event requires a set of public services to be delivered in order for the associated business need(s) or obligation(s) to be fulfilled. Business Events are defined within the context of a particular Member State.
Key Business Event	<p>A generic situation or event in the lifecycle of a business, independent from a specific Member State's legal context or the type and the activities of the business, during which any business carries out its business activities and interactions with Government. We identify the following Key Business Events:</p> <ol style="list-style-type: none"> 1. Starting business: All public services for local businesses until the business is eligible for operation. Some examples of events that would fall under this Key Business Event are "Starting a company", "Starting a new activity", "Applying for licenses, permits and certificates"...

⁷⁰ Definition has been based on the definition of a life event in «Reference Models for e-Services Integration based on Life-Events by Todorovski et al., 2006 : « A life event is a specific situation or event in the life of a citizen or a life cycle of an organization that requires a set of public services to be performed.»

	<p>2. Starting cross-border business: All public services for foreign businesses (branches or temporary service provision) until the business is eligible for operation. Some examples of events that would fall under this Key Business Event are "Registering a company abroad", "Starting a new branch"...</p> <p>3. Doing business: All public services for business operation, growth, expansion, staffing and taxes. Some examples of events that would fall under this Key Business Event are "Financing a business", "Staffing", "Reporting and notifying authorities", "Paying taxes"...</p> <p>4. Closing business: All public services related to closing a business. This covers also mergers and acquisitions. The criterion is a change in the registry that causes a termination of operation of a legal entity. Some examples of events that would fall under this Key Business Event are "Closing down a company", "Closing a branch", "Merging you company", "Selling your company", "Bankruptcy"...</p>
Public Service Portfolio	The complete set of public services that are managed by a governmental service provider. The portfolio is used to manage the entire lifecycle of all public services, and includes services from all phases of that lifecycle: service pipeline (proposed or in development), service catalogue (live or available for deployment), and retired services.
Catalogue of Public Services	A catalogue of public services is a collection of descriptions of active public services that are provided by public administrations at any administrative level (i.e. local, regional, national or pan-European). All public service descriptions published in a catalogue of public services conform to a common data model for representing public services.
Competent Authority	Any body or authority which has a supervisory or regulatory role in a Member State in relation to service activities, including, in particular, administrative authorities, including courts acting as such, professional bodies, and those professional associations or other professional organizations which, in the exercise of their legal autonomy, regulate in a collective manner access to service activities or the exercise thereof.

ANNEX IV. DESCRIPTION OF 1ST LEVEL LIFE EVENTS

Table 19: Description of 1st level life events

1 st level life event	Description
Having a child	This life event groups public services related to becoming a caretaker for a child, for instance in case of giving birth, adopting, receiving a foster child...
Becoming a (social) caretaker	This life event groups public services related to the situation where you need to take care of another person (other than when you get a child), for instance for an elder, a disabled person...
Starting education	This life event groups any public service related to education, for example pre-school education, elementary school, higher education and university...
Looking for a new job	This life event groups public services for when someone looks for a new job or starts a new job.
Losing/quitting a job	This life event groups public services related to the situation when someone leaves or quits a particular jobs on his own, or when someone loses his job, for instance getting fired, collective dismissal, in case of failure of the company...
Looking for a place to live	This life event groups public services related to a person's place of living, for instance, changing residence, buying a house or a piece of land, building, renting a house or apartment...
Changing relationship status	This life event groups public services related to a person's official relationship, for instance marriage, registered partnership, divorce...
Driving a vehicle	This life event groups public services related to driving a vehicle, for instance car, motorcycle... Some example public services are getting your driver license, following driving lessons, registering your car...
Travelling abroad	This life events groups public services related to what you need to do when travelling abroad, for instance getting

1 st level life event	Description
	an international passport or driving license, getting a visa, getting vaccination...
Moving to/from the country	This life event groups public services that relate to when someone moves from one country to another.
Going into military service	This life event groups public services related to taking up a mandatory military or civil service.
Facing an emergency / health problem	This life event groups public services related to when someone faces an emergency, for instance in the case of an accident, or a severe health problem, for instance getting disabled.
Facing a crime	This life event groups public services related to a crime, for instance in case you are the committer of that crime, or the victim or witness of a particular crime.
Retirement	This life event groups public services related to when someone retires from his job or becomes a senior.
Death of a relative	This life event groups public services that relate to when a relative passes a way, and cover the public services directly related to the decease of that person (for instance notifying the authorities, arranging the funeral...), as well as related to settling inheritance and donations.

ANNEX V.DESCRPTION OF 2ND LEVEL BUSINESS EVENTS

Table 20: Description of 2nd level business events

Business Event (1st level)	Business Event (2nd level)	Description
Starting business	Registering a company	This business event groups public services that are related to different kind of activities that have to be done before the business is eligible to operate, for instance registering in the business register, registering as a VAT payer, notifying the residence of your company...
	Needing a licence, permit or certificate to start or continue an activity	This business events groups public services related to the request of a licence, permit, certificate or other official document that have to be acquired before starting to execute a certain activity.
	Registering Intellectual Property	This business event groups public services related to the registering inventions, patents, trademarks, copyrights.
	Registering a branch	This business event groups public services relating to the start-up of a new activity, and that have to be done before you can start with the particular activity.
	Starting a new activity	This business event groups public services for the start-up of a new activity, and that have to be done before you can start with the particular activity.
	Financing a company	This business event groups public services related to different types of funding, grants, loans, subsidies that help to finance the business.
	Hiring an employee	This business event groups public services for recruiting and registering employees, applying for a work permits, changes in employment.
Starting cross-border business	Registering a cross-border business	This business event groups public services that result in starting an international operations.
	Registering a branch	This business event groups public services for opening affiliates and representative offices.
Doing business	Financing a company	This business event groups public services related to different types of funding, grants, loans, subsidies that help to finance the business.

Business Event (1st level)	Business Event (2nd level)	Description
	Needing a licence, permit or certificate to start or continue an activity	This business events groups public services related to the request of a licence, permit, certificate or other official document that have to be acquired before starting to execute a certain activity.
	Registering Intellectual Property	This business event groups public services related to the registering inventions, patents, trademarks, copyrights.
	Hiring an employee	This business event groups public services for recruiting and registering employees, applying for a work permits, changes in employment.
	Participating in public procurement	This business event groups public services related to participating in a public tender, or directly selling services/products to a public administration.
	Notifying and reporting to authorities	Notifying authorities about different type of activitie, for instance environmental information nnual reports, accounting procedures... This business event also includes periodic activities, for instance declaring the profit of a company (and thus paying taxes).
	Starting a new activity	This business event groups public services for the start-up of a new activity, and that have to be done before you can start with the particular activity.
	Registering a branch	This business event groups public services relating to the start-up of a new activity, and that have to be done before you can start with the particular activity.
	Having problems in paying creditors	This business event groups public services for starting the necessary (legal) procedures for getting protection when a company does not have enough cash flow for paying creditors.
Closing business	Restructuring of a company	This business event groups public services related to the reorganisation, merger, acquisition, any change on the legal status of the business.
	Dissolution of a company	This business event groups public services related to the closing, deregistration, discontinuation, liquidation, bankruptcy and other procedures that end the existence of a business.

ANNEX VI. DESCRIPTION OF OUTPUT TYPES

Table 21: Description of output types

Output type	Description
Declaration	A formal statement or document, which can be used for proving something. E.g. identity card, passport health card, declaration of honour...
Physical object	A tangible product coming out of the public service, of which the underlying value is not a declaration, recognition, permit, financial obligation, financial benefit or code e.g. buildings, container, birth gift, electronic devices...
Code	A series of alpha-numeric or other characters E.g. a microchip code, access code, social security number, enterprise number...
Financial obligation	The obligation of a citizen or business to pay a certain amount to public administrations or a subsidiary. E.g. Financial commitment, Premium, Imposition, Tax, Fine...
Financial benefit	The obligation of a public administration or subsidiary to pay a certain amount to a citizen or business. E.g. Payment declaration, Financial, benefit, Subsidy, Allowance, Compensation...
Recognition	A formal statement or document, which can be used for proving the capability or conformance with something of a citizen or business. E.g. certificate, diploma, recognition...
Permit	A formal statement or document, which officially allows a business or citizen to do something. E.g. Admission, Permit, Authorisation...