

App → profile list loader → profile

Application will load the profileList component.

ProfileList renders a grid of all the profiles created.

Profile contains the variables and structure that each profile uses.

Photos are stored in Assets.

Components of each profile:

- Photo
- Name
- Location
- College Status //freshman, sophomore, junior, senior, graduate, alumni, incomplete

Advanced information displayed upon click:

- Experience
 - Work
 - Volunteer
 - Projects
 - Languages
 - C
 - C++
 - C#
 - Objective-C
 - D
 - Dart
 - Python
 - Java
 - JavaScript
 - TypeScript
 - Angular
 - Kotlin
 - HTML
 - CSS
 - SASS
 - XML
 - JSON
 - AJAX
 - Scala
 - Perl
 - Ada
 - Lua

- Elixir
 - Erlang
 - SQL
 - MongoDB
 - Rust
 - Fortran
 - COBOL
 - CoffeeScript
 - LaTeX
 - R
 - Ruby
 - Visual Basic
 - PHP
 - Go
 - Swift
 - Bash
 - PowerShell
 - OCaml
 - Lisp
 - F#
 - Assembly
 - MATLAB
 - Pascal
- Fields interested in:
 - Artificial Intelligence
 - Machine Learning
 - Web Development
 - Game Development
 - Mobile Application Development
 - Social Media
 - Full Stack
 - Front End
 - Back End
 - Databases
 - Network Design
 - Network Security
 - Data Science
 - Server Administration
 - Virtual Reality
 - Augmented Reality
 - Computer Vision
 - Secure Programming
 - Penetration testing
 - Computer Forensics

- Database Security
 - Applied Cryptography
 - Algorithms
 - Malware Analysis
 - Consultancy
 - Security Analysis
 - Security Architect
 - Software Engineering
 - Embedded Systems
 - Operating Systems
- Organizations:
 - CS Club
 - ACM
 - ACM-W
 - SIGAI
 - CCDC