

Branding Audit Report

Date: March 16, 2026 **Status:** Read-only review of documentation branding consistency **Branch:** docker-refactor

Notes for Review

Before proceeding with remediation of items in this report, please consider the following:

- Database Identifiers:** The following appear to be actual database/system identifiers that may require separate consideration:
 - cfg_ai_sec - Security database
 - cfg_ai_lm - Language Model database
 - cfg_ai_sched - Scheduler database
 - cfg_ai_user - User database
 - cfg_ai_model_logs - Model Logs database

These are used in configuration files and connection strings and should NOT be changed unless the underlying database names are also updated.
- <AppName /> Component:** This is a React/MDX component used as a dynamic placeholder. Verify with the development team whether this should be:
 - Replaced with literal "SEMOSS" text
 - Kept as a dynamic variable for future rebranding flexibility
 - Updated in the component definition itself (located at docusaurus/src/components/CustomFields.tsx)
- Internal Style Guide Context:** The Internal Style Guide.md document contains mentions of old names (CortexAI, CFG, cfgai) **explicitly in the context of "DO NOT USE" guidance** for documentation authors. These instances are intentionally present as reference material for style compliance.
- Versioned Documentation:** Issues found in current docs (docusaurus/docs/) are mirrored in versioned documentation:
 - docusaurus/versioned_docs/version-4.3.2/ (754 instances of alone)
 - docusaurus/versioned_docs/version-5.0.0/ (many instances)

These versioned docs represent archived releases. Determine the strategy:

 - Keep as-is for historical accuracy
 - Update for consistency
 - Mark with version-specific notices

Section 1: Old Product Names (CFG, AI Core, CortexAI, GovConnect, cfgai, cfg-ai, cfg_ai)

Summary Statistics

Term	Count	Priority
AI Core	330	High
CFG	315	High

cfgai	51	Medium
GovConnect	6	Medium

Total old product name occurrences: 702

AI Core (330 occurrences)

"AI Core" appears primarily in documentation descriptions, headings, and metadata. This is the most frequent old product name.

Files with 10+ occurrences:

- docusaurus/docs/Cookbook Recipes/Award Generator.mdx (lines: 3, 9)
- docusaurus/docs/Cookbook Recipes/Code Modifier.mdx (lines: 3, 10)
- docusaurus/docs/Cookbook Recipes/Creating a Vector Database.mdx (lines: 3, 10)
- docusaurus/docs/Cookbook Recipes/Frames.md (lines: 3, 10)
- docusaurus/docs/Cookbook Recipes/Guide for Building a JavaScript App (Node.js).md (lines: 3, 11)
- docusaurus/docs/Cookbook Recipes/Pixel MCP.md (lines: 3, 10)
- docusaurus/docs/Cookbook Recipes/Policy Bot.md (lines: 3, 9)
- docusaurus/docs/Cookbook Recipes/Python MCP.md (lines: 3, 10)
- docusaurus/docs/Cookbook Recipes/RAG MCP.md (line: 10)
- docusaurus/docs/Cookbook Recipes/RAG.mdx (lines: 3, 10)
- docusaurus/docs/Cookbook Recipes/Simple Model Interaction.mdx (lines: 3, 9)
- docusaurus/docs/Cookbook Recipes/Streamlit App Quickstart Guide.md (lines: 3, 10)
- docusaurus/docs/Building Apps/Add Custom Reactors to Apps/Writing Unit Tests.mdx (line: 3)
- docusaurus/REACTOR_DOCGEN_YAML_SYSTEM.md (line: 47)
- CookbookRecipes.md (line: 86)

Recommendation: Replace with "SEMOSS" or current product brand name throughout documentation.

CFG (315 occurrences)

"CFG" appears as an acronym in various contexts: URLs, file paths, database references, environment variables, configuration examples, and some comments.

Key usage patterns:

Context	Files	Example
URLs (workshop.cfg.deloitte.com)	Multiple	https://workshop.cfg.deloitte.com/cfg-ai-demo
Database names	AI Server Config Parameters	databaseName=cfg_ai_sec
File paths	Multiple	cfg-ai-demo/SemossWeb/
Subpaths	Deployment docs	/cfg-ai-demo/Monolith/
Kubernetes labels	K8s config	app.kubernetes.io/name: cfg-ai
Comments	Various	"Remove those three commands when you deploy your app to CFG"

Top files with CFG references:

1. `/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Advanced Installation/Deploying a Private Server/AI Server Configuration Parameters.md` (31 occurrences on lines: 58, 61, 69, 117, 129, 140, 152, 163, 175, 186, 198, 209, 226, 283, 295, 357, 360, 361, 364, 365, 427, 443, 444, 455, 484, 489, 491, 509, 513, 521, 523)
2. `/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Advanced Installation/Deploying a Private Server/High Availability Deployment.md` (2 occurrences on lines: 45, 49)
3. `/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Advanced Installation/Deploying a Private Server/Sandbox Deployment.md` (1 occurrence on line: 106)
4. `/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Advanced Installation/Docker BE Install Guide.md` (1 occurrence on line: 15)
5. `/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Building Apps/Add Custom Reactors to Apps/Pixels.md` (1 occurrence on line: 43)
6. `/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Building Apps/Add Custom Reactors to Apps/Run Pixels.md` (1 occurrence on line: 44)
7. `/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Building Apps/Pro Code Apps.md` (1 occurrence on line: 270)
8. `/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Cookbook Recipes/Guide for Building a JavaScript App (Node.js).md` (5 occurrences on lines: 191, 216, 248, 257, 259)
9. `/Users/kunalppatel9/Documents/documentation/Contributing.md` (1 occurrence on line: 146)

Recommendation:

- CRITICAL: Must be careful with database names - these may be live identifiers
- Update URLs to point to new domain or service
- Update documentation links and examples
- Update Kubernetes configuration examples

cfgai (51 occurrences)

"cfgai" appears in repository names, file paths, example code, and directory references.

Usage contexts:

Context	Count	Notes
GitHub repo names (Deloitte-Default/cfgai-*)	~20	References to old repo URLs
File paths	~15	Examples in deployment scripts
Configuration examples	~10	Container paths, subpaths
Comments	~5	References in code comments
Package paths	~1	npm/directory structures

Representative files:

- `/Users/kunalppatel9/Documents/documentation/Contributing.md` (line: 126)
- `/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Advanced Installation/Frontend Installation.md` (lines: 48, 96)
- `/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Advanced Installation/Deploying a Private Server/Sandbox Deployment.md` (line: 28)

- `/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Advanced Installation/Docker BE Install Guide.md` (line: 72)
- `/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Cookbook Recipes/Guide for Building a JavaScript App (Node.js).md` (lines: 47, 51, 211, 219)
- `/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Cookbook Recipes/Streamlit App Quickstart Guide.md` (line: 220)

Recommendation: Replace with new repository naming scheme and update example paths accordingly.

GovConnect (6 occurrences)

"GovConnect" appears in video demo filenames, API examples, and static assets.

Detailed occurrences:

File	Line
<code>/Users/kunalppatel9/Documents/documentation/docusaurus/docs/Getting Started/Overview.mdx</code>	15
<code>/Users/kunalppatel9/Documents/documentation/docusaurus/versioned_docs/version-5.0.0/Getting Started/Overview.mdx</code>	15
<code>/Users/kunalppatel9/Documents/documentation/docusaurus/examples/semoss-api-spec.json</code>	8
<code>/Users/kunalppatel9/Documents/documentation/docusaurus/examples/semoss-api-spec4.json</code>	9
<code>/Users/kunalppatel9/Documents/documentation/docusaurus/examples/semoss-api-spec5.json</code>	8
<code>/Users/kunalppatel9/Documents/documentation/docusaurus/static/versioned/static_4.3.2_structure.txt</code>	1028

Recommendation: Update demo video references, remove/update old API example files, verify image assets still exist.

Section 2: `<AppName />` Component Placeholder Instances

Summary

Total occurrences: 754

The `<AppName />` component is a React/MDX placeholder used throughout the documentation. This component is defined in:

- `/Users/kunalppatel9/Documents/documentation/docusaurus/src/components/CustomFields.tsx` (1 occurrence)

Top Files by `<AppName />` Count

File	Count	Type
<code>docusaurus/docs/Advanced Installation/Mac Developer Install.md</code>	27	Installation guide
<code>docusaurus/versioned_docs/version-5.0.0/Advanced Installation/Mac Developer Install.md</code>	27	Archived v5.0.0

docusaurus/versioned_docs/version-4.3.2/Advanced Installation/Mac Developer Install.md	27	Archived v4.3.2
docusaurus/versioned_docs/version-5.0.0/Building Apps/Troubleshooting/DebugAICorePython.md	20	Troubleshooting
docusaurus/docs/Building Apps/Troubleshooting/DebugAICorePython.md	20	Troubleshooting
docusaurus/docs/Advanced Installation/Docker BE Install Guide.md	17	Installation guide
docusaurus/versioned_docs/version-5.0.0/Platform Navigation/Playground.md	13	Platform guide
docusaurus/versioned_docs/version-5.0.0/Integrating with SEMOSS/Packages and Pre-requisites.md	13	Integration guide
docusaurus/versioned_docs/version-5.0.0/Advanced Installation/Docker BE Install Guide.md	13	Archived installation
docusaurus/versioned_docs/version-4.3.2/Advanced Installation/Docker BE Install Guide.md	13	Archived installation

Breakdown by File Category

- **Installation Guides:** 90+ instances (Mac Developer, Docker, Frontend Installation, Windows)
- **Cookbook Recipes:** 120+ instances (various app development guides)
- **Platform Navigation:** 45+ instances (UI guides, Settings, Catalogs)
- **Integrating with SEMOSS:** 65+ instances (SDK, Python SDK, Packages)
- **Building Apps:** 85+ instances (Pro Code, Reactors, Templates)
- **Getting Started:** 35+ instances (Overview, How to Access, Glossary)
- **Advanced Installation:** 70+ instances (Docker, Deployment, Troubleshooting)
- **Versioned Docs v4.3.2 & v5.0.0:** 180+ instances (mirrors of above)

Examples of Usage

The component appears in contexts such as:

```
## <AppName /> Installation for Mac Silicon
The main way that you'll interact with a Gen AI app is through the <AppName /> server.
You need an account on the <AppName /> platform.
- **Username**: Enter your <AppName /> username.
```

Action Items for <AppName />

Before implementing changes, determine:

1. Whether <AppName /> should resolve to literal "SEMOSS" text
2. If the component definition in CustomFields.tsx needs updating
3. Whether to keep this as a dynamic variable for internationalization/multi-brand support
4. Whether versioned docs should be updated or preserved as historical records

Section 3: Deloitte Company References (Text Mentions)

Total text references to "Deloitte": 46+ direct mentions

Files with Deloitte References

File	Lines	Type	Context
Contributing.md	126, 146	Repository links	GitHub URLs
Internal Style Guide.md	3, 11, 73, 81	Style guide, DO NOT USE	References to old name
docusaurus/docs/Advanced Installation/Frontend Installation.md	48, 50, 96	Repository link, email	GitHub URL + support
docusaurus/docs/Cookbook Recipes/Guide for Building a JavaScript App (Node.js).md	47	Repository link	GitHub URL
docusaurus/docs/Cookbook Recipes/Streamlit App Quickstart Guide.md	220	Repository link	GitHub URL
docusaurus/docs/Cookbook Recipes/VanillaJS App Quickstart Guide.md	32, 34	Text reference	"Deloitte GitHub" ins
docusaurus/docs/Getting Started/Glossary.md	83	Trademark	"Trustworthy AI™" (C
docusaurus/docs/Getting Started/Overview.mdx	130	Support email	SEMOSS@deloitte.com
docusaurus/docs/Integrating with SEMOSS/Packages and Pre-requisites.md	76, 191	Support email + URL	Global AI Core Platfo
docusaurus/docs/Building Apps/Pro Code Apps.md	270	URL	workshop.cfg.deloitte
docusaurus/docs/Building Apps/Add Custom Reactors to Apps/Pixels.md	43	URL	workshop.cfg.deloitte
docusaurus/docs/Platform Navigation/App Library.mdx	83	URL	workshop.cfg.deloitte
docusaurus/docs/Platform Navigation/Settings/My Profile.mdx	33, 49	URL	workshop.cfg.deloitte
docusaurus/docs/Platform Navigation/Systems App.mdx	21	URL	workshop.cfg.deloitte
docusaurus/docs/Advanced Installation/Docker BE Install Guide.md	15	URL	workshop.cfg.deloitte (link)
docusaurus/docusaurus.config.js	115	Commented-out URL	workshop.cfg.deloitte
docusaurus/reactors/reactorLLMSpec.json	105	URL	workshop.cfg.deloitte
docusaurus/reactors/reactorPixelOAS.json	105	URL	workshop.cfg.deloitte
packages/docusaurus-plugin-reactor-docgen/readme.md	143	URL	workshop.cfg.deloitte
packages/docusaurus-plugin-reactor-docgen/example-helpjson.mdx	31, 40, 60, 79	URLs	workshop.cfg.deloitte examples)

packages/docusaurus-plugin-reactor-docgen/example-reactor-with-params.mdx	39, 48, 68, 87, 202, 216	URLs	workshop.cfg.deloitte examples)
pre-processor/README.md	12, 55-57	"Deloitte credentials" + author emails	Configuration & cont
pre-processor/process_pdfs_and_compute_embeddings.py	3	Author email	pbimalshah@deloitte
streamlit/streamlit.md	6	Repository link	GitHub URL
docusaurus/static/versioned/4.3.2/assets/Backend Files/SRC/reactors/email/SIMPLE_EMAIL.html	6	Text reference	"Deloitte homepage"
docusaurus/versioned_docs/version-4.3.2/Getting Started/Overview.md	129	Support email	SEMOSS@deloitte.com
docusaurus/versioned_docs/version-4.3.2/Getting Started/How to Access SEMOSS.mdx	8, 10, 13	URLs	workshop.cfg.deloitte
docusaurus/versioned_docs/version-4.3.2/Integrating with SEMOSS/Packages and Pre-requisites.md	75, 190	URL + email	workshop.cfg.deloitte globalaiplatform
docusaurus/versioned_docs/version-4.3.2/Understanding Development/Java Development/Writing Unit Tests.mdx	148	Support email	CFGAI@deloitte.com
docusaurus/versioned_docs/version-4.3.2/Advanced Installation/Frontend Installation.md	49, 51, 97	GitHub URLs + email	Deloitte repos + SEMOSS@deloitte.com
docusaurus/versioned_docs/version-4.3.2/Cookbook Recipes/React App In-Depth Guide.md	22, 189, 221	GitHub URLs + URL	Deloitte repos + work
docusaurus/versioned_docs/version-4.3.2/Advanced Installation/Deploying a Private Server/Sandbox Deployment.md	22, 24, 35	URLs	docker.cfg.deloitte.com instances)
docusaurus/versioned_docs/version-4.3.2/Advanced Installation/Deploying a Private Server/AI Server Configuration Parameters.md	283, 295, 474, 477, 503, 506, 520, 521, 523	URLs	workshop.cfg.deloitte instances)
docusaurus/versioned_docs/version-5.0.0/*	Multiple	All mirrors	Duplicates of v4.3.2 : issues

Key Deloitte Contact Points

Support Emails:

- SEMOSS@deloitte.com (14 instances)
- globalaicoreplatform@deloitte.com (2 instances)
- CFGAI@deloitte.com (1 instance)
- pbimalshah@deloitte.com (author contact in code)

GitHub Organization:

- github.com/Deloitte-Default (20+ repository references)

Recommendation

These are company-specific references that should be reviewed for organizational/branding alignment. Determine if/how these should be updated based on organizational restructuring or if this represents a government product still maintained by Deloitte.

Section 4: Deloitte Domains & URLs

Summary

Total domain/URL occurrences: 90+

Primary Domains

Domain	Primary Use	Occurrences
workshop.cfg.deloitte.com	Live demo environment, documentation examples	75+
docker.cfg.deloitte.com	Docker image registry	3
prod.eu.aicore.deloitte.com	Production EU environment	2

workshop.cfg.deloitte.com URLs

Most common endpoint: /cfg-ai-demo/SemossWeb/

Usage contexts:

1. Live web server link in Docker BE Install Guide (line 15) - appears to be active documentation link
2. Example configuration URLs in deployment guides
3. Example URLs in tutorial documentation
4. Internal example code in reactors and plugins
5. Commented-out configuration in docusaurus.config.js

Files referencing workshop.cfg.deloitte.com:

- Contributing.md:146
- Frontend Installation.md:50
- Guide for Building a JavaScript App (Node.js).md:216, 248
- Streamlit App Quickstart Guide.md:220
- VanillaJS App Quickstart Guide.md:103
- Code Modifier.mdx:29
- How to Access SEMOSS.mdx:11, 13, 16
- Overview.mdx:130

- Pro Code Apps.md:270
- Pixels.md:43
- App Library.mdx:83
- My Profile.mdx:33, 49
- Systems App.mdx:21
- Docker BE Install Guide.md:15
- docusaurus.config.js:115 (commented)
- reactorLLMSpec.json:105
- reactorPixelOAS.json:105
- Versioned docs (v4.3.2, v5.0.0): 50+ additional instances

docker.cfg.deloitte.com URLs

Found in `docusaurus/versioned_docs/version-4.3.2/Advanced Installation/Deploying a Private Server/Sandbox Deployment.md` (lines: 22, 24, 35)

Context: Docker container registry configuration examples

prod.eu.aicore.deloitte.com URLs

Found in:

- Code Modifier.mdx:29
- Versioned docs version-4.3.2:16

Context: Production EU AI Core platform endpoint reference

Action Items

1. **Live Links:** The `workshop.cfg.deloitte.com` link in Docker BE Install Guide (line 15) appears to be an active, documented reference point
2. **Example URLs:** Many instances are in code examples and configuration templates - determine if these should be:
 - Replaced with placeholder syntax `<domain>`
 - Updated to new production domain
 - Kept as historical examples
3. **Registry Migration:** If `docker.cfg.deloitte.com` is being deprecated, update all registry references
4. **Region-specific Endpoints:** Clarify whether `prod.eu.aicore.deloitte.com` is still in use

Section 5: Deloitte GitHub Repositories

Summary

Total GitHub references: 20+

Repository References

All repositories follow the pattern: `github.com/Deloitte-Default/*`

Repository	References	Primary Use
cfgai-docs	6	Main documentation repo
cfgai-ui	4	Frontend UI component library
cfgai-apps	3	Sample application examples

cfgai-py-ai-server	1	Python AI Server
--------------------	---	------------------

Detailed File References

File	Line	Repository	Reference Type
Contributing.md	126	cfgai-docs	Pull Requests tab link
Internal Style Guide.md	73, 81	cfgai-docs	"DO NOT USE" examples
Frontend Installation.md	48	cfgai-ui	Repository link
Frontend Installation.md	96	cfgai-ui	Package reference
Guide for Building a JavaScript App (Node.js).md	47	cfgai-apps	App examples reference
Streamlit App Quickstart Guide.md	220	cfgai-docs	Code example link (CFG_Chatbot.py)
VanillaJS App Quickstart Guide.md	32, 34	cfgai-apps	Repository link + instruction
streamlit/streamlit.md	6	cfgai-py-ai-server	Repository reference
Versioned docs (v4.3.2, v5.0.0)	Multiple	All above	Mirrors of current references

Action Items

1. If Deloitte-Default organization or repositories are being deprecated, update all links to point to new locations
2. Verify repository accessibility and update documentation accordingly
3. Consider whether these should be converted to internal documentation examples or example code snippets embedded directly

Section 6: Deloitte Email Addresses

Summary

Total email references: 20+ instances

Email Addresses by Type

Email	Type	Occurrences	Context
SEMOSS@deloitte.com	Support/Documentation	14	User support, implementation guidance
globalaicoreplatform@deloitte.com	Platform Support	2	Global AI Core Platform contact
CFGAI@deloitte.com	Legacy Support	1	Version 4.3.2 documentation
pbimalshah@deloitte.com	Author/Contributor	1	Code author comment

Files with Email References

File	Email	Lines
Frontend Installation.md	SEMOSS@deloitte.com	50
How to Access SEMOSS.mdx	(implicit in context)	-
Overview.mdx	SEMOSS@deloitte.com	130
Packages and Pre-requisites.md	globalaicoresplatform@deloitte.com	76, 191
pre-processor/README.md	Multiple @deloitte.com	55-57
pre-processor/process_pdfs_and_compute_embeddings.py	pbimalshah@deloitte.com	3
Versioned docs (v4.3.2)	SEMOSS@deloitte.com , CFGAI@deloitte.com	Multiple
Versioned docs (v5.0.0)	SEMOSS@deloitte.com	Multiple

Action Items

1. Determine if these email addresses are still valid
 2. Update to appropriate support channels if organization has changed
 3. Remove or replace author contact emails in code if no longer applicable
 4. Update all versioned docs email references consistently
-

Section 7: Miscellaneous / Other Concerns

CFG_Chatbot.py Filename

Location: Referenced in Streamlit App Quickstart Guide.md (line: 220)

Context: Example code repository link to `CFG_Chatbot.py` in cfgai-docs repository

Status: This is a named example file that may be intentionally named or a legacy holdover

Recommendation: Verify if this file still exists and consider renaming to `SEMOSS_Chatbot.py` or more generic name like `StreamlitChatbotExample.py`

"Trustworthy AI™" Trademark

Location:

- Getting Started/Glossary.md (line: 83)
- Versioned docs version-4.3.2 (line: 81)

Context: Defined as a Deloitte trademark in glossary

Status: This is a legitimate trademark and should be preserved with trademark notation

Recommendation: No change needed - this is intentionally branded content

CFG_Chatbot Pattern

Additional references to CFG_Chatbot:

- Appears as filename in repository examples
- May have corresponding implementation files

Recommendation: Audit codebase for actual `CFG_Chatbot.py` or similar files and rename consistently

Show Tags Components

Files affected:

- ShowVideoTag component (referenced in Getting Started/Overview.mdx)
- ShowInternalDockerTag component (referenced in Docker BE Install Guide.md)

Status: These appear to be conditional rendering components for documentation display

Context: The components control whether certain content is visible, based on version/context

Recommendation: Verify these components are properly configured for current branding

Configuration Subpaths

Pattern: `/cfg-ai-demo/` appears in many deployment configurations

Locations:

- AI Server Configuration Parameters.md (multiple lines)
- Deployment guides
- Example configuration files
- Docker and Kubernetes examples

Type: These may be actual configured subpaths in live systems

Recommendation: Determine if these are:

- Hard-coded in actual deployments (requires database/config changes)
- Template examples (can be updated)
- Legacy artifacts (can be removed)

Commented-out Configuration

File: `docusaurus/docusaurus.config.js` (line: 115)

Content: Commented-out URL `workshop.cfg.deloitte.com`

Status: This configuration is not currently active

Recommendation: Remove commented-out code or clarify if it's needed for documentation purposes

Audit Summary Table

Category	Total Count	Priority	Files Affected	Notes
AI Core	330	HIGH	80+	Product name throughout docs
CFG	315	HIGH	40+	URLs, paths, configurations
cfgai	51	MEDIUM	25+	Repository names, file paths

GovConnect	6	MEDIUM	6	Legacy demo videos, examples
	754	HIGH	140+	Component placeholders throughout
Deloitte text	46+	MEDIUM	35+	Company references, links, emails
workshop.cfg.deloitte.com	75+	HIGH	30+	Live demo environment reference
docker.cfg.deloitte.com	3	MEDIUM	2	Registry references
prod.eu.aicore.deloitte.com	2	LOW	2	Regional endpoint references
Deloitte repos (Deloitte-Default)	20+	MEDIUM	15+	GitHub organization references
Email addresses	20+	MEDIUM	10+	Support contacts
TOTAL	1,800+	MULTI	200+	Comprehensive branding update needed

Recommended Next Steps

1. **Define Branding Strategy:** Clarify product name, domain, and organizational identity
2. **Component Resolution:** Determine final disposition of `<AppName />` component
3. **Database Identifier Review:** Audit which "cfg_ai_*" references are system identifiers vs. rebranding candidates
4. **Versioned Docs Policy:** Decide on approach for v4.3.2 and v5.0.0 documentation
5. **URL/Domain Migration:** Plan migration path for Deloitte domains if needed
6. **Phase Implementation:** Prioritize by impact:
 - o Phase 1: Product names (AI Core, CFG, GovConnect) - 700+ occurrences
 - o Phase 2: URLs and domains - 80+ occurrences
 - o Phase 3: Organization references - 50+ occurrences
 - o Phase 4: Component cleanup - 754 instances
7. **Validation:** Establish automated checks for old product names in future documentation

Report Generated: March 16, 2026 **Repository:** documentation **Branch:** docker-refactor **Status:** Ready for review and strategic planning