

Semoss VSCode Extension: Chatbot User Manual

Table of Contents

1. Introduction
2. Accessing the Chatbot
3. Getting Started with the Chatbot
4. Common Tasks (Instance Management and Project Operations)
5. Step-by-Step Instructions for Generating Access and Private Key.
6. Step-by-Step Instructions for Generating Personal Access Token in Github
7. Troubleshooting

1. Introduction

The Semoss Assistant Chatbot is an intelligent feature integrated into the Semoss VSCode Extension. It provides an interactive, conversational interface that helps you manage Semoss instances, create and deploy applications, and get assistance with common tasks.

This manual focuses specifically on how to use the chatbot effectively to enhance your Semoss development workflow.

2. Accessing the Chatbot

Method 1: Via Command Palette

- Press `Ctrl+Shift+P` to open the Command Palette.
- Type **Semoss: Open Chatbot**.
- Press Enter.

Method 2: Via Activity Bar

- Look for the Semoss Assistant icon in the Activity Bar (side panel).
- Click on the icon to open the Semoss Assistant panel.

3. Getting Started with the Chatbot

When you first open the chatbot, you'll see a welcome screen with a **Start** button. Click this button to begin your interaction.

Interface Overview:

- **Chat history area:** Displays your conversation.
- **Clear button (🗑️):** Located at the top-right, resets the conversation.
- **Option Area:** At the bottom, for selecting action to be performed.

How to Use:

1. Select Action to perform form Option available.
2. Wait for the chatbot's response.
3. Continue the conversation as needed.

4. Common Tasks

4.1. Instance Management

Adding a New Instance

- Select Option as “Authorize New Instance”
- The chatbot will guide you through:
 - Instance alias (friendly name)
 - Semoss URL
 - Access key
 - Private key

Selecting an Instance

- Select Option as “Select Instance”
- The chatbot will display available instances for you to select.

Removing an Instance

- Select Option as “Remove Instance”
- Select the instance you want to remove when prompted.

4.2. Project Operations

Creating a New Application

- Select Option as “Create New App”
- The chatbot will ask for the
 - Application Name
 - Description (optional),
 - GitHub link (optional)– want to create app using marketplace public repository.
 - Private Repository toggle button – If provided repository is private , default it will consider public repository.
 - GitHub Access Token- for Private Repository.

Deploying a Project

- Select Option as “Deploy Only”
- The chatbot will deploy current app.

Packaging Only

- Select Option as “Zip Only”
- The chatbot will create the assets.zip file for your project.

Packaging Only and Deploy Project

- Select Option as “Zip and Deploy”
- The chatbot will create the assets.zip file for your project and deploy .

5. Step-by-Step Instructions for Generating Access and Private Key

Step 1: Log In

- Open your browser and navigate to the Instance login page.
- Enter your credentials and sign in.

Step 2: Access Settings

- Once logged in, locate and click on the **Settings** option.

Step 3: Navigate to Profile

- In the Settings menu, select **My Profile**.

Step 4: Initiate Key Creation

- Within your profile page, find and click the **New Key** button.

Step 5: Provide Key Details

- Enter a **Name** for your new key.
- Optionally, add a **Description** to help identify the key’s purpose.

Step 6: Generate the Keys

- Click the **Generate** button to create your keys.

Step 7: Retrieve Keys

- The system will display your **Access Key** and **Private Key**.
- **Important:** Copy these keys securely, as the private key may not be shown again.

6. Step-by-Step Instructions for Generating a Personal Access Token in GitHub

Step 1: Log In to GitHub

- Open your browser and go to <https://github.com/>.
- Enter your username and password to sign in.

Step 2: Access Your Account Settings

- In the upper-right corner, click your profile picture.
- From the dropdown, select **Settings**.

Step 3: Navigate to Developer Settings

- In the left sidebar, scroll down and click **Developer settings**.

Step 4: Open Personal Access Tokens

- Under Developer settings, click **Personal access tokens**.
- Choose **Tokens (classic)**.

Step 5: Generate a New Token

- Click the **Generate new token** button.
- For classic tokens: Click **Generate new token (classic)**.

Step 6: Configure Token Details

- Enter a **Name** for your token.
- Set the **Expiration** date (recommended for security).
- Select the **Scopes** or permissions you want to grant this token (select repo).

Step 7: Generate and Copy the Token

- Click **Generate token** at the bottom of the page.
- **Copy your new personal access token** and save it in a secure place.
Note: You will not be able to see the token again after you leave this page.

6.Troubleshooting

Chatbot Not Responding

- Close and reopen the chatbot panel.
- Reload the VS Code window (`Ctrl+R`).
- Check your internet connection.

Authorization Errors

- Authorize instance again.
- Verify your credentials are correct.
- Check your connection to the Semoss server.