

The background image shows two cows in a rural setting. One cow is brown and white, and the other is white with some brown patches. They are standing behind a rusty metal fence. In the background, there are green trees, a power line tower, and a mountain range under a clear blue sky.

Sanidad y reproducción animal en sistemas agroecológicos

Etapa productiva de la carne

Sanidad y reproducción animal en sistemas agroecológicos



Suministro del calostro:

practica que se realiza en las primeras 6 horas de vida, es importante para garantizar la supervivencia del animal.



Desinfección del ombligo.

Es importante que esta técnica se realice con asepsia para evitar infección de hongos, virus o bacterias presentes en el sitio o en el ambiente. Por lo general, se realiza con soluciones yodadas.



Descorne o topizado.

Se realiza en los primeros días de vida, su objetivo es facilitar el manejo y evitar accidentes entre animales o con el operario.



Castración.

Práctica que consiste en extraer los testículos para reducir los índices de testosterona. Los animales castrados, por lo general, son más fáciles de manejar. Este proceso se realiza a los 2.5 meses, se emplean desinfectantes y repelentes de moscas.



Marcaje o identificación.

Se hacen marcas con hierro caliente, muescas en la orejas, tatuajes o correas en el cuello, para tener la información de los animales.

Sanidad y reproducción animal en sistemas agroecológicos



Sacrificio

Fin del ciclo de vida animal, están listos para el consumo humano.