

# **Salesforce Developer - NM Engg**

## **EVENTFORCE MANAGEMENT SYSTEM**

Team Lead : Gunasheelan M

Team Member : Selvaragavan M

Team Member : Senthamizl G

Team Member : Muthu kumaran P

Team Member : Dineshkumar K

# **EVENTFORCE MANAGEMENT SYSTEM- SALESFORCE IMPLEMENTATION**

## **User Story:**

The EventForce Management System is designed to provide a centralized Salesforce-based solution for managing event planning operations, including client bookings, event scheduling, venue reservations, vendor coordination, cancellation approvals, reminders, and feedback collection. The system enables event teams to manage Events, Clients, Vendors, Venues, and Feedback using a structured Salesforce data model with appropriate relationships. Automated Flows handle event reminders and process updates, while an Approval Process manages event cancellation requests. Apex Classes and Triggers support advanced business logic such as venue availability updates and prevention of double bookings. A Lightning App, Reports, and Dashboards provide real-time visibility into event schedules, vendor activities, and operational performance. This initiative improves event management efficiency, booking coordination, data accuracy, communication, operational visibility, and customer experience.

## **1. INTRODUCTION**

### **1.1 Project Overview :**

The EventForce Management System is a Salesforce-based CRM solution developed to centralize and streamline event planning and management operations. The system manages clients, events, venues, vendors, feedback, and event cancellations within a structured Salesforce platform.

The solution uses custom objects, relationships, validation rules, Flows, Approval Processes, Apex Triggers and Classes, Reports, and Dashboards to automate key business processes. It supports venue availability management, prevention of double bookings,

automated event reminders, cancellation approvals, feedback management, and operational reporting.

The project aims to reduce manual effort, improve booking coordination and data accuracy, enhance communication with clients and operational teams, and provide better visibility into event activities through a centralized Salesforce platform.

## 1.2 Purpose :

The purpose of the EventForce Management System is to provide a centralized Salesforce platform for managing and automating event planning operations. The system is designed to:

- Centralize client, event, venue, vendor, and feedback information.
- Streamline event booking and venue reservation processes.
- Prevent double booking of venues through automated Apex logic.
- Automate event reminders and cancellation approval processes.
- Improve coordination between clients, event coordinators, vendors, and venue managers.
- Provide reports and dashboards for better operational visibility and decision-making.
- Reduce manual processes, improve data accuracy, and enhance the overall client experience.


## 2. IDEATION PHASE

### 2.1 Problem Statement (Customer Problem Statement Template)

| PS   | I am<br>(Customer)             | I'm trying<br>to            | But                                    | Because                           | Which<br>makes me<br>feel      |
|------|--------------------------------|-----------------------------|----------------------------------------|-----------------------------------|--------------------------------|
| PS-1 | Event<br>Operations<br>Manager | manage<br>event<br>planning | client, event,<br>venue, and<br>vendor | event<br>management<br>activities | frustrated<br>and<br>concerned |

|      |                   |                                                     |                                                                                              |                                                                                |                            |
|------|-------------------|-----------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|----------------------------|
|      |                   | operations efficiently                              | information is difficult to manage centrally                                                 | require coordination across multiple areas                                     |                            |
| PS-2 | Event Coordinator | create and manage event bookings efficiently        | event details, client information, and venue reservations require multiple manual activities | there is no centralized platform for managing the complete event lifecycle     | overwhelmed and frustrated |
| PS-3 | Venue Manager     | manage venue availability accurately                | the same venue may be assigned to multiple events                                            | venue bookings need proper availability tracking and double-booking prevention | concerned and uncertain    |
| PS-4 | Vendor Manager    | coordinate vendors for different events             | vendor details and event assignments need to be managed separately                           | events can require multiple vendors and services                               | overwhelmed and concerned  |
| PS-5 | Event Coordinator | communicate event information and reminders on time | reminders have to be handled manually                                                        | there is a need to notify clients before upcoming events                       | stressed and concerned     |

|      |                          |                                                   |                                                                                 |                                                              |                                                 |
|------|--------------------------|---------------------------------------------------|---------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------------------------------|
| PS-6 | Event Administrator      | manage event cancellation requests systematically | cancellation requests require approval and status updates                       | cancellation decisions need a controlled approval process    | frustrated and uncertain                        |
| PS-7 | Event Coordinator        | collect and manage client feedback                | feedback information needs to be maintained along with event and client details | feedback is related to both events and clients               | concerned about customer satisfaction           |
| PS-8 | Event Operations Manager | monitor event operations and performance          | operational information is not easily visible in one place                      | event data needs to be organized into reports and dashboards | concerned and less confident in decision-making |



## 2.2 Empathy Map Canvas


**User Persona:** Event Coordinator

**Role:** Event Coordinator

**Primary Responsibility:** Manage event bookings, client requirements, venue reservations, vendor coordination, reminders, and event status updates.

- **Think & Feel:** Wants to manage events smoothly, avoid booking conflicts, and provide a reliable experience to clients.
- **Hear:** Receives requirements and updates from clients, vendors, venue managers, and event administrators.
- **See:** Event details, client information, venue availability, vendor assignments, cancellations, and feedback.
- **Say & Do:** Coordinates with stakeholders, updates event records, manages bookings, follows up on requirements, and monitors event progress.

- **Pain:** Manual coordination, fragmented information, venue double-booking risks, and difficulty tracking multiple event activities.
- **Gain:** Centralized event information, automated reminders and processes, accurate venue availability, better coordination, and improved operational visibility.



## 2.3 Brainstorming & Idea Prioritization

### Ideas Considered

| Idea                 | Approach                                                   | Key Limitation                                   |
|----------------------|------------------------------------------------------------|--------------------------------------------------|
| Manual Registers     | Maintain event, client, venue, and vendor details manually | Time-consuming and difficult to maintain         |
| Spreadsheet Tracking | Track bookings and event information using spreadsheets    | Limited automation and real-time coordination    |
| Standalone Portal    | Develop a dedicated portal for event management            | Higher development and maintenance effort        |
| Salesforce CRM       | Centralize event operations on a Salesforce platform       | Requires proper configuration and implementation |

### Final Selection

Salesforce CRM selected due to:

- Automation – Automates reminders, approvals, status updates, and business processes.
- Scalability – Supports expanding event operations, users, records, and business requirements.
- Real-Time Visibility – Provides centralized data, reports, and dashboards for operational monitoring.

**Decision:** Salesforce CRM provides the best fit for creating a centralized, automated, and scalable EventForce Management System.



## 3. REQUIREMENT ANALYSIS PHASE

### 3.1 Customer Journey Map

| Stage | Customer Journey Stage              | What Happens                                                                                                            |
|-------|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| 1     | Event Enquiry & Client Registration | Client requirements and contact details are captured in Salesforce.                                                     |
| 2     | Event Planning & Booking            | Event details such as event type, date, budget, and status are created and managed.                                     |
| 3     | Venue Selection & Reservation       | Suitable venues are identified, availability is checked, and reservations are managed while preventing double bookings. |

| Stage | Customer Journey Stage             | What Happens                                                                                                                |
|-------|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| 4     | Vendor Coordination                | Vendors and required services are assigned to events and their availability/status is coordinated.                          |
| 5     | Event Confirmation & Communication | Confirmed events trigger automated communication, including reminders sent to clients before the event.                     |
| 6     | Event Execution & Monitoring       | Event progress and operational information are monitored through Salesforce records, reports, and dashboards.               |
| 7     | Cancellation & Approval            | Cancellation requests are submitted through the approval process, with appropriate status updates and notifications.        |
| 8     | Feedback & Closure                 | Client feedback is captured after the event, and completed events are updated for operational tracking and future analysis. |



## 3.2 Solution Requirements

### Functional Requirements

| FR No | Requirement                                    |
|-------|------------------------------------------------|
| FR-1  | Event management                               |
| FR-2  | Client management                              |
| FR-3  | Venue management                               |
| FR-4  | Vendor management                              |
| FR-5  | Event–vendor assignment                        |
| FR-6  | Venue availability & double-booking prevention |
| FR-7  | Automated event reminders                      |
| FR-8  | Event cancellation approval                    |
| FR-9  | Feedback management                            |
| FR-10 | Reports & dashboards                           |
| FR-11 | Event status automation                        |
| FR-12 | Data migration through Data Import Wizard      |

### Non-Functional Requirements

| NFR         | Description                                                  |
|-------------|--------------------------------------------------------------|
| Usability   | Lightning App for easy event management and navigation       |
| Security    | Profile-, role-, and permission-based access control         |
| Reliability | Accurate automation, approvals, and venue booking validation |

|                 |                                                                          |
|-----------------|--------------------------------------------------------------------------|
| Performance     | Efficient processing of event and operational data                       |
| Availability    | Cloud-based Salesforce access for authorized users                       |
| Scalability     | Supports growing events, clients, vendors, venues, and users             |
| Maintainability | Flows, Apex, validation rules, and security can be monitored and updated |
| Data Integrity  | Validation and controlled data migration to maintain accurate records    |

### 3.3 Data Flow Diagram

Flow:

Client / Event Team



Enter Client & Event Details



Salesforce EventForce System



Validate & Store Data



Event, Client, Venue & Vendor Records



Check Venue Availability



Assign Venue & Vendors



Confirm Event



Automated 3-Day Reminder



Event Execution & Status Updates



Feedback Collection



Reports & Dashboards

### **Supporting Flows**

Cancellation Request

Event Coordinator → Cancellation Request → Approval Process → Approved / Rejected  
→ Event Status Update → Notifications

Venue Booking Validation

Event → Apex Trigger → Venue Status Helper → Check Existing Venue & Event Date  
→ Prevent Double Booking / Update Venue Availability

Event Completion

Event Date Passed → Scheduled Apex → Batch Process → Event Status = Completed

### **Simple DFD Representation**

Clients / Event Coordinators / Vendor Managers / Venue Managers



Salesforce CRM – EventForce



Custom Objects: Event | Client | Vendor | Venue | Feedback | EventVendor



Automation & Business Logic: Flows | Approval Process | Apex



Operational Data & Status Updates




Reports & Dashboards



Event Operations & Decision Making

## EventForce Management System – Data Flow Diagram (DFD)

Information in. Seamless Events out.



### 3.4 Technology Stack

| Layer          | Technology                                           |
|----------------|------------------------------------------------------|
| Platform       | Salesforce CRM / Developer Edition                   |
| UI             | Salesforce Lightning App                             |
| Database       | Salesforce Custom Objects                            |
| Business Logic | Salesforce Flows, Formula Fields, Validation Rules   |
| Approval       | Salesforce Approval Process                          |
| Automation     | Record-Triggered Flows, Apex Triggers                |
| Processing     | Batch Apex, Scheduled Apex                           |
| Security       | Profiles, Roles, Permission Sets, Sharing Rules, OWD |

|           |                      |
|-----------|----------------------|
| Reporting | Reports & Dashboards |
|-----------|----------------------|

## 4. PROJECT DESIGN PHASE

### 4.1 Problem–Solution Fit

The EventForce Management System provides a strong fit between identified event-management problems and Salesforce capabilities. The solution combines custom data structures, automation, Apex business logic, approval processes, security controls, and reporting to address the operational challenges of event planning and coordination.

| <b>Problem</b>                                                                | <b>Solution – EventForce Salesforce System</b>                                        | <b>Fit / Benefit</b>                                      |
|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------------------|
| Client, event, venue, and vendor information is difficult to manage centrally | Custom Salesforce objects for Event, Client, Venue, Vendor, Feedback, and EventVendor | Centralized and structured event data                     |
| Event booking requires multiple manual activities                             | Salesforce Flows and automated processes                                              | Reduces manual effort and improves process efficiency     |
| Risk of venue double booking                                                  | Apex Trigger and VenueStatusHelper                                                    | Validates venue availability and prevents double bookings |
| Vendor coordination is difficult to track                                     | EventVendor junction object and Vendor records                                        | Supports event–vendor assignment and coordination         |
| Clients may not receive timely event reminders                                | 3-Day Reminder Flow                                                                   | Automates reminder communication before confirmed events  |

| Problem                                             | Solution – EventForce Salesforce System                  | Fit / Benefit                                           |
|-----------------------------------------------------|----------------------------------------------------------|---------------------------------------------------------|
| Cancellation requests require controlled processing | Event_Cancellation_Process Approval Process              | Provides structured approval and status updates         |
| Client feedback needs to be connected with events   | Feedback object with Event and Client relationships      | Enables organized feedback management                   |
| Operational information is difficult to monitor     | Reports and EventForce Operations Dashboard              | Provides better visibility for monitoring and decisions |
| Different users require different levels of access  | Profiles, Roles, Permission Sets, OWD, and Sharing Rules | Provides controlled and secure data access              |



## 4.2 Proposed Solution

## Functional Requirements


| Parameter      | Description                                                             |
|----------------|-------------------------------------------------------------------------|
| Problem        | Manual and fragmented event management                                  |
| Solution       | Salesforce CRM                                                          |
| Innovation     | Automated event reminders, venue validation, and cancellation approvals |
| Impact         | Faster event coordination and improved operational visibility           |
| Business Model | Centralized event planning and management                               |
| Scalability    | Supports growing events, clients, vendors, venues, and users            |

## 4.3 Solution Architecture

Components:

- Event Object
- Client Object
- Vendor Object
- Venue Object
- EventVendor Junction Object
- Feedback Object
- Validation Rules
- Formula Fields
- Flows
- Approval Process
- Apex Triggers
- Apex Classes
- Batch Apex
- Scheduled Apex
- Profiles & Roles
- Permission Sets & Sharing Rules
- Data Import Wizard
- Lightning App

- Reports
- Dashboards



## 5. PROJECT PLANNING & SCHEDULING

### 5.1 Project Planning

- Agile methodology
- Epics → Stories → Story Points
- Sprint-based execution
- Velocity calculation used for estimation

#### Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Use the below template to create product backlog and sprint schedule

| Sprint   | Functional Requirement (Epic) | User Story Number | User Story / Task                                                                                                         | Story Points | Priority | Team Members |
|----------|-------------------------------|-------------------|---------------------------------------------------------------------------------------------------------------------------|--------------|----------|--------------|
| Sprint-1 | Event Management              | US-01             | As an Event Coordinator, I want to create events with type, date, and status so that event information is standardized.   | 3            | High     | Member1      |
| Sprint-1 | Client & Venue Management     | US-02             | As an Event Coordinator, I want to associate a client and venue with an event so that coordination is centralized.        | 5            | High     | Member2      |
| Sprint-2 | Vendor Management             | US-03             | As a Vendor Manager, I want to assign multiple vendors to an event so that services can be coordinated.                   | 5            | High     | Member3      |
| Sprint-2 | Notifications & Automation    | US-04             | As a Client, I want timely event reminders so that I know when my event is approaching.                                   | 3            | High     | Member4      |
| Sprint-3 | Approval Management           | US-05             | As an Event Coordinator, I want cancellation requests to follow an approval process so that cancellations are controlled. | 5            | High     | Member1      |
| Sprint-3 | Venue Management & Apex       | US-06             | As a Venue Manager, I want double bookings prevented so that venue schedules remain accurate.                             | 8            | High     | Member2      |
| Sprint-4 | Security & Access Control     | US-07             | As an Event Administrator, I want role-based access so that users see only appropriate information.                       | 5            | High     | Member3      |
| Sprint-4 | Reports & Dashboards          | US-08             | As Management, I want reports and dashboards so that event operations can be monitored.                                   | 5            | Medium   | Member4      |

#### Project Tracker, Velocity & Burndown Chart: (4 Marks)

| Sprint   | Total Story Points | Duration | Sprint Start Date | Sprint End Date (Planned) | Story Points Completed (as on Planned End Date) | Sprint Release Date (Actual) |
|----------|--------------------|----------|-------------------|---------------------------|-------------------------------------------------|------------------------------|
| Sprint-1 | 20                 | 6 Days   | 24 Oct 2022       | 29 Oct 2022               | 20                                              | 29 Oct 2022                  |
| Sprint-2 | 20                 | 6 Days   | 31 Oct 2022       | 05 Nov 2022               |                                                 |                              |
| Sprint-3 | 20                 | 6 Days   | 07 Nov 2022       | 12 Nov 2022               |                                                 |                              |
| Sprint-4 | 20                 | 6 Days   | 14 Nov 2022       | 19 Nov 2022               |                                                 |                              |
|          |                    |          |                   |                           |                                                 |                              |
|          |                    |          |                   |                           |                                                 |                              |

| Sprint | Total Story Points | Duration | Sprint Start Date | Sprint End Date (Planned) | Story Points Completed (as on Planned End Date) | Sprint Release Date (Actual) |
|--------|--------------------|----------|-------------------|---------------------------|-------------------------------------------------|------------------------------|
|        |                    |          |                   |                           |                                                 |                              |
|        |                    |          |                   |                           |                                                 |                              |

## 6. Project Development Phase:

### Phase 1: Requirement Analysis & Planning

Build an EventForce Management System in Salesforce to help event planners manage client bookings, vendor coordination, venue reservations, and feedback collection — all within a single CRM platform. The system automates key processes such as event scheduling, cancellation approvals, and client reminders, while providing real-time visibility through reports and dashboards.

#### Functional Scope :

- Custom objects (Event, Client, Vendor, Venue, Feedback, and Event Vendor (Junction Object)).
- Relationship modeling: Lookup, Master-Detail, and Many-to-Many (Event ↔ Vendor).
- Automation using Flows for reminders, feedback notifications, and approval updates.
- Validation Rules and Formula Fields to ensure accurate data entry and event budget calculation.
- Approval Processes for event cancellation requests with email alerts to coordinators and clients.
- Profiles, Roles, and Permission Sets to manage user-level access and security.
- Reports and Dashboards for event summary, vendor performance, and upcoming event insights.

## **Stakeholder Mapping :**

- Clients: Request event services, provide feedback, and view event updates.
- Event Coordinators: Manage event scheduling, client communication, and approval workflows.
- Vendors: Handle assigned event services like catering, decor, and logistics.
- Venue Managers: Manage venue availability and reservations.
- Event Administrators: Oversee system operations, security, and data monitoring.

## **Execution Roadmap :**

1. Object & Field Setup – Creation of Event, Client, Vendor, Venue, Feedback, and Event Vendor objects.
2. Automation Flows – Implement record-triggered flows for event reminders and approvals.
3. Validation Rules & Formula Fields – Enforce data accuracy and budget calculations.
4. Profiles, Roles, and Permission Sets – Configure user access and record visibility.
5. Approval Process – Automate event cancellation request workflow with notifications.
6. Apex Classes & Triggers – Update venue availability and prevent double bookings.
7. Reports & Dashboards – Create analytics for upcoming events and performance insights.

## **Phase 2 : Backend Development & Configurations**

The Backend & Configuration phase built the core functional engine of the EventForce Management System. Using a combination of Salesforce Flows, Apex logic, and Security configurations, this phase focused on developing the system's automation backbone to manage events, clients, vendors, venues, and feedback efficiently.

Declarative tools such as Record-Triggered Flows, Validation Rules, Formula Fields, and Approval Processes were used extensively to automate booking confirmations, reminders, and cancellation approvals. Meanwhile, Apex Classes and Triggers handled advanced business logic like venue availability updates and preventing double bookings, ensuring operational accuracy and scalability.

The phase also included implementing Profiles, Roles, Permission Sets, and Sharing Rules to define user-level access, maintaining data integrity and security across all modules. Altogether, this phase transformed the EventForce application from a static structure into a dynamic, automated, and secure CRM system capable of handling real-world event management workflows.

## **Milestone 1 : Salesforce Account**

### **What Is Salesforce ?**

Salesforce is your customer success platform, designed to help you sell, service, market, analyze, and connect with your customers. Salesforce has everything you need to run your business from anywhere. Using standard products and features, you can manage relationships with prospects and customers, collaborate and engage with employees and partners, and store your data securely in the cloud.

### **Activity 1: Creating Developer Account**

Creating a developer org in salesforce.

1. Go to <https://developer.salesforce.com/signup>
2. On the sign up form, enter the following details :
  - First name & Last name
  - Email
  - Role : Developer
  - Company : College Name
  - County : India
  - Postal Code : pin code
  - Username : should be a combination of your name and company

This need not be an actual email id, you can give anything in the format :

[username@organization.com](mailto:username@organization.com)

Click on sign me up after filling these.



## Data Architecture :

### Created Custom objects:

1. Event\_\_c  
(Fields: Event Name, Event Date, Event Type, Event Status, Event Budget)
2. Client\_\_c  
(Fields: Client Name, Email, Phone, Address, Country, City)
3. Vendor\_\_c  
(Fields: Vendor Name, Email, Phone, Service Type, Status)
4. Venue\_\_c  
(Fields: Venue Name, Address, Location (URL), Capacity, Availability Status)
5. Feedback\_\_c  
(Fields: Feedback ID (Auto Number), Rating, Comments)
6. EventVendor\_\_c (Junction Object)  
(Links Event ↔ Vendor for Many-to-Many relationship)

### Relationships:

| Relationship         | Type          |
|----------------------|---------------|
| Event → Client       | Lookup        |
| Event → Venue        | Lookup        |
| Feedback → Event     | Lookup        |
| Feedback → Client    | Lookup        |
| EventVendor → Event  | Master-Detail |
| EventVendor → Vendor | Master-Detail |

## **Steps to Implement :**

### **Milestone 2- Object:**

#### **What is an object?**

Salesforce objects are database tables that permit you to store data that is specific to an organization. It consists of fields (columns) and records (rows).

#### **In This Application We Use 5 Custom Objects:**

**1. Event**

**2.Client**

**3.Vendor**


**4.Venue**

**5.Feedback**

#### **Activity 1: Create Event Object**

**To create a custom object, follow these steps:**

1. From setup click on object manager.
2. Click create, select custom object.
3. Fill in the label as " Event ".
4. Fill in the plural label as " Events ".
5. Record name: "Event Name"



6. Select the data type as "Text".

**SETUP**  
**New Custom Object**

**Custom Object Definition Edit** Save Save & New Cancel

**Custom Object Information** ⓘ Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label  Example: Account  
Plural Label  Example: Accounts  
Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.  
Object Name  Example: Account

Description

Context-Sensitive Help Setting  
☒ Open the standard Salesforce.com Help & Training window  
☐ Open a window using a Visualforce page

Content Name

**Enter Record Name Label and Format**

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name  Example: Account Name

Data Type  Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

**SETUP**  
**New Custom Object**

☒ Allow Reports  
☒ Allow Activities  
☒ Track Field History  
☐ Allow in Chatter Groups  
☐ Enable Licensing ⓘ

**Object Classification**

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)

☒ Allow Sharing  
☒ Allow Bulk API Access  
☒ Allow Streaming API Access

**Deployment Status**

☐ In Development  
☒ Deployed

**Search Status**

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

☒ Allow Search

**Object Creation Options (Available only when custom object is first created)**

☒ Add Notes and Attachments related list to default page layout  
☐ Launch New Custom Tab Wizard after saving this custom object

Save Save & New Cancel

7. In the Optional Features section, select Allow Reports, Allow Activities and Track Field History.

8. In the Deployment Status section, ensure Deployed is selected.

9. In the Search Status section, select Allow Search.

10. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout.

11. Leave everything else as is, and click Save.

### **Activity 2: Create Client Object**

1. Click on the gear icon and then select Setup.

2. Click on the object manager tab just beside the home tab.

3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.

a. On the Custom Object Definition page, create the object as follows:

b. Label: Client

c. Plural Label: Clients

d. Record Name: Client Name

e. Select the data type as "Text".

f. Check the Allow Reports checkbox

g. Check the Allow Search checkbox

h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout

i. Click Save.

### **Activity 3: Create Vendor Object**

1. Click on the gear icon and then select Setup.
  2. Click on the object manager tab just beside the home tab.
  3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.
- a. On the Custom Object Definition page, create the object as follows:
  - b. Label: Vendor
  - c. Plural Label: Vendors
  - d. Record Name: Vendor Name
  - e. Select the data type as "Text".
  - f. Check the Allow Reports checkbox
  - g. Check the Allow Search checkbox
  - h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout
  - i. Click Save.

### **Activity 4: Create Venue Object**

1. Click on the gear icon and then select Setup.

2. Click on the object manager tab just beside the home tab.
3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.
  - a. On the Custom Object Definition page, create the object as follows:
    - b. Label: Venue
    - c. Plural Label: Venues
    - d. Record Name: Venue Name
    - e. Select the data type as "Text".
    - f. Check the Allow Reports checkbox
    - g. Check the Allow Search checkbox
    - h. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout
    - i. Click Save.

#### **Activity 5: Create Feedback Object**

1. Click on the gear icon and then select Setup.
2. Click on the object manager tab just beside the home tab.
3. After the above steps, have a look on the extreme right you will find a Create Dropdown click on that and select Custom Object.

- a. On the Custom Object Definition page, create the object as follows:
- b. Label: Feedback
- c. Plural Label:Feedbacks
- d. Record Name: Feedback
- e. Select the data type as "Auto Number".
- f. Under display format enter "F-{0000}"
- g. Enter starting number as 0
- h. Check the Allow Reports checkbox.
- i. Check the Allow Search checkbox.
- j. In the Object Creation Options section, select Add Notes and Attachments related list to default page layout.
- k. Click Save.

## **Milestone 3 - Tabs**

### **Tab:**

Tabs in Salesforce help users view the information at a glance. It displays the data of objects and other web content in the application.

### **Standard Object Tabs:**

Standard object tabs display data related to standard objects.


### **Custom Object Tabs:**

Custom object tabs display data related to custom objects. These tabs look and function just like standard tabs.


**Activity 1: Creating a Custom Tab(Event)**

Now create a custom tab.

- 1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.



- 2. Under custom object tabs, click New.



3. For Object, select Event

4. For Tab Style, select any icon.

5. Leave all defaults as is. Click Next, Next, and Save.

## Activity 2: Creating a Custom Tab(Client)

### Creation of Client tab:

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.

2. Under custom object tabs, click New.

3. For Object, select Client.

4. For Tab Style, select any icon.

5. Leave all defaults as is. Click Next, Next, and Save.

### **Activity 3: Creating a Custom Tab(Vendor)**

#### **Creation of Vendor tab:**

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.
2. Under custom object tabs, click New.
3. For Object, select Vendor.
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

### **Activity 4: Creating a Custom Tab(Venue)**

#### **Creation of Venue tab:**

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.
2. Under custom object tabs, click New.
3. For Object, select Venue.
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

### **Activity 5: Creating a Custom Tab(Feedback)**

#### **Creation of Feedback tab:**

Now create a custom tab.

1. Click on the Home tab, enter Tabs in Quick Find and select Tabs.
2. Under custom object tabs, click New.
3. For Object, select Feedback.
4. For Tab Style, select any icon.
5. Leave all defaults as is. Click Next, Next, and Save.

## **Milestone 4 – Fields and Relationship:**

### **What are fields ?**

Fields in Salesforce represent what the columns represent in relational databases. It can store data values which are required for a particular object in a record.

### **There are 2 types of fields in salesforce:**

- **Standard fields:** There are four standard fields in every custom object that are Created By, Last Modified By, Owner, and the field created at the time of the creation of an object. These fields cannot be deleted or edited and they are always required. For standard objects, the fields which are present by default in them and cannot be deleted from standard objects are standard fields.
- **Custom fields:** The Custom fields which are added by the administrator/developer to meet the business requirements of any organization. They may or may not be required.

### **Activity 1: Creation of fields for the Event object:**

1. Click the gear icon and select Setup. This launches Setup in a new tab.
2. Click the Object Manager tab next to Home.
3. Select Event
4. Select Fields & Relationships from the left navigation, and click New
5. From the sidebar, click Fields & Relationships. Notice that there are already some fields there.

Those are the standard fields.

The screenshot shows the Salesforce Setup interface. The top navigation bar includes the Setup icon, a search bar, and various utility icons. The main navigation bar shows 'Setup', 'Home', and 'Object Manager'. The 'Object Manager' tab is selected, and the 'Event' object is chosen. The left sidebar contains a list of navigation options: Details, Fields & Relationships (highlighted with a red box), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, and Related Lookup Filters. The main content area displays the 'Fields & Relationships' section for the 'Event' object, showing 4 items sorted by Field Label. A table lists the fields: 'Created By' (Lookup(User)), 'Event Name' (Text(80)), 'Last Modified By' (Lookup(User)), and 'Owner' (Lookup(User,Group)). The 'New' button is highlighted in red in the top right corner of the table.

| FIELD LABEL      | FIELD NAME       | DATA TYPE          | CONTROLLING FIELD | INDEXED |
|------------------|------------------|--------------------|-------------------|---------|
| Created By       | CreatedById      | Lookup(User)       |                   |         |
| Event Name       | Name             | Text(80)           |                   | ✓       |
| Last Modified By | LastModifiedById | Lookup(User)       |                   |         |
| Owner            | OwnerId          | Lookup(User,Group) |                   | ✓       |

Click New to create a custom field. Tip: Before creating a new field, do a quick search to make sure a similar one doesn't already exist.

6. Choose the data type as Picklist, click next

SETUP > OBJECT MANAGER

## Event

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules

☐ Date/Time  
☐ Email  
☐ Geolocation  
☐ Number  
☐ Percent  
☐ Phone  
☒ Picklist  
☐ Picklist (Multi-Select)  
☐ Text  
☐ Text Area  
☐ Text Area (Long)  
☐ Text Area (Rich)  
☐ Text (Encrypted) i  
☐ Time  
☐ URL  
☐ Address

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in encrypted form.

Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.

Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.

Allows users to enter a street, city, state/province, zip/postal code, and country, or to search for an address with an external tool. When a user selects an address using the tool, the street, city, state/province, zip/postal code, and country are populated.

Next Cancel

7. For Field Label, “**Event Type**”

8. Select Enter values, with each value separated by a new line and Enter The following Values:

- Wedding
- Corporate
- Birthday
- Anniversary
- Festival
- Concert
- Other

Event

### New Custom Field

Help for this Page i

Step 2. Enter the details Step 2 of 4

Previous Next Cancel

Field Label i

Values

☐ Use global picklist value set

☒ Enter values, with each value separated by a new line

☐ Display values alphabetically, not in the order entered

☐ Use first value as default value i

☒ Restrict picklist to the values defined in the value set i

Field Name i

Description

9. Click next,next and save.

**Now let's create the other fields following the above Activity1 steps ,we must choose the data types of the fields carefully.**

1. Select the Date as the Data Type, then click Next.

For Field Label, **“Event Date”**,Click Next, Next, then Save & New.

2. Select the Picklist as the Data Type, then click Next. For Field Label **“Event Status”**,Select The Enter values, with each value separated by a new line and Enter The Values:

- Planned
- Confirmed
- Completed
- Pending Cancellation
- Canceled
- Rejected

**Create Formula Field For Event Budget in a Event object:**

1. Select Data type as “Formula” and click Next.

The screenshot shows the 'New Custom Field' setup page for the 'Event' object in Salesforce. The left sidebar contains navigation links: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, and Search Layouts. The main content area is titled 'New Custom Field' and shows 'Step 1. Choose the field type'. Below this, it says 'Specify the type of information that the custom field will contain.' The 'Data Type' section lists four options: 'None Selected', 'Auto Number', 'Formula' (selected and highlighted with a red box), and 'Roll-Up Summary'. To the right of these options, there are descriptions for each. The 'Formula' description states: 'A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.' At the top right of the main content area, there are 'Next' and 'Cancel' buttons, with the 'Next' button highlighted by a red box.

2. Enter field label Event Budget.
3. Select formula return type Currency, Click Next.

Event  
New Custom Field

Step 2. Choose output type Step 2 of 5

Field Label **Event Budget** Field Name **Event\_Budget**

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity

**Formula Return Type**

☐ None Selected Select one of the data types below.

☐ Checkbox Calculate a boolean value  
Example: `TODAY() > CloseDate`

☒ **Currency** Calculate a dollar or other currency amount and automatically format the field as a currency amount.  
Example: `Gross Margin = Amount - Cost_c`

☐ Date Calculate a date, for example, by adding or subtracting days to other dates.  
Example: `Reminder Date = CloseDate - 7`

☐ Date/Time Calculate a date/time, for example, by adding a number of hours or days to another date/time.  
Example: `Next = NOW() + 1`

☐ Number Calculate a numeric value.  
Example: `Fahrenheit = 1.8 * Celsius_c + 32`

Previous **Next** Cancel

#### 4. Create and insert formula:

```
CASE(
  TEXT(Event_Type_c),
  "Wedding", 50000,
  "Corporate", 30000,
  "Birthday", 10000,
  "Anniversary", 20000,
  "Festival", 60000,
  "Concert", 40000,
  "Other", 15000,
  0
)
```

#### 5. Check the syntax.

Simple Formula **Advanced Formula**

Insert Field Use Formula Assistant Insert Operator

Event Budget (Currency) =

```
CASE (
  TEXT( Event_Type_c ),
  "Wedding", 50000,
  "Corporate", 30000,
  "Birthday", 10000,
  "Anniversary", 20000,
  "Festival", 60000,
  "Concert", 40000,
  "Other", 15000,
  0
)
```

Functions

-- All Function Categories --

ABS  
ACOS  
ADDMONTHS  
AND  
ASCII  
ASIN

Insert Selected Function

**Check Syntax** No syntax errors in merge fields or functions. (Compiled size: 478 characters)

6. Click Next, Next, then Save.

## **Activity 2: Creation of fields for the Client object:**

1. Select the Email as the Data Type, then click Next.

For Field Label, “**Email**”,Click Next, Next, then Save & New.

2. Select the Phone as the Data Type, then click Next.

For Field Label, “**Phone**”,Click Next, Next, then Save.

3. Select the Text area as the Data Type, then click Next.

For Field Label, “**Address**”,Click Next, Next, then Save.

4. Select the Picklist as the Data Type, then click Next. For Field Label “**Country**”,Select The Enter values, with each value separated by a new line and Enter The Values:

- India
- Philippines
- Saudi Arabia
- USA
- Switzerland
- Thailand
- Maldives
- Dubai
- Sri Lanka
- Bangkok
- Singapore
- Myanmar
- France
- Nepal

5. Click Save.

6. Select the Picklist as the Data Type, then click Next. For Field Label “**City**”, Select The Enter values, with each value separated by a new line and Enter The Values:

- Hyderabad
- Mumbai
- Delhi
- Bangalore
- Chennai
- Alaminos
- Angeles City
- Palayan
- Quezon City
- San Juan
- Riyadh
- Jeddah
- Tayma
- Dammam
- Medina
- New York
- Los Angeles
- Chicago
- Houston
- Columbus
- Geneva
- Basel
- Lausanne
- Bern

- Lucerne

7. Click Save.

### **Activity 3: Creation of fields for the Vendor object:**

1. Select the Multi Select Picklist as the Data Type, then click Next. For Field Label “**Service Type**”, Select Enter values, with each value separated by a new line and Enter The Values:

- Catering
- Decor
- Photography
- Videography
- Lighting
- Stage Setup
- Makeup Artist
- DJ/Music
- Transportation
- Hosting/Anchor

2. Select the Email as the Data Type, then click Next.

For Field Label, “**Email**”, Click Next, Next, then Save & New.

3. Select the Phone as the Data Type, then click Next.

For Field Label, “**Phone**”, Click Next, Next, then Save.

4. Select the Picklist as the Data Type, then click Next. For Field Label “**Status**”, Select Enter values, with each value separated by a new line and Enter The Values:

- Available
- Booked
- Cancelled

#### **Activity 4: Creation of fields for the Venue object:**

1. Select the Text area as the Data Type, then click Next.

For Field Label, “**Address**”, Click Next, Next, then Save.

2. Select the URL as the Data Type, then click Next.

For Field Label, “**Location**”, Click Next, Next, then Save.

3. Select the Number as the Data Type, then click Next.

For Field Label, “**Capacity**” Click Next, Next, then Save.

4. Select the Picklist as the Data Type, then click Next. For Field Label “**Availability Status**”, Select Enter values, with each value separated by a new line and Enter The Values:

- Available
- Reserved
- Not Available

#### **Activity 5: Creation of fields for the Feedback object:**

1. Select the Picklist as the Data Type, then click Next. For Field Label “**Rating**”,

Select Enter values, with each value separated by a new line and Enter The Values:

- 1
- 2

- 3
- 4
- 5

2. Select the Long Text as the Data Type, then click Next.

For Field Label, “**Comments**”, Click Next, Next, then Save.

## **Relationships:**

### **Activity 1:**

#### **Creation lookup relationship for the Event objects:**

#### **Let's create lookup relationship on Event object**

First lookup relationship

- From Setup, go to Object Manager , Select Event Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next

Setup > OBJECT MANAGER

Event

Details

**Fields & Relationships**

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Event

New Custom Field

Step 1. Choose the field type

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected

☐ Auto Number

☐ Formula

☐ Roll-Up Summary

☒ **Lookup Relationship**

☐ Master-Detail Relationship

☐ External Lookup Relationship

Select one of the data types below.

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

Next Cancel

- Choose the related object as Venue & click next

Event

New Relationship

Help for this Page

Step 2. Choose the related object

Previous **Next** Cancel

Select the other object to which this object is related.

Related To **Venue**

Previous Next Cancel

- Give the field label(Venue) & click next, next, next and Save.

Event  
New Relationship

Help for this Page

Step 3. Enter the label and name for the lookup field Step 3 of 6

Previous **Next** Cancel

Field Label  ⓘ

Field Name  ⓘ

Description

Help Text  ⓘ

Child Relationship Name  ⓘ

Required ☐ Always require a value in this field in order to save a record

What to do if the lookup record is deleted? ☒ Clear the value of this field. You can't choose this option if you make this field required.

☐ Don't allow deletion of the lookup record that's part of a lookup relationship.

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity ⓘ

## Create Many-to-Many Relationship (Event ↔ Vendor)

Salesforce doesn't allow direct many-to-many, so we create a **junction object** (EventVendor\_\_c) :

Go to Object Manager → Create New Custom Object

- Label: Event Vendor
- Object Name: EventVendor\_\_c

Setup Home Object Manager

Search Setup

Setup

Object Manager

SETUP  
New Custom Object

Help for this Page

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again](#)

Custom Object Definition Edit Save Save & New Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label  Example: Account

Plural Label  Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name  Example: Account

Description

Context Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window

☐ Open a window using a Visualforce page.

Content Name

From Setup, go to Object Manager , Select Event Vendor Object

- On the sidebar, click Fields & Relationships.
- Select Master Detail relationship & click next

SETUP > OBJECT MANAGER  
**Event Vendor**

Details  
**Fields & Relationships**  
Page Layouts  
Lightning Record Pages  
Buttons, Links, and Actions  
Compact Layouts  
Field Sets  
Object Limits  
Record Types  
Related Lookup Filters  
Search Layouts  
List View Button Layout  
Restriction Rules

Event Vendor  
**New Custom Field**

Step 1. Choose the field type Step 1

Specify the type of information that the custom field will contain.

**Data Type**

☐ None Selected Select one of the data types below:

☐ Auto Number A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

☐ Formula A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll Up Summary A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

☐ Lookup Relationship Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

☒ **Master-Detail Relationship** Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

Next Cancel

- Choose the related object as Event & click next
- Give the field label(Event) & click next, next, next and Save&New.
- Select Master Detail relationship & click next
- Choose the related object as Vendor & click next
- Give the field label(Vendor) & click next, next, next and Save.

### Add Lookup Relationship (Event → Client) :

- From Setup, go to Object Manager , Select Event Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next.
- Choose the related object as Client & click next
- Give the field label(Client) & click next, next, next and Save.

## Activity 2:

### Creation lookup relationship for the Feedback object:

- From Setup, go to Object Manager , Select Feedback Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next.
- Choose the related object as Event & click next
- Give the field label(Event) & click next, next, next and Save.

### Add Lookup Relationship (Feedback → Client) :

- From Setup, go to Object Manager , Select Feedback Object
- On the sidebar, click Fields & Relationships.
- Select Lookup relationship & click next.
- Choose the related object as Client & click next
- Give the field label(Client) & click next, next, next and Save.

## Activity 3: Lookup Filters

**Scenario:** In an Event Management app, each Event belongs to a Client. When creating Feedback, after selecting a Client, the Event lookup should only show Events of that Client. For example, if Ramesh is chosen, only Ramesh's events appear, not other clients' events.

1. Click the gear → Setup.
2. In Setup Quick Find type Object Manager → open Object Manager.

3. Find and open the Feedback object (Feedback\_\_c).
4. In the left menu click Fields & Relationships.
5. Find the Event lookup field (Event\_\_c) and click it.

The screenshot shows the Salesforce Setup interface. In the left sidebar, 'Fields & Relationships' is selected. The main content area shows the 'Feedback Custom Field' for 'Event\_\_c'. The 'Edit' button is highlighted with a red box. Other buttons like 'Set Field-Level Security', 'View Field Accessibility', and 'Where is this used?' are also visible.

6. Click On Edit.
7. Scroll to the Lookup Filter section and click Show filter Settings

The screenshot shows the 'Lookup Filter' section. It contains a link 'Show Filter Settings' which is highlighted with a red box. Below the link are buttons for 'Change Field Type', 'Save', and 'Cancel'.

8. Build the filter criteria like this:
9. Field (left side): choose the Event object's client field — Event: Client\_\_c.
10. Operator: equals.
11. Value (right side): choose the Field radio button and then select the Client field on the Feedback record — Feedback: Client\_\_c.
12. Make sure to Check Enable this Filter box
13. Click on Save.

The screenshot shows the 'Lookup Filter' configuration page. The filter criteria are set to 'Feedback: Client' equals 'Field' 'Event: Client'. The 'Enable this filter' checkbox is checked. The 'Filter Type' is set to 'Required'. The 'Lookup Window Text' is empty.

## **Milestone 5 -Validation Rules :**

Validation rules are applied when a user tries to save a record and are used to check if the data meets specified criteria. If the criteria are not met, the validation rule triggers an error message and prevents the user from saving the record until the issues are resolved.

### **Activity 1:**

#### **Create Validation Rules on Client\_\_c :**

1. Go to the setup page → click on object manager → type object name(Client) in quick find box, click on the Client object

2. Click on the validation rule → click New.

3. Enter the Rule name as “ Email\_Valid\_Address”.

4. Select Active

5. Insert the Error Condition Formula as : -

`NOT(REGEX(Email__c, "^([a-zA-Z0-9._]+@[a-zA-Z0-9.]+\.[a-zA-Z]{2,}$" ))`

6. Enter the Error Message as “Please Enter Valid Email Address”, select the Error location as Field and select the field as “Email”, and click Save.


## **Milestone 6 : APPROVAL PROCESS**

### **Activity 1: Create an Approval Process for Event Cancellation Approval**

**Note:** Before Implementing Approval Process first Complete Profiles, Roles and Users Milestones.

## 1. Create Classic Email Template

1. Go to Setup (gear icon on top-right)
2. In the Quick Find box, type: Email Templates
3. Click on Classic Email Templates
4. Click "New Template"



5. You'll now choose the type of email template you want to create.

Choose the type:

- Text – Plain text (no formatting)
- Click Next

6. Email Template Information:

|                      |                                                                         |
|----------------------|-------------------------------------------------------------------------|
| Folder               | Public or private folder (use "Unfiled Public Email Templates" for now) |
| Email Template Name  | Event Cancellation Request Notification                                 |
| Template Unique Name | Auto-filled, or change it (no spaces)                                   |
| Encoding             | Leave default (UTF-8)                                                   |
| Subject              | Approval Request: Cancel Event {!Event__c.Name}                         |

|            |                                                                                                                                                                                                                                                                       |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Email Body | <p>Hello!</p> <p>An approval request has been submitted to cancel the event:</p> <ul style="list-style-type: none"> <li>- Event Name: {!Event__c.Name}</li> <li>- Event Date: {!Event__c.Event_Date__c}</li> </ul> <p>Thank you,<br/>EventForce Management System</p> |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Email Template Information**

Folder: Unfiled Public Classic Email Templates

Available For Use: ☒

Email Template Name: Event Cancellation Request

Template Unique Name: Event\_Cancellation\_Request

Encoding: Unicode (UTF-8)

Description:

Subject: Approval Request: Cancel Event {!Event\_\_c.Name}

Email Body:

Hello,

An approval request has been submitted to cancel the event:

- Event Name: {!Event\_\_c.Name}
- Event Date: {!Event\_\_c.Event\_Date\_\_c}

Please review and take action:

Thank you,  
EventForce Management System

Save Save & New Cancel

## 2.Create Another Email Template to Send Customer Email. If Cancellation Approved.

- 1.Template Name : Email to Client After Cancellation
2. Subject : Event Cancellation Notice – {!Event\_\_c.Name}
- 3.Body :

Hello!

We would like to inform you that the event has been canceled.

Event Name: {!Event\_\_c.Name}

Date: {!Event\_\_c.Event\_Date\_\_c}

If you have any questions or need assistance, please contact us.

Thank you for your understanding,  
Event Management Team

### **3. Create Another Email Template to Send Owner Email. If Cancellation Approved.**

1. Template Name : Approval Notification to Event Owner
2. Subject : Event Cancellation Approved: {!Event\_\_c.Name}
3. Body :

Hello {!Event\_\_c.OwnerFullName}

Your cancellation request for the event {!Event\_\_c.Name} has been approved.

Event Date: {!Event\_\_c.Event\_Date\_\_c}

The event status has been updated to Canceled.

Thank you,  
EventForce Management System

### **4. Create Another Email Template to Send Owner Email. If Cancellation Rejected.**

1. Template Name : Rejection Notification to Event Owner
2. Subject : Event Cancellation Rejected: {!Event\_\_c.Name}
3. Body :

Hello {!Event\_\_c.OwnerFullName},

Your cancellation request for the event {!Event\_\_c.Name} has been rejected.

Event Date: {!Event\_\_c.Event\_Date\_\_c}

The event status has been reverted to Confirmed.

Thank you,  
EventForce Management System

## 5. Create the Approval Process

- In the Quick Find box, type: Approval Processes
- Click on "Approval Processes" under Process Automation
- Click on the object name: Event
- Click Create New Approval Process → Use Standard Setup Wizard

Setup

Home

Object Manager

Q approval

▼ Data

Mass Transfer Approval Requests

▼ Feature Settings

Approval Settings

▼ Process Automation

Approval Processes

Didn't find what you're looking for?

Try using Global Search.

SETUP

Approval Processes

Open Approvals App

Approvals are complex business processes that require information gathering and planning before implementing. It is recommended that you follow the instructions below before getting started.

1. Read the help topic

2. View the checklist

3. Create a custom user hierarchical relationship field

4. Create email templates

5. Create an approval process using either the Jump Start or Standard Wizard

6. Add Approval History Related List to all page layouts

7. Activate the process to deploy to your users

Manage Approval Processes For: Event

A listing of both active and inactive approval processes for **Events**, is displayed below. To create a new approval process, click Create New Approval Process then select Use Jump Start Wizard to set up your approval process in a few short steps. Or, select Use Standard Setup Wizard to configure all approval options.

Create New Approval Process

Use Jump Start Wizard

Use Standard Setup Wizard

Active Approval Processes

No approval processes available

## Step 1: Basic Settings

- Name: Event\_Cancellation\_Process
- Unique Name: Auto-fills (you can keep it as is)
- Click Next

 SETUP

Approval Processes

Approval Process Edit

Event\_Cancellation\_Process

Help for this Page

Step 1 of 6

Step 1. Enter Name and Description

Enter a name and description for your new approval process.

SaveNextCancel

Enter Name and Description

Process Name

Event\_Cancellation\_Process

Unique Name

Event\_Cancellation\_Process

Description

! = Required Information

SaveNextCancel

Specify Entry Criteria:

- 1. This defines when the process will be triggered.
- Choose "Criteria are met"

Set:

- Field: Event→ Event Status
- Operator: Equals
- Value: Pending Cancellation
- Click Next.

Approval Process Edit  
Event\_Cancellation\_Process [Help for this Page](#)

---

Step 2. Specify Entry Criteria Step 2 of 6

[Previous](#) [Save](#) [Next](#) [Cancel](#)

If only certain types of records should enter this approval process, enter that criteria below. For example, only expense reports from employees at headquarters should use this approval process.

**Specify Entry Criteria**

Use this approval process if the following criteria are met ▼

| Field               | Operator | Value                |     |
|---------------------|----------|----------------------|-----|
| Event: Event Status | equals   | Pending Cancellation | AND |
| --None--            | --None-- |                      | AND |
| --None--            | --None-- |                      | AND |
| --None--            | --None-- |                      | AND |
| --None--            | --None-- |                      |     |

[Add Filter Logic...](#)

[Previous](#) [Save](#) [Next](#) [Cancel](#)

## Step 2: Select Approver

Option 1: Use a specific user

- Select: Automatically assign using user or queue
- Choose: A specific user (Manager)

Option 2: Use Manager of the user

- Select: Automatically assign to the manager of the user who submitted the record
- (Make sure users have a manager assigned in their User record)
- Click Next

Approval Process Edit  
Event\_Cancellation\_Process [Help for this Page](#)

---

Step 3. Specify Approver Field and Record Editability Properties Step 3 of 6

[Previous](#) [Save](#) [Next](#) [Cancel](#)

When you define approval steps, you can assign approval requests to different users. One of your options is to use a user field to automatically route these requests. If you want to use this option for any of your approval steps, select a field from the picklist below. Also, when a record is in the approval process, it will always be locked-- only an administrator will be able to edit it. However, you may choose to also allow the currently assigned approver to edit the record.

**Select Field Used for Automated Approval Routing**

Next Automated Approver Determined By Manager ▼ ⓘ

Use Approver Field of Event. Owner ☐

**Record Editability Properties**

☐ Administrators **ONLY** can edit records during the approval process.

☒ Administrators **OR** the currently assigned approver can edit records during the approval process.

[Previous](#) [Save](#) [Next](#) [Cancel](#)

## Step 3: Email Template

## Approval Assignment Email Template:

- Select Email Template : Event Cancellation Request Notification

Approval Process Edit  
Event\_Cancellation\_Process [Help for this Page](#)

---

**Step 4. Select Notification Templates** Step 4 of 6

Previous Save Next Cancel

Select the email template that will be used to notify approvers that an approval request has been assigned to them. Note that this template will be used for all steps for this process. [Create a new email template](#)

| Email Template                                                                                                      |
|---------------------------------------------------------------------------------------------------------------------|
| Approval Assignment Email Template                                                                                  |
| <b>Event Cancellation Request</b>  |

Previous Save Next Cancel

## Step 4: Select Fields to Display on Approval Page Layout

You'll see a dual list:

- Available Fields on the left
- Selected Fields on the right

Choose the fields you want approvers to see (typically key business info). Example for Event:

Suggested Fields:

- Event Name
  - Owner
  - Client
  - Last Modified By
  - Created By
  - Event Budget
  - Event Date
  - Event Status
  - Event Type
  - Venue
- 
- Use the Add button to move fields from left to right.
  - Use the Up/Down arrows to reorder how they appear.
  - Click Next to proceed.



SETUP

Approval Processes

Approval Process Edit

Event\_Cancellation\_Process

Help for this Page

Step 5. Select Fields to Display on Approval Page Layout

Step 5 of 6

Previous

Save

Next

Cancel

The approval page is where an approver will actually approve or reject a request. Using the options below, choose the fields to display on this page.

Available Fields

--None--

Add

Remove

Selected Fields

Event Name

Owner

Client

Last Modified By

Created By

Event Budget

Event Date

Event Status

Event Type

Venue

Up

Down



Click here to view an example

## Step 5: Specify Initial Submitters

- Select Event Owner As Initial Submitters.
- Click Save.



SETUP

Approval Processes

Approval Process Edit

Event\_Cancellation\_Process

Help for this Page

Step 6. Specify Initial Submitters

Step 6 of 6

Previous

Save

Cancel

Using the options below, specify which users are allowed to submit the initial request for approval. For example, expense reports should normally be submitted for approval only by their owners.

Initial Submitters

Submitter Type

Search: Owner

for:

Find

Available Submitters

--None--

Add

Remove

Allowed Submitters

Event. Owner

## Step 6: Initial Submission Actions

What should happen when a record is submitted?

- Click Add New → Email Alert

**Approval Processes**

Event.: Event\_Cancellation\_Process

Process Definition Detail

|                                    |                                                  |                                              |                                              |
|------------------------------------|--------------------------------------------------|----------------------------------------------|----------------------------------------------|
| Process Name                       | Event_Cancellation_Process                       | Active                                       | <input type="checkbox"/>                     |
| Unique Name                        | Event_Cancellation_Process                       | Next Automated Approver Determined By        | Manager of Record Submitter                  |
| Description                        |                                                  |                                              |                                              |
| Entry Criteria                     | Event.: Event_Status EQUALS Pending Cancellation |                                              |                                              |
| Record Editability                 | Administrator OR Current Approver                | Allow Submitters to Recall Approval Requests | <input type="checkbox"/>                     |
| Approval Assignment Email Template | Event_Cancellation_Request_Notification          |                                              |                                              |
| Initial Submitters                 | Event_Owner                                      |                                              |                                              |
| Created By                         | Sushanth Sush                                    | 9/22/2025, 11:12 PM                          | Modified By Sushanth Sush 9/23/2025, 7:14 AM |

Initial Submission Actions

| Action | Type        | Description     |
|--------|-------------|-----------------|
|        | Record Lock | Lock the record |

Add Existing Add New

- Task
- Email Alert**
- Field Update
- Outbound Message
- Flow

Approval Steps

New Approval

You have not yet defined any approval steps

### Fill in the details:

1. Description → Alert - Event Cancellation Request
2. Unique Name → Auto-filled.
3. Object → Choose the object ( Event\_\_c).
4. Email Template → Select the email template you want to send.(Event Cancellation Request Notification)
5. Recipients → Add Role - Event Coordinator.
6. Additional Email →If you want to enter additional emails, then enter in the box.
7. From Email Address → Select Current User's Email Address
8. Click Save.

## New Email Alert

Create an email alert to associate with one or more workflow rules, approval processes, or entitlement processes. When changing an email alert, any modifications will apply to all rules, approvals, or entitlement processes associated with it.

**Email Alert Edit** Save Save & New Cancel

**Edit Email Alert**

Description: **Alert - Event Cancellation Request**

Unique Name: **Alert\_Event\_Cancellation\_Re**

Object: Event

Email Template: **Event Cancellation Request**

Protected Component: ☐

Recipient Type: Search **Role** for:  Find

Recipients

Available Recipients

- Role: Director, Channel Sales
- Role: Director, Direct Sales
- Role: Eastern Sales Team
- Role: Event Admin
- Role: Installation & Repair Services
- Role: Marketing Team
- Role: SVP, Customer Service & Support
- Role: SVP, Human Resources
- Role: SVP, Sales & Marketing
- Role: VP, International Sales
- Role: VP, Marketing
- Role: VP, North American Sales
- Role: Vendor Manager
- Role: Western Sales Team

Add

Remove

Selected Recipients

- Role: Event Coordinator

You can enter up to five (5) email addresses to be notified.

Additional Emails:

From Email Address: **Current User's email address**

☐ Make this address the default From email address for this object's email alerts.

Save Save & New Cancel

## Step 7: Final Approval Actions

- Click Add New → Field Update

**Final Approval Actions** Add Existing Add New

| Action               | Type        | Description     | Task                |
|----------------------|-------------|-----------------|---------------------|
| <a href="#">Edit</a> | Record Lock | Lock the record | Email Alert         |
|                      |             |                 | <b>Field Update</b> |

- Select Field To Update as Event status.
- Name: Event Status Update
- Field: Event Status
- New Value: Canceled
- Save.

## Event Status Update

Define the field update, including the object associated with the workflow rule, approval process, or entitlement process, the field to update, and the value to apply. Note that the field to update may be on a related object. Fields are shown only for the type that you select.

**Field Update Edit** Save Save & New Cancel

**Identification** Required Information

Name

Unique Name

Description

Object Event

Field to Update

Field Data Type Picklist

Re-evaluate Workflow Rules after Field Change ☐

**Specify New Field Value**

**Picklist Options**

☐ The value above the current one

☐ The value below the current one

☒ A specific value

## Click Add New → Email Alert

**Final Approval Actions** Add Existing Add New

| Action                                        | Type         | Description      | Task             |
|-----------------------------------------------|--------------|------------------|------------------|
| <a href="#">Edit</a>                          | Record Lock  | Lock the record  | Task             |
| <a href="#">Edit</a>   <a href="#">Remove</a> | Field Update | Field Update     | Field Update     |
|                                               | Approval     | Outbound Message | Outbound Message |

- Description: Alert - Cancellation Approved
- Email Template : Approval Notification to Event Owner
- Recipient Type : Select Event Owner
- From Email Address: Select Current User's Email.
- Save.

**Edit Email Alert**

Description

Unique Name

Object Event

Email Template

Protected Component ☐

Recipient Type Search:  for  Find

Recipients

Available Recipients

Selected Recipients

Add Remove

You can enter up to five (5) email addresses to be notified.

Additional Emails

From Email Address

☐ Make this address the default From email address for this object's email alerts.

Save Save & New Cancel

## Step 8: Final Rejection Actions

- Click Add New → Email Alert
- Description: Alert - Cancellation Rejected
- Email Template : Rejection Notification to Event Owner
- Recipient Type : Select Event Owner
- From Email Address: Select Current User's Email.
- Save.

**Edit Email Alert**

Description:

Unique Name:

Object:

Email Template:

Protected Component: ☐

Recipient Type: Search:  for:

Recipients

| Available Recipients |                                                                             | Selected Recipients |
|----------------------|-----------------------------------------------------------------------------|---------------------|
| --None--             | <input type="button" value="Add"/><br><input type="button" value="Remove"/> | Event. Owner        |

You can enter up to five (5) email addresses to be notified.

Additional Emails:

From Email Address:

☐ Make this address the default From email address for this object's email alerts.

- Click Add New → Field Update
- Select Field To Update as Event status.
- Name: Event Status To Rejected
- Field: Event Status
- New Value: Rejected
- Save.

**Field Update Edit** Save Save & New Cancel

**Identification**

Name Event Status To Rejected

Unique Name Event\_Status\_To\_Rejected i

Description

Object Event.

Field to Update Event Status v

Field Data Type Picklist

Re-evaluate Workflow Rules after Field Change ☐ i

**Specify New Field Value**

**Picklist Options**

☐ The value above the current one

☐ The value below the current one

☒ A specific value Rejected v

Save Save & New Cancel

## Step 9: Approval Steps

- Click Add New Step

**Approval Steps** i New Approval Step

 You have not yet defined any approval steps

- Enter: Step Name ("Manager Review")
- Unique Name (auto-filled)
- Step Number (optional – controls order)
- Click Next

**SETUP** **Approval Processes**

**New Approval Step** Help for this Page

**Assistant** **1. Enter Name and Description** Step 1 of 3

Next Cancel

Enter a name, description, and step number for your new approval step.

**Enter Name and Description** i Required Information

Approval Process Name Event\_Cancellation\_Process

Name Manager Review

Unique Name Manager\_Review i

Description

Step Number 2

Next Cancel

## 1. Specify Step Criteria

- Choose All records should enter this step
- Click Next.

Step 2. Specify Step Criteria Step 2 of 3

[Previous](#) [Save](#) [Next](#) [Cancel](#)

Specify whether a record must meet certain criteria before entering this approval step. If these criteria are not met, the approval process can skip to the next step, if one exists. [Learn more](#)

**Specify Step Criteria**

☒ All records should enter this step.

☐ Enter this step if the following  , else .

## 2. Select Assigned Approver

- Now choose who will approve the record at this step:
- Manually chosen from a user field on the record
- Select Automatically assign to approver(s).
- Select A specific user
- A related user (Michael Jackson)
- Click Save.

Step 3. Select Assigned Approver Step 3 of 3

[Previous](#) [Save](#) [Cancel](#)

Specify the user who should approve records that enter this step. Optionally, choose whether the approver's delegate is also allowed to approve these requests.

**Select Approver**

☐ Let the submitter choose the approver manually.

☐ Automatically assign using the user field selected earlier. (Manager)

☐ Automatically assign to queue.

☒ Automatically assign to approver(s).

[Add Row](#) [Remove Row](#)

**When multiple approvers are selected:**

☒ Approve or reject based on the FIRST response.

☐ Require UNANIMOUS approval from all selected approvers.

☐ The approver's delegate may also approve this request. [i](#)

## Step 10: Activate the Approval Process

- Click View Approval Process Detail Page
- Click the "Activate" button at the top

**SETUP** Approval Processes

Approval Processes  
Event.: Event\_Cancellation\_Process [Help for this Page](#)

[Back to Approval Process List](#)

**Process Definition Detail** [Edit](#) [Clone](#) [Delete](#) [Activate](#)

|                                    |                                                  |                                              |                                  |
|------------------------------------|--------------------------------------------------|----------------------------------------------|----------------------------------|
| Process Name                       | Event_Cancellation_Process                       | Active                                       | <input type="checkbox"/>         |
| Unique Name                        | Event_Cancellation_Process                       | Next Automated Approver Determined By        | Manager of Record Submitter      |
| Description                        |                                                  |                                              |                                  |
| Entry Criteria                     | Event.: Event Status EQUALS Pending Cancellation |                                              |                                  |
| Record Editability                 | Administrator OR Current Approver                | Allow Submitters to Recall Approval Requests | <input type="checkbox"/>         |
| Approval Assignment Email Template | Event_Cancellation_Request_Notification          |                                              |                                  |
| Initial Submitters                 | Event Owner                                      |                                              |                                  |
| Created By                         | Sushanth Sush 9/22/2025, 11:12 PM                | Modified By                                  | Sushanth Sush 9/23/2025, 9:47 AM |

## Milestone 7 - Flows

In Salesforce, a flow is a powerful tool that allows you to automate business processes, collect and update data, and guide users through a series of screens or steps. Flows are built using a visual interface and can be created without any coding knowledge.

### Activity 1 : Create Flow to Send 3-Day Reminder Email to Client


#### Scenario:

When an Event is created/updated with Status = Confirmed and a valid Client with an email address, the system should automatically send a reminder email to the Client 3 days before the Event Date.

1. Go to setup → type Flow in quick find box → Click on the Flow and Select the New Flow.



2. Select the Record Triggered flow. Click on create.



3. Under Object select “Event.”

4. Select A record is Created or Updated.

**Configure Start**

Select Object

Select the object whose records trigger the flow when they're created, updated, or deleted.

\* Object

Event.

Configure Trigger

Trigger the Flow When:

☐ A record is created

☐ A record is updated

☒ A record is created or updated

☐ A record is deleted

Set Entry Conditions

Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements

All Conditions Are Met (AND)

5. Enter Condition as

Field : Event Status

Operator: Equals

Value: Confirmed

6. Select the Optimize the flow for: “Actions and Related Records” and Click on Done.

**Configure Start**

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements

All Conditions Are Met (AND)

Field: Event Status ×

Operator: Equals

Value: Confirmed ×

+ Add Condition

When to Run the Flow for Updated Records ⓘ

☒ Every time a record is updated and meets the condition requirements

☐ Only when a record is updated to meet the condition requirements

Optimize Flow

Optimize the Flow for:


**Fast Field Updates**

Update fields on the record that triggers the flow to run. This high-performance flow runs **before the record is saved** to the database.

**Actions and Related Records**

Update any record and perform actions, like send an email. This more flexible flow runs **after the record is saved** to the database.

7. Click On Start Button, and Click on Add Schedule Path



8. Enter Path name as “3\_Days\_Before” , API name Automatically Populates.

9. Select Time Source as “ Event\_\_c: Event Date”

10. Enter Offset Number : 3

11. Select Offset Options : Days Before, Click on ‘x’ icon.

▶

Configure Scheduled Paths

×

SCHEDULED PATHS

+

Run Immediately

3\_Days\_Before

Add a scheduled path if you want a flow path to run a certain amount of time after the triggering record is created or updated. That time can be based on the triggering event or on a specified date or date/time field in the record. A separate flow interview runs for each scheduled path. Each scheduled path interview is queued to run at the scheduled time, but can be delayed until system resources become available. Path labels appear on connectors in the canvas.

SCHEDULED PATH DETAILS

Delete Path

\* Path Label

3\_Days\_Before

\* API Name ⓘ

X3\_Days\_Before

\* Time Source

Event\_c: Event Date

\* Offset Number

3

\* Offset Options ⓘ

Days Before

> Show advanced options

12. Select Toolbox from Top left corner,Click on New Resource

☐

Select Elements

↶

↷

⊘

⚙

Auto-Layout

▼

Toolbox

×

Manager

Search this flow...

New Resource

RESOURCES

13. Select Text Template

**New Resource**

\* Resource Type

Select...

- Variable**  
Store a value that can be used and changed throughout the flow.
- Constant**  
Store a value that can be used but not changed throughout the flow.
- Formula**  
Calculate a value when the formula is used in the flow.
- Text Template**  
Store text that can be used and changed throughout the flow.
- Stage**  
Identify different phases in the flow to track user progress.

#### 14. Enter API Name : Subject

- In the Body Enter: “Reminder: Your Event {\$Record.Name} is in 3 days”
- Select View as Plain Text.
- Click Done.

**Edit Text Template**

\* API Name ⓘ

Subject

Description

\* Body ⓘ

Insert a resource... 🔍

View as Plain Text ▼

Reminder: Your Event {\$Record.Name} is in 3 days

Cancel Done

#### • Create another Resources

1. Select Text Template

2. Enter API Name : Body
3. In the Body Enter:  
Hello {!\$Record.Client\_\_r.Name},

This is a reminder that your event "{!\$Record.Name}" will take place on {!\$Record.Event\_Date\_\_c}.

Venue: {!\$Record.Venue\_\_r.Name}

Type: {!\$Record.Event\_Type\_\_c}

We look forward to seeing you!

- EventForce Team

4. Select View as Plain Text.
5. Click Done.

**Edit Text Template**

---

\* API Name ⓘ

Body

Description


\* Body ⓘ

Insert a resource... 🔍 View as Plain Text ▼


Hello {!\$Record.Client\_\_r.Name},  
This is a reminder that your event "{!\$Record.Name}" will take place on {!\$Record.Event\_Date\_\_c}.  
Venue: {!\$Record.Venue\_\_r.Name}  
Type: {!\$Record.Event\_Type\_\_c}  
We look forward to seeing you!  
- EventForce Team

Cancel Done

1. Under the 3 Days Before Click on “+” Symbol and In the Drop down List select the “Action”.
2. After Click on Action Select Email Action.



3. Search For Send Email, and Click On Send Email



4. Email Action Enter The Label Name as “Alert\_Client\_3Day\_Reminder”

⚡ Send Email

✕

\* Label

Alert\_Client\_3Day\_Reminder

\* API Name ⓘ

Alert\_Client\_3Day\_Reminder

Description

5. Select the Recipient Address List as Client Email.
6. Select the CC Recipient Address List : Event Owner

⚡ Send Email

✕

later in the flow, store them in variables.

Set Input Values

▼ Configure Recipient Details

A<sub>a</sub> Recipient Address List ⓘ

A<sub>a</sub> Triggering Event\_c > Client > Email ✕

A<sub>a</sub> Recipient Address Collection ⓘ

Enter value or search resources... 🔍

A<sub>a</sub> CC Recipient Address List ⓘ

A<sub>a</sub> ...ggering Event\_c > Owner ID (User) > Email ✕

A<sub>a</sub> CC Recipient Address Collection ⓘ

Enter value or search resources... 🔍

7. In Configure Email Content Select Compose Email Content
8. Select Subject: Subject Resource
9. Body: Body Resource

 Send Email ×

▼ Configure Email Content

**Compose Email Content**  
Set email details and compose message.

**Use Email Template**  
Select an existing email template.

**Subject**

Subject

**Body**

Body

**Rich-Text-Formatted Body**

Enter value or search resources...

10. Click Save.

11. Enter Flow Label: Client Reminder - 3 Days Before, Click Save & Activate.

Save as

Save As

A New Flow

**\* Flow Label**

Client Reminder - 3 Days Before.

**\* Flow API Name**


Client\_Reminder\_3\_Days\_Before

Description

Show Advanced

Cancel

Save




## Milestone 8 – Apex Classes

### Activity1:


**Scenario: When an Event is created with a Venue, mark Venue Availability = “Reserved”.  
When event is cancelled, mark “Available”**

### Create Apex Class:


1. Click Gear Icon and Select Developer Console



2. Click on File and Click New and Click on Apex class



3. Give name as VenueStatusHelper and Click Ok



4. Write your Apex Class Code


**Source Code:**

```

public with sharing class VenueStatusHelper {
    public static void updateVenueStatus(List<Event__c> events){
        List<Venue__c> venues = new List<Venue__c>();
        for(Event__c ev : events){
            if(ev.Venue__c != null){
                if(ev.Event_Status__c == 'Confirmed'){
                    venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Reserved'));
                } else if(ev.Event_Status__c == 'Canceled'){
                    venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Available'));
                }
            }
        }
        if(!venues.isEmpty()) update venues;
    }
}


```

5. Save the class using CTRL+S




**Now Create Trigger For this Class :**

1. Click on File and Click New and Click on Apex Trigger



2. Give name as EventTrigger13 and Select Object: Event\_\_c.


3. Then Click Submit.



4. Write Apex trigger Code

**Source Code:**

```
trigger EventTrigger13 on Event__c (after insert, after update) {  
    VenueStatusHelper.updateVenueStatus(Triquer.new);  
}
```




## Milestone 9 – Apex Trigger

### Activity1:

**Scenario:**Do not allow two events at the same Venue on the same Date.

### Create an Apex Trigger:

1. Click on File and Click New and Click on Apex Trigger



2. Give name as PreventDoubleBooking and Select Object: Event\_\_c.

3. Then Click Submit.

4. Write Apex trigger Code

#### Source Code :

trigger PreventDoubleBooking on Event\_\_c (before insert, before update) {

```
    Set<Id> venueIds = new Set<Id>();
```

```
    for(Event__c ev : Trigger.new){
```

```
        if(ev.Venue__c != null) venueIds.add(ev.Venue__c);
```

```
    }
```

```
    Map<Id, List<Event__c>> venueEventMap = new Map<Id, List<Event__c>>();
```

```
    for(Event__c e : [SELECT Id, Venue__c, Event_Date__c
```

```

        FROM Event__c WHERE Venue__c IN :venueIds]){

if(!venueEventMap.containsKey(e.Venue__c)){

    venueEventMap.put(e.Venue__c, new List<Event__c>());

}

venueEventMap.get(e.Venue__c).add(e);

}

for(Event__c ev : Trigger.new){


    if(ev.Venue__c != null && venueEventMap.containsKey(ev.Venue__c)){

        for(Event__c existing : venueEventMap.get(ev.Venue__c)){

            if(existing.Event_Date__c == ev.Event_Date__c && existing.Id != ev.Id){

                ev.addError('This Venue is already booked on this date.');
```

5. Save the trigger using CTRL+S.



```
1 trigger PreventDoubleBooking on Event__c (before insert, before update) {
2     Set<Id> venueIds = new Set<Id>();
3     for(Event__c ev : Trigger.new){
4         if(ev.Venue__c != null) venueIds.add(ev.Venue__c);
5     }
6
7     Map<Id, List<Event__c>> venueEventMap = new Map<Id, List<Event__c>>();
8     for(Event__c e : [SELECT Id, Venue__c, Event_Date__c
9         FROM Event__c WHERE Venue__c IN :venueIds]){
10         if(!venueEventMap.containsKey(e.Venue__c)){
11             venueEventMap.put(e.Venue__c, new List<Event__c>());
12         }
13         venueEventMap.get(e.Venue__c).add(e);
14     }
15
16     for(Event__c ev : Trigger.new){
17         if(ev.Venue__c != null && venueEventMap.containsKey(ev.Venue__c)){
18             for(Event__c existing : venueEventMap.get(ev.Venue__c)){
19                 if(existing.Event_Date__c == ev.Event_Date__c && existing.Id != ev.Id){
20                     ev.addError('This Venue is already booked on this date.');
```

## Milestone 10: Batchable and Schedulable Asynchronous Apex

**Scenario: Mark all past events as Completed every night.**

### Step 1: Create Batch Apex Class:

1. Click Gear Icon and Select Developer Console
2. Click on File and Click New and Click on Apex class
3. Give name as BatchCompleteEvents and Click Ok
4. Write your Apex Class Code

### Source Code:

```
global class BatchCompleteEvents implements Database.Batchable<sObject> {
    global Database.QueryLocator start(Database.BatchableContext bc){
        return Database.getQueryLocator(
```

```

        'SELECT Id, Event_Date__c, Event_Status__c FROM Event__c WHERE
Event_Date__c < TODAY AND Event_Status__c != \'Completed\'
    );
}
global void execute(Database.BatchableContext bc, List<Event__c> scope){
    for(Event__c ev : scope){
        ev.Event_Status__c = 'Completed';
    }
    update scope;
}
global void finish(Database.BatchableContext bc){
    System.debug('Past events marked as Completed');
}
}

```

5. Save the class using CTRL+S

## **Step 2: Schedulable class Implementation:**

1. Click Gear Icon and Select Developer Console
2. Click on File and Click New and Click on Apex class
3. Give name as ScheduleCompleteEvents and Click Ok
4. Write your Apex Class Code

### **Source Code:**

```

global class ScheduleCompleteEvents implements Schedulable {

    global void execute(SchedulableContext sc){

        Database.executeBatch(new BatchCompleteEvents(), 200);

    }

}

```

## **Step 3: Schedule Batch Apex from Salesforce Setup**


1. Go to Setup

Click the gear icon → Setup

## 2. Search for Apex Classes


In the Quick Find box, type Apex Classes

Click Apex Classes



## 3. Schedule Apex

On the top, click the “Schedule Apex” button



## 4. Enter Job Details

Job Name: Daily Event Completion

Apex Class: Select ScheduleCompleteEvents (the schedulable class you created)

## 5. Set Schedule Time

Frequency: Weekly or Monthly → Choose Weekly

Days: Select All Days

Preferred Start Time: Select 08:00 PM

6. Save

Click Save → Your job is now scheduled.

The screenshot shows the 'Apex Classes' setup page in Salesforce. At the top, there's a 'SETUP' header with a gear icon and the text 'Apex Classes'. Below this, there are 'Save' and 'Cancel' buttons. The 'Job Name' field is set to 'Daily Event Completion' and the 'Apex Class' field is set to 'ScheduleCompleteEvents'. Under 'Schedule Using', the 'Schedule Builder' option is selected. The 'Frequency' is set to 'Weekly', and a dropdown menu shows 'Recurs every week on' with all days of the week (Sunday through Saturday) selected. The 'Start' and 'End' dates are both set to '9/26/2025'. The 'Preferred Start Time' is set to '8:00 PM'. A note at the bottom states: 'Exact start time will depend on job queue activity.'

Salesforce will now run your BatchCompleteEvents every day at 08 PM and mark past events as Completed.

## Phase 3: UI/UX Development & Customization

UI/UX Development & Customization focuses on creating a simple, user-friendly interface for the EventForce Management System.

This phase includes the creation of a custom Lightning App in Salesforce to organize and access all modules such as Events, Clients, Vendors, Venues, and Feedback from a single workspace. Additionally, Reports and Dashboards were developed to visualize event schedules, vendor performance, and client feedback.

Reports such as Upcoming Events by Month were used for analytical tracking, while the EventForce Operations Dashboard provides a clear visual summary of key business metrics. This phase ensures a responsive and data-driven user experience, allowing users to manage and monitor event operations efficiently through Salesforce's Lightning interface.

## Milestone 11 - The Lightning App:

### What is an App ?

Apps in Salesforce are a group of tabs that help the application function by working together as a unit. It has a name, a logo, and a particular set of tabs. The simplest app usually has just two tabs.

### Activity 1: Create a Lightning App

#### Create the Event Planner Management System app

1. From Setup, enter App Manager in the Quick Find and select App Manager.

The screenshot shows the Salesforce Setup interface. In the left sidebar, the 'App Manager' link is highlighted with a red box. The main content area displays the 'Lightning Experience App Manager' page. At the top right of this page, the 'New Lightning App' button is highlighted with a red box. Below this, a table lists 26 apps, sorted by App Name. The table columns are App Name, Developer Name, Description, Last Modified, App Type, and Visibility. The first few apps listed are All Tabs, Analytics Studio, App Launcher, Automation, Bolt Solutions, Business Rules Engine, Community, Content, Data Manager, Digital Experiences, FARM MANAGEMENT SYSTEM, JOB APPLICATION TRACKING, Lightning Usage App, Marketing CRM Classic, and Platform.

| App Name                    | Developer Name           | Description                                                                     | Last Modified        | App Type  | Visibility |
|-----------------------------|--------------------------|---------------------------------------------------------------------------------|----------------------|-----------|------------|
| 1 All Tabs                  | AllTabSet                |                                                                                 | 15/04/2024, 12:12 pm | Classic   |            |
| 2 Analytics Studio          | Insights                 | Build CRM Analytics dashboards and apps                                         | 15/04/2024, 12:12 pm | Classic   | ✓          |
| 3 App Launcher              | AppLauncher              | App Launcher tabs                                                               | 15/04/2024, 12:12 pm | Classic   | ✓          |
| 4 Automation                | FlowsApp                 | Automate business processes and repetitive tasks.                               | 15/06/2024, 11:17 pm | Lightning | ✓          |
| 5 Bolt Solutions            | LightningBolt            | Discover and manage business solutions designed for your industry.              | 15/04/2024, 12:14 pm | Lightning | ✓          |
| 6 Business Rules Engine     | ExpressionSetConsole     | Create and maintain business rules that perform complex lookups and calculat... | 21/11/2024, 12:32 am | Lightning | ✓          |
| 7 Community                 | Community                | Salesforce CRM Communities                                                      | 15/04/2024, 12:12 pm | Classic   | ✓          |
| 8 Content                   | Content                  | Salesforce CRM Content                                                          | 15/04/2024, 12:12 pm | Classic   | ✓          |
| 9 Data Manager              | DataManager              | Use Data Manager to view limits, monitor usage, and manage recipes.             | 15/04/2024, 12:12 pm | Lightning | ✓          |
| 10 Digital Experiences      | SalesforceCMS            | Manage content and media for all of your sites.                                 | 15/04/2024, 12:12 pm | Lightning | ✓          |
| 11 FARM MANAGEMENT SYSTEM   | FARM_MANAGEMENT_SYSTE... |                                                                                 | 18/12/2024, 4:41 pm  | Lightning | ✓          |
| 12 JOB APPLICATION TRACKING | JOB_APPLICATION_TRACKING |                                                                                 | 20/12/2024, 10:06 am | Lightning | ✓          |
| 13 Lightning Usage App      | LightningInstrumentation | View Adoption and Usage Metrics for Lightning Experience                        | 15/04/2024, 12:12 pm | Lightning | ✓          |
| 14 Marketing CRM Classic    | Marketing                | Track sales and marketing efforts with CRM objects.                             | 15/04/2024, 12:12 pm | Classic   | ✓          |
| 15 Platform                 | Platform                 | The fundamental Lightning Platform                                              | 15/04/2024, 12:12 pm | Classic   |            |

2. Click New Lightning App. Event Planner as the App Name,

3. Upload Image ,then click next.

New Lightning App

### App Details & Branding

Give your Lightning app a name and description. Upload an image and choose the highlight color for its navigation bar.

#### App Details

\* App Name ⓘ  
Event Planner

\* Developer Name ⓘ  
Event\_Planner

Description ⓘ  
Enter a description...

#### App Branding

Image ⓘ  


Primary Color Hex Value ⓘ  
#0070D2

Org Theme Options  
☐ Use the app's image and color instead of the org's custom theme.

Next

4. Under App Options, leave the default selections and click Next.

5. Under Utility Items, leave as it is and click Next.

6. From Available Items, select Event, Client, Vendor, Venue, Feedback

7. Reports, and Dashboards and move them to Selected Items. Click Next.

New Lightning App

### Navigation Items

Choose the items to include in the app, and arrange the order in which they appear. Users can personalize the navigation to add or move items, but users can't remove or rename the items that you add. Some navigation items are available only for phone or only for desktop. These items are dropped from the navigation bar when the app is viewed in a format that the item doesn't support.

#### Available Items

Create

Type to filter list...

- Accounts
- ACME LOCATIONS
- Activation Targets
- Activations
- All Sites
- Alternative Payment Methods

#### Selected Items

- Events
- Clients
- Vendors
- Venues
- Feedbacks
- Reports
- Dashboards

Back

Next

8. From Available Profiles, select System Administrator and move it to

9. Selected Profiles. Click Save & Finish.

New Lightning App

User Profiles

Choose the user profiles that can access this app.

Available Profiles

Search: Type to filter list...

- Analytics Cloud Integration User
- Analytics Cloud Security User
- Anypoint Integration
- Authenticated Website
- Authenticated Website
- B2B Reordering Portal Buyer Profile

Selected Profiles

- System Administrator

Back Save & Finish

To verify your changes, click the App Launcher, type Event Planner and select the Event Planner app.

**Note:**

1. App Launcher-Displays available apps.
2. App Name-Displays the current selected app.
3. Navigation menu-Displays the tabs available inside the app.

## Milestone 12 : Reports

### Activity 1: Create a Report folder

1. Click on the app launcher and search for reports.
2. Click on the report tab, click on the new folder.
3. Enter the Folder label as “EventForce Report” Folder unique name will be auto populated.

4. Click save.

## Activity 2: Sharing a Report folder

1. Go to the app → click on the reports tab.
2. Click on the All folder , click on the Drop down arrow for EventForce Report Folder, and Click on share.
3. Select the share with “roles”, in the name field search and select “Event Coordinator”, “ Vendor Manager” give “view” as access for that role.
4. Then click share, and click on Done.

### Share folder

These sharing settings apply to all subfolders in this folder.

Share With

Roles

Names

Search Roles...

Search Roles...

Access

View

Share

Who Can Access

|                                                                                                                |        |   |
|----------------------------------------------------------------------------------------------------------------|--------|---|
|  Sushanth Sush<br>Users     | Manage | × |
|  Event Coordinator<br>Roles | View   | × |
|  Vendor Manager             | View   | × |

Done

### Activity 3: Create Report

**Note :** Before creating a report, create at least “10” records in every object.


Try to fill every field in each record for better experience.

#### Report 1 : Upcoming Events — Summary by Month

**Use:** See upcoming events and counts by month.

1. Go to the App Launcher → click on the Reports tab.
2. Click New Report.
3. Select the Category as All, search for Events or Events with Client & Venue, select it, and click Start Report.
4. In the outline pane, select the fields mentioned below in the Columns section:
  - Event Name
  - Event Date
  - Event Type
  - Client\_\_r.Name
  - Venue\_\_r.Name
  - Event\_Budget\_\_c
5. Remove any unnecessary fields.
6. Toggle Update Preview Automatically.
7. Go to Filters and apply the filters as follows:
  - Show Me = All Events
  - Event Date ≥ TODAY (or Next 30 Days)

- 0 Event Status  $\neq$  Canceled
8. In the GROUP ROWS section, select the fields:
  - 0 Event Date  $\rightarrow$  click the drop-down  $\rightarrow$  Group by Calendar Month
9. Click on Add Summary, summarize the following:
  - 0 Row Count (auto)
  - 0 Event\_Budget\_\_c  $\rightarrow$  SUM (to see total budget per month)
10. Click on Add Chart, select:
  - 0 Chart Type: Column or Line
  - 0 X-axis = Event Date (Calendar Month)
  - 0 Y-axis = Row Count or SUM(Event\_Budget\_\_c)
11. Click Save, give the report name: Upcoming Events by Month.
12. The Report Unique Name is auto-populated.
13. Select the folder EventForce Reports  $\rightarrow$  click Save  $\rightarrow$  Run




## Milestone 13 - Dashboards

### Activity 1: - Create Dashboard

#### Create EventForce Dashboard

1. Click on the Dashboards tab from the EventForce Management System application.
2. Click on New Dashboard.
3. Give name – EventForce Operations Dashboard.
4. Click Create.
5. Click on +Widget.
6. Select the Upcoming Events by Month Report.
  - 0 Chart: Donut Chat
  - 0 Max Values Displayed: 6
  - 0 Subtitle: Upcoming Events Overview
  - 0 Widget Theme: Light
  - 0 Click save.



## **Phase 4 : Data Migration, Testing & Security**

Data Migration, Testing & Security focuses on preparing and securing the system before deployment. This phase involved loading validated data into Salesforce, creating users, and implementing role-based access controls to ensure proper data visibility and protection.

During this phase, records for Events, Clients, Vendors, Venues, and Feedback were imported using the Data Import Wizard after pre-validation checks to avoid duplicates and maintain consistency.

User accounts were created for Event Admin, Event Coordinator, Vendor Manager, and Client, each assigned specific Profiles and Roles aligned with their access levels.

Security configurations included Profiles, Role Hierarchy, Permission Sets, and Sharing Rules to manage visibility and ensure compliance with business workflows. The Organization-Wide Defaults (OWD) were set to Private, allowing controlled record access through sharing rules like Event\_Sharing\_For\_Vendors.

Testing activities validated data accuracy, automation performance, and user permissions.

This phase ensured that the EventForce Management System was secure, reliable, and fully functional for real-time business operations.

### **Milestone 14- Profile:**

#### **What is a profile?**

A profile is a group/collection of settings and permissions that define what a user can do in salesforce. A profile controls “Object permissions, Field permissions, User permissions, Tab settings, App settings, Apex class access, Visualforce page access, Page layouts, Record Types, Login hours & Login IP ranges.

A profile can be assigned to many users, but users can be assigned a single profile at a time.

#### **Activity 1:**

Create a custom profile:

1. From setup , enter profiles in Quick Find box
2. Click On New Profile.

The screenshot shows the Salesforce Setup interface. At the top, there's a 'Search Setup' bar. Below it, the 'Setup' menu is open, showing 'Home' and 'Object Manager'. A search bar on the left contains 'profil'. The 'Profiles' section is selected in the left sidebar. The main content area shows the 'Clone Profile' dialog. The dialog has a title 'Clone Profile' and a subtitle 'Enter the name of the new profile.' Below this, a message states 'You must select an existing profile to clone from.' The dialog contains three fields: 'Existing Profile' with a dropdown menu showing 'System Administrator', 'User License' with a text field containing 'Salesforce', and 'Profile Name' with a text field containing 'Event Admin'. At the bottom right of the dialog are 'Save' and 'Cancel' buttons. The 'Save' button is highlighted with a red box.

Clone Profile

Enter the name of the new profile.

You must select an existing profile to clone from.

Existing Profile

User License

Profile Name

3. Select Existing Profile as ;System Administration’.
4. Enter Profile Name as ‘Event Admin’.
5. Click On save.

## Why use System Administrator as Base?

It already has Modify All Data, Customize Application, and full CRUD access on all objects.


By cloning it, your Event Admin profile automatically inherits full access.

You can then restrict/remove any permissions if needed (but usually Event Admin = full access).

## Activity 2:

Create a Custom profile:

1. From setup , enter profiles in Quick Find box
2. Click On New Profile.
3. Select Existing Profile as 'Standard Platform User'.
4. Enter Profile Name as '**Event Coordinator**'.
5. Click On save.
6. Click On Edit



The screenshot shows the Salesforce Setup interface for the 'Event Coordinator' profile. The page title is 'Profiles' under the 'SETUP' menu. The profile name 'Event Coordinator' is displayed at the top. Below the name, there is a description: 'Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information.' and a note: 'If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.' A list of permissions is shown, including 'Login IP Ranges', 'Enabled Apex Class Access', 'Enabled Visualforce Page Access', 'Enabled External Data Source Access', 'Enabled Named Credential Access', 'Enabled External Credential Principal Access', 'Enabled Custom Metadata Type Access', 'Enabled Custom Setting Definitions Access', 'Enabled Flow Access', 'Enabled Service Presence Status Access', and 'Enabled Custom Permissions'. Below the permissions list, there are buttons for 'Edit', 'Clone', 'Delete', and 'View Users'. The 'Edit' button is highlighted with a red box. Below the buttons, there is a table with the following data:

| Profile Detail |                     |
|----------------|---------------------|
| Name           | Event Coordinator   |
| User License   | Salesforce Platform |
| Description    |                     |
| Created By     | Sushanth Sush       |
| Modified By    | Sushanth Sush       |

7. Select the Custom App settings as default for the Event Planner.

| Custom App Settings                   |                                     |                                  |
|---------------------------------------|-------------------------------------|----------------------------------|
|                                       | Visible                             | Default                          |
| Analytics Studio (standard__Insights) | <input type="checkbox"/>            | <input type="radio"/>            |
| App Launcher (standard__AppLauncher)  | <input type="checkbox"/>            | <input type="radio"/>            |
| Event Planner (Event_Planner)         | <input checked="" type="checkbox"/> | <input checked="" type="radio"/> |
| Platform (standard__Platform)         | <input checked="" type="checkbox"/> | <input type="radio"/>            |
| WDC (standard__Work)                  | <input type="checkbox"/>            | <input type="radio"/>            |

8. Scroll down to Custom Object Permissions Give Access:

Event: CRED (Create, Read, Edit, Delete)

Client: Read / Edit

Vendor: Read

Venue: Read

Feedback: Create / Read

| Custom Object Permissions |                                     |                                     |                                     |                                     |                          |                          |                          |
|---------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|
|                           | Basic Access                        |                                     |                                     |                                     | Data Administration      |                          |                          |
|                           | Read                                | Create                              | Edit                                | Delete                              | View All Records         | Modify All Records       | View All Fields          |
| ACME LOCATIONS            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Clients                   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Events                    | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Event Vendors             | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

|           | Basic Access                        |                                     |                          |                          | Data Administration      |                          |                          |
|-----------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
|           | Read                                | Create                              | Edit                     | Delete                   | View All Records         | Modify All Records       | View All Fields          |
| Feedbacks | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Vendors   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Venues    | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

9. Changing the session times out after should be “ 2 hours of inactivity”.

10. Change the password policies as mentioned :

11. User passwords expire in should be “ never expires ”.

12. Minimum password length should be “ 8 ”, and click save.

Session Settings

Session Times Out After

2 hours of inactivity

Session Security Level Required at Login

--None--

Password Policies

User passwords expire in

Never expires

Enforce password history

3 passwords remembered

Minimum password length

8

Password complexity requirement

Must include alpha and numeric characters

Password question requirement

Cannot contain password

Maximum invalid login attempts

10

Lockout effective period

15 minutes

Obscure secret answer for password resets

☐

Require a minimum 1 day password lifetime

☐

Don't immediately expire links in forgot password emails

☐

Save

Save & New

Cancel

### Activity 3:

### Create a Custom profile:

1. From setup, enter profiles in Quick Find box
2. Click On New Profile.
3. Select Existing Profile as ;Standard Platform User’.
4. Enter Profile Name as ‘**Vendor Manager**’.
5. Click On save.
6. Click On Edit
7. Select the Custom App settings as default for the Event Planner.

#### 8. Scroll down to Custom Object Permissions Give Access:

Vendor: CRED

Event: Read Only

Venue: Read Only

Client: Read Only

Feedback: Read Only

[illegible]

9. Changing the session times out after should be “ 2 hours of inactivity”.

10. Change the password policies as mentioned :

11. User passwords expire in should be “ never expires ”.

12. Minimum password length should be “ 8 ”, and click save.

#### Activity 4:

Create a Custom profile:

1. From setup, enter profiles in Quick Find box
2. Click On New Profile.
3. Select Existing Profile as ;Standard Platform User’.
4. Enter Profile Name as ‘**Client Profile**’.
5. Click On save.
6. Click On Edit
7. Select the Custom App settings as default for the Event Planner.
8. Scroll down to Custom Object Permissions Give Access:  
Event: Read Only (for their own events)  
  
Feedback: Create / Read (give feedback)

Vendor/Venue: No Access

| Custom Object Permissions |                                     |                                     |                          |                          |                                                                                                      |                                                                                                        |                          |  |
|---------------------------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|--------------------------|--|
|                           | Basic Access                        |                                     |                          |                          | Data Administration                                                                                  |                                                                                                        |                          |  |
|                           | Read                                | Create                              | Edit                     | Delete                   | View All Records  | Modify All Records  | View All Fields          |  |
| ACME LOCATIONS            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>                                                                             | <input type="checkbox"/>                                                                               | <input type="checkbox"/> |  |
| Clients                   | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>                                                                             | <input type="checkbox"/>                                                                               | <input type="checkbox"/> |  |
| Events                    | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>                                                                             | <input type="checkbox"/>                                                                               | <input type="checkbox"/> |  |
| Event Vendors             | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>                                                                             | <input type="checkbox"/>                                                                               | <input type="checkbox"/> |  |
| Feedbacks                 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>                                                                             | <input type="checkbox"/>                                                                               | <input type="checkbox"/> |  |
| Vendors                   | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>                                                                             | <input type="checkbox"/>                                                                               | <input type="checkbox"/> |  |
| Venues                    | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>                                                                             | <input type="checkbox"/>                                                                               | <input type="checkbox"/> |  |

9. Changing the session times out after should be “ 2 hours of inactivity”.

10. Change the password policies as mentioned :
11. User passwords expire in should be “ never expires ”.
12. Minimum password length should be “ 8 ”, and click save.


## Milestone 15 - Role:

In Salesforce, roles are used to determine which users have access to certain data and functions within the system. They are also used to define the reporting hierarchy within an organization. Users with higher roles have greater access to data and more control over the system.

### Activity 1: Creation of Event Admin Role

Creation of role :

1. From the Quick find box search for the role and click on the roles option
2. Select the set up roles option



3. Click on  
Expand  
All and


click on add role under CEO.

## Creating the Role Hierarchy

You can build on the existing role hierarchy shown on this page. To insert a new role, click **Add Role**.

### Your Organization's Role Hierarchy

[Collapse All](#) [Expand All](#)



4. Give Label as “Event Admin” and the Role name gets auto populated. Then click on Save.

Role Edit

### New Role

#### Role Edit

Label

Role Name

This role reports to

Role Name as displayed on reports

**Save**

## Activity 2: Creating other Role Under Event Admin Role

1. Create Another Role.
2. Create a Role with the Name “**Event Coordinator**”.
3. Below the Event Admin click on add role and enter the label name as a “**Event Coordinator**” and role name, will be Automatically populated and click on save.
4. Follow the steps from above Activity.

## Activity 3: Creating other Role Under Event Admin Role

1. Create Another Role.
2. Create a Role with the Name “**Vendor Manager**”.
3. Below the Event Admin click on add role and enter the label name as a “**Vendor Manager**” and role name, will be Automatically populated and click on save.
4. Follow the steps from above Activity.

## Activity 4: Creating other Role Under Event Admin Role

1. Create Another Role.
2. Create a Role with the Name “**Client**”.
3. Below the Event Admin click on add role and enter the label name as a “**Client**” and role name, will be Automatically populated and click on save.
4. Follow the steps from above Activity.

## Milestone 16 -User:

### What is a user?

A user is anyone who logs in to Salesforce. Users are employees at your company, such as sales, reps, managers, and IT specialists, who need access to the company's records. Every user in Salesforce has a user account. The user account identifies the user, and the user account settings determine what features and records the user can access.

**NOTE-** As Salesforce license can only be used by 2 Users at a time in Dev Org, So If you don't find a salesforce license then deactivate a user who has a salesforce license Or change the license type from Salesforce to any other.

## Activity 1: To Create a User :

1. From Setup, enter Users in the Quick Find box, then select Users.
2. Click New User.

The screenshot shows the Salesforce Setup interface. In the left sidebar, under 'User Management Settings', the 'Users' option is highlighted with a red box. The main content area is titled 'All Users' and contains a 'New User' button, also highlighted with a red box. Below the button is a table of existing users.

| Action                        | Full Name ↑      | Alias   | Username                                                     | Role | Active | Profile                          |
|-------------------------------|------------------|---------|--------------------------------------------------------------|------|--------|----------------------------------|
| <input type="checkbox"/> Edit | Chatter Expert   | Chatter | chatty.009gk000006nwfuaa.uwve0uvvessa@chatter.salesforce.com |      | ✓      | Chatter Free User                |
| <input type="checkbox"/> Edit | EPIC_OrgFarm     | OEPIC   | epic.5988c21a1157@orgfarm.salesforce.com                     |      | ✓      | System Administrator             |
| <input type="checkbox"/> Edit | Sush_Sushanth    | sus     | sushanth2805652@agentforce.com                               |      | ✓      | System Administrator             |
| <input type="checkbox"/> Edit | User_Integration | integ   | integration@009gk000006nwfuaa.com                            |      | ✓      | Analytics Cloud Integration User |
| <input type="checkbox"/> Edit | User_Security    | sec     | insightasecurity@009gk000006nwfuaa.com                       |      | ✓      | Analytics Cloud Security User    |

### 3.Fill in the fields :

First Name : Sizzler

Last Name : Jaligam

Alias : Give an Alias Name

Email id : Give your Personal Email id

Username : Username should be in this form: text@text.text and it must be Unique.

Nick Name : Give a Nickname

Role : Event Admin

User licence : Salesforce

Profiles : Event Admin

### 4.Click On Save.

**SETUP Users**

## New User

Help for this Page

**User Edit** Save Save & New Cancel

**General Information** Required Information

|            |                                                        |                                   |                                                     |
|------------|--------------------------------------------------------|-----------------------------------|-----------------------------------------------------|
| First Name | <input type="text" value="Sizzler"/>                   | Role                              | <input type="text" value="&lt;None Specified&gt;"/> |
| Last Name  | <input type="text" value="Jaligam"/>                   | User License                      | <input type="text" value="Salesforce"/>             |
| Alias      | <input type="text" value="sjali"/>                     | Profile                           | <input type="text" value="Event Admin"/>            |
| Email      | <input type="text" value="sushanthj2805@gmail.com"/>   | Active                            | <input checked="" type="checkbox"/>                 |
| Username   | <input type="text" value="sizzler.admin@eventplanne"/> | Marketing User                    | <input type="checkbox"/>                            |
| Nickname   | <input type="text" value="Sizzu"/>                     | Offline User                      | <input type="checkbox"/>                            |
| Title      | <input type="text"/>                                   | Knowledge User                    | <input type="checkbox"/>                            |
| Company    | <input type="text"/>                                   | Flow User                         | <input type="checkbox"/>                            |
| Department | <input type="text"/>                                   | Service Cloud User                | <input type="checkbox"/>                            |
| Division   | <input type="text"/>                                   | Site.com Contributor User         | <input type="checkbox"/>                            |
|            |                                                        | Site.com Publisher User           | <input type="checkbox"/>                            |
|            |                                                        | WDC User                          | <input type="checkbox"/>                            |
|            |                                                        | Data.com User Type                | <input type="text" value="--None--"/>               |
|            |                                                        | Data.com Monthly Addition Limit   | <input type="text" value="Default Limit (300)"/>    |
|            |                                                        | Accessibility Mode (Classic Only) | <input type="checkbox"/>                            |
|            |                                                        | High-Contrast Palette on Charts   | <input type="checkbox"/>                            |

## Activity 2: Creating Other Users

1. Repeat the steps and create other users using
  - a. Role : Event Coordinator, Vendor Manager, Client
  - b. User licence : Salesforce Platform
  - c. Profile : Event Coordinator, Vendor Manager, Client

## Milestone 17 : Permission Set

A Permission Set in Salesforce is a collection of settings and permissions that grant access to various tools, features, and objects without changing the user's profile.

## Activity 1: Creating New Permission Set

1. Go to setup >> type Permission Set in quick find box >> Select Permission Set >> click New.
2. Give the Label as "Feedback Manager".
3. Click Save.

Setup Home Object Manager

Permission Set Create

Enter permission set information

Label: Feedback Manager

API Name: Feedback\_Manager

Description:

Session Activation Required: ☐

Select the type of users who will use this permission set

Who will use this permission set?

-Choose "--None--" if you plan to assign this permission set to multiple users with different user and permission set licenses.  
 -Choose a specific user license if you want users with only one license type to use this permission set.  
 -Choose a specific permission set license if you want this permission set license auto-assigned with the permission set.

Not sure what a permission set license is? [Learn more here.](#)

License: --None--

Save Cancel

4. Select Extra Permission For Feedback Manager Permission Set.

5. Go To the Object Settings.

6. Search Feedback Object,

7. Click On Edit, Go to the Object Permission.

8. Enable The R/E/C/D Permissions.

9. Click Save.

Permission Set Feedback Manager

Find Settings... Clone Delete Edit Properties Manage Assignments View Summary

Permission Set Overview > Object Settings Feedbacks

Feedbacks

Save Cancel


Tab Settings

| Available                | Visible                             |
|--------------------------|-------------------------------------|
| <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Object Permissions

| Permission Name    | Enabled                             |
|--------------------|-------------------------------------|
| Read               | <input checked="" type="checkbox"/> |
| Create             | <input checked="" type="checkbox"/> |
| Edit               | <input checked="" type="checkbox"/> |
| Delete             | <input checked="" type="checkbox"/> |
| View All Records   | <input type="checkbox"/>            |
| Modify All Records | <input type="checkbox"/>            |
| View All Fields    | <input type="checkbox"/>            |

10. Click On the Manage Assign




SETUP  
Permission Sets

Permission Set  
Feedback Manager

Find Settings... Clone Delete Edit Properties **Manage Assignments** View Summary

11. Click On the Add Assignment.




... > SETUP > PERMISSION SET 'FEEDBACK MANAGER'  
Feedback Manager

Current Assignments Add Assignment

12. Select Event Coordinator Role User.

13. Click Next & Assign.



... > PERMISSION SET 'FEEDBACK MANAGER' > MANAGE ASSIGNMENT EXPIRATION  
Feedback Manager

Select Users to Assign

All Users ▾  
1 item selected

Search this list...

| <input type="checkbox"/>            | Full Name ↑      | Alias   | Username                                                       | Role              | Active                              | Profile                          |
|-------------------------------------|------------------|---------|----------------------------------------------------------------|-------------------|-------------------------------------|----------------------------------|
| <input type="checkbox"/>            | Ananya Pandey    | apand   | ananya.client@eventplanner.com                                 | Client            | <input checked="" type="checkbox"/> | Client Profile                   |
| <input type="checkbox"/>            | Chatter Expert   | Chatter | chatty.00dgk000006nwjfuau.uwve0uvgeessa@chatter.salesforce.com |                   | <input checked="" type="checkbox"/> | Chatter Free User                |
| <input type="checkbox"/>            | Integration User | integ   | integration@00dgk000006nwjfuau.com                             |                   | <input checked="" type="checkbox"/> | Analytics Cloud Integration User |
| <input checked="" type="checkbox"/> | Michael Jackson  | mjack   | michael.coordinator@eventplanner.com                           | Event Coordinator | <input checked="" type="checkbox"/> | Event Coordinator                |
| <input type="checkbox"/>            | OrgFarm EPIC     | OEPIK   | epic.5988c21a1157@orgfarm.salesforce.com                       |                   | <input checked="" type="checkbox"/> | System Administrator             |

Cancel Next

## **Milestone 18 : Sharing Settings**

Salesforce allows you to configure sharing settings to control how records are accessed and shared within your organization. These settings are crucial for maintaining data security and privacy. Salesforce provides a variety of tools and mechanisms to define and enforce sharing rules, such as:

### **Organization-Wide Default (OWD) Settings:**

In Salesforce, OWD (Organization-Wide Default) is the baseline level of access to records that determines what all users can see and do with records in an organization. It is used to control visibility and access for all records in Salesforce, and you can customize it based on different objects (such as Accounts, Contacts, Opportunities, etc.).

The OWD settings define the default access level to records, which can then be overridden by other sharing mechanisms such as Role Hierarchy, Sharing Rules, Manual Sharing, and Apex Sharing.

Here are the OWD options available for each object in Salesforce:

#### **1. Private:**

- Only the record owner and users above them in the role hierarchy can see or edit the record.
- Users cannot see each other's records by default.

#### **2. Public Read Only:**

- All users can view the records, but only the record owner and those above them in the role hierarchy can edit the record.
- Other users can only read, not modify, the records.

#### **3. Public Read/Write:**

- All users can view and edit records, regardless of ownership.
- This is useful when you want users to freely collaborate and modify each other's records.


#### **4. Controlled by Parent:**

- This option applies to child objects (like Tasks or Cases) that are related to a parent object (like Accounts). The access level to the child record is controlled by the parent record's sharing settings.

By setting up OWD correctly, administrators can ensure that the right people have access to the right data while maintaining the necessary security for sensitive information.

## Activity 1: Configure OWD


1. Go to Setup → Sharing Settings → Click On Edit.



The screenshot shows the Salesforce Setup interface. In the left sidebar, the 'Sharing Settings' link is highlighted with a red box. The main content area is titled 'Sharing Settings' and includes a search bar and a 'Manage sharing settings for' dropdown set to 'All Objects'. Below this is a table for 'Organization-Wide Defaults' with an 'Edit' button highlighted in red. The table has four columns: Object, Default Internal Access, Default External Access, and Grant Access Using Hierarchies. The 'Event' object is highlighted in the table.

| Object               | Default Internal Access    | Default External Access | Grant Access Using Hierarchies |
|----------------------|----------------------------|-------------------------|--------------------------------|
| Lead                 | Public Read/Write/Transfer | Private                 | ✓                              |
| Account and Contract | Public Read/Write          | Private                 | ✓                              |
| Contact              | Controlled by Parent       | Controlled by Parent    | ✓                              |
| Order                | Controlled by Parent       | Controlled by Parent    | ✓                              |
| Asset                | Controlled by Parent       | Controlled by Parent    | ✓                              |
| Opportunity          | Public Read/Write          | Private                 | ✓                              |
| Case                 | Public Read/Write/Transfer | Private                 | ✓                              |
| Campaign             | Public Full Access         | Private                 | ✓                              |
| Campaign Member      | Controlled by Campaign     | Controlled by Campaign  | ✓                              |
| User                 | Public Read Only           | Private                 | ✓                              |
| Activity             | Private                    | Private                 | ✓                              |

2. Open The Sharing Setting, In Organization Wide Defaults Select the Event Object.
3. Click On Edit Button, Change the Default Internal Access as **Private**, and Default External Access also as **Private** in Event Object.
4. Click Save.



The screenshot shows the 'Edit' page for the 'Event' object's sharing settings. The 'Event' row is highlighted with a red box. The 'Default Internal Access' is set to 'Private' and the 'Default External Access' is set to 'Private'. Below the table is the 'Other Settings' section with checkboxes for 'Standard Report Visibility', 'Manual User Record Sharing', 'Manager Groups', 'Secure guest user record access', and 'Require permission to view record names in lookup fields'. The 'Save' button is highlighted with a red box.

| Object               | Default Internal Access | Default External Access | Grant Access Using Hierarchies |
|----------------------|-------------------------|-------------------------|--------------------------------|
| Tableau Host Mapping | Public Read Only        | Private                 | ✓                              |
| User Presence        | Public Read Only        | Private                 | ✓                              |
| Waitlist             | Private                 | Private                 | ✓                              |
| Web Cart Document    | Private                 | Private                 | ✓                              |
| Work Order           | Private                 | Private                 | ✓                              |
| Work Plan            | Private                 | Private                 | ✓                              |
| Work Plan Template   | Private                 | Private                 | ✓                              |
| Work Step Template   | Private                 | Private                 | ✓                              |
| Work Type            | Private                 | Private                 | ✓                              |
| Work Type Group      | Public Read/Write       | Private                 | ✓                              |
| ACME LOCATION        | Public Read/Write       | Private                 | ✓                              |
| Client               | Public Read/Write       | Private                 | ✓                              |
| Event                | Private                 | Private                 | ✓                              |
| Feedback             | Public Read/Write       | Private                 | ✓                              |
| Vendor               | Public Read/Write       | Private                 | ✓                              |
| Venue                | Public Read/Write       | Private                 | ✓                              |

**Other Settings**

Standard Report Visibility ☒ Manual User Record Sharing ☐ Manager Groups ☐ Secure guest user record access ☐ Require permission to view record names in lookup fields ☐

**Save** **Cancel**

## **Sharing Rules:**

### **What are Sharing Rules?**

Sharing rules help users to share records based on conditions. It is basically created for objects whose organization-wide defaults (OWD) are set to public read-only or private because sharing rules can only extend the access and not restrict it.


### **Types of sharing rules:**

- Owner-based Sharing Rules
- Criteria-based Sharing Rules

## **Activity 1:**

### **Create a sharing rule:**

1. Go to Sharing Settings, which can be found under the Quick Find section.
2. Scroll down and find the Event object where a sharing rule needs to be added, and then click on New to create a new sharing rule.



3. Give the Label name as “ Event\_Sharing\_For\_Vendors”

4. Rule name is auto populated.

5. In step 3 : Select which records to be shared, members of “ Roles ” >> “ Event Coordinator”

6. In step 4: share with, select “ Roles ” >> “ Vendor Manager ”

7. In step 5 : Change the access level to “ Read Only ”.

8. Click on Save.



SETUP

## Sharing Settings

Note: "Roles and subordinates" includes all users in a role, and the roles below that role.

You can use sharing rules only to grant wider access to data, not to restrict access.

|                                                                           |                                                                                                |
|---------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>Step 1: Rule Name</b>                                                  |                                                                                                |
| Label                                                                     | Event_Sharing_For_Vendor                                                                       |
| Rule Name                                                                 | Event_Sharing_For_Vendor ⓘ                                                                     |
| Description                                                               |                                                                                                |
| <b>Step 2: Select your rule type</b>                                      |                                                                                                |
| Rule Type                                                                 | <input checked="" type="radio"/> Based on record owner <input type="radio"/> Based on criteria |
| <b>Step 3: Select which records to be shared</b>                          |                                                                                                |
| Event: owned by members of                                                | Roles ▼ Event Coordinator ▼                                                                    |
| <b>Step 4: Select the users to share with</b>                             |                                                                                                |
| Share with                                                                | Roles ▼ Vendor Manager ▼                                                                       |
| <b>Step 5: Select the level of access for the users</b>                   |                                                                                                |
| Access Level                                                              | Read Only ▼                                                                                    |
| <input type="button" value="Save"/> <input type="button" value="Cancel"/> |                                                                                                |

## 7. FUNCTIONAL & PERFORMANCE TESTING

During testing, screenshots were captured from Salesforce to validate vehicle creation, dealer assignment, stock validation triggers, order status updates, batch processing, scheduled reminders, and dashboard analytics. All features were verified to ensure correct functionality and performance.

## 8. ADVANTAGES & DISADVANTAGES

### Advantages

- Centralized Data Management – Event, Client, Vendor, Venue, Feedback, and EventVendor information is managed within Salesforce.
- Process Automation – Flows automate reminders and other business processes, reducing manual effort.

- Prevents Double Booking – Apex Trigger and VenueStatusHelper validate venue availability and help prevent booking conflicts.
- Controlled Cancellation Process – Approval Process provides structured handling of event cancellation requests.
- Improved Operational Visibility – Reports and Dashboards provide visibility into event schedules, vendor activities, and feedback.
- Secure Access – Profiles, Roles, Permission Sets, OWD, and Sharing Rules provide controlled access to records.
- Scalable Solution – Salesforce provides a platform that can support future growth and additional business requirements.
- Better Data Quality – Validation Rules and pre-validation during data migration help maintain accurate and consistent data.

### **Disadvantages**

- Developer Edition Limitation – The project was implemented in a Salesforce Developer Edition for academic purposes and was not connected to a production environment.
- Production Deployment Not Performed – Actual migration to production was outside the scope of this implementation.
- Deployment Requires Additional Tools – Real-world deployment may require sandboxes, Change Sets, Salesforce DX, or DevOps/CI-CD tools.
- Configuration Complexity – Managing Flows, Apex, Approval Processes, and security configurations requires appropriate Salesforce knowledge.
- Ongoing Maintenance Required – Flows, Apex jobs, approval processes, validation rules, and sharing settings need regular monitoring and troubleshooting.

## **9. Conclusion:**

The EventForce Management System successfully demonstrates how Salesforce can be used to streamline and automate event planning and management

operations. The project brings Events, Clients, Vendors, Venues, Feedback, and EventVendor data into a centralized platform.

The implementation combines Salesforce Lightning, Flows, Validation Rules, Formula Fields, Approval Processes, Apex Triggers, Apex Classes, Batch Apex, Scheduled Apex, security controls, Reports, and Dashboards to address key business requirements. Automation supports activities such as event reminders, cancellation approvals, venue availability management, double-booking prevention, and event completion.

The project also demonstrates the importance of data migration, testing, security, documentation, and maintenance in a Salesforce implementation. Although the solution was developed and tested in a Developer Edition Org and actual production deployment was not performed, the project reflects real-world Salesforce implementation practices and provides a foundation for future scalability and enhancement.

## 10. FUTURE SCOPE

The **EventForce Management System** can be further enhanced to support larger-scale event operations and improve automation, integration, and user experience.

- Production Deployment – Deploy the solution from development to a production Salesforce environment using appropriate deployment tools.
- Advanced Event Automation – Extend automation for additional event planning and operational activities.
- Enhanced Vendor Management – Introduce more advanced vendor tracking and performance management capabilities.
- Advanced Analytics – Add more reports and dashboards for deeper insights into events, venues, vendors, and client feedback.

- External Integrations – Integrate Salesforce with external systems and services required for real-world event operations.
- Mobile Accessibility – Enhance the solution for convenient event management through mobile devices.
- Scalability Enhancements – Expand the system to support larger numbers of events, clients, vendors, venues, and users.
- Continuous Maintenance & Optimization – Regularly improve Flows, Apex, validation rules, sharing settings, and other configurations as business requirements evolve.

These enhancements can help transform the current EventForce implementation into a more comprehensive and enterprise-ready **event management CRM solution**. The source document specifically identifies future scalability, deployment readiness, maintenance, and enhancement as areas for continued development.

## **11. APPENDIX**

- A. Custom Objects: Event, Client, Vendor, Venue, EventVendor, Feedback
- B. Automation: Flows, Validation Rules, Approval Process, Apex Triggers & Classes
- C. Processing: Batch Apex and Scheduled Apex
- D. Security: Profiles, Roles, Permission Sets, OWD, Sharing Rules
- E. Data Migration: Salesforce Data Import Wizard
- F. UI & Analytics: Lightning App, Reports & Dashboards
- G. Testing & Documentation: Configuration testing, security testing, automation testing, and project documentation

**Thank You**



