

- 1 Richards, K.L., et al., Gene profiling of canine B-cell lymphoma reveals germinal center and postgerminal center subtypes with different survival times, modeling human DLBCL. *Cancer Res*, 2013. 73(16): p. 5029-39.
- 2 Egenvall, A., et al., Incidence of and survival after mammary tumors in a population of over 80,000 insured female dogs in Sweden from 1995 to 2002. *Prev Vet Med*, 2005. 69(1-2): p. 109-27.
- 3 Seelig, D.M., et al., The Comparative Diagnostic Features of Canine and Human Lymphoma. *Vet Sci*, 2016. 3(2).
- 4 Cutucache, C.E. and T.A. Herek, Burrowing through the Heterogeneity: Review of Mouse Models of PTCL-NOS. *Front Oncol*, 2016. 6: p. 206.
- 5 Ottaviani, G. and N. Jaffe, The epidemiology of osteosarcoma. *Cancer Treat Res*, 2009. 152: p. 3-13.
- 6 Selmic, L.E., et al., Comparison of carboplatin and doxorubicin-based chemotherapy protocols in 470 dogs after amputation for treatment of appendicular osteosarcoma. *J Vet Intern Med*, 2014. 28(2):
- 7 Vaysse, A., et al., Identification of genomic regions associated with phenotypic variation between dog breeds using selection mapping. *PLoS Genet*, 2011. 7(10): p. e1002316.
- 8 Melin, M., et al., Genome-Wide Analysis Identifies Germ-Line Risk Factors Associated with Canine Mammary Tumours. *PLoS Genet*, 2016. 12(5): p. e1006029.
- 9 Kang, H.M., et al., Variance component model to account for sample structure in genome-wide association studies. *Nature genetics*, 2010. 42(4): p. 348-54.
- 10 Zhao, Z., L. Wang, and W. Xu, IL-13R α 2 mediates PNR-induced migration and metastasis in ER α -negative breast cancer. *Oncogene*, 2015. 34(12): p. 1596-607.
- 11 Tonomura, N., et al., Genome-wide association study identifies shared risk loci common to two malignancies in golden retrievers. *PLoS Genet*, 2015. 11(2): p. e1004922.
- 12 Elvers, I., et al., Exome sequencing of lymphomas from three dog breeds reveals somatic mutation patterns reflecting genetic background. *Genome Res*, 2015. 25(11): p. 1634-45.
- 13 Koboldt, D.C., et al., VarScan 2: Somatic mutation and copy number alteration discovery in cancer by exome sequencing. *Genome Research*, 2012. 22(3): p. 568-576.
- 14 Mermel, C.H., et al., GISTIC2.0 facilitates sensitive and confident localization of the targets of focal somatic copy-number alteration in human cancers. *Genome Biol*, 2011. 12(4): p. R41.
- 15 Duns, G., et al., Histone methyltransferase gene SETD2 is a novel tumor suppressor gene in clear cell renal cell carcinoma. *Cancer Res*, 2010. 70(11): p. 4287-91.
- 16 Newbold, R.F. and K. Mokbel, Evidence for a tumour suppressor function of SETD2 in human breast cancer: a new hypothesis. *Anticancer Res*, 2010. 30(9): p. 3309-11.
- 17 Alexandrov, L.B., et al., Signatures of mutational processes in human cancer. *Nature*, 2013.

- 18 Adalsteinsson, V.A., et al., Scalable whole-exome sequencing of cell-free DNA reveals high concordance with metastatic tumors. *Nat Commun*, 2017. 8(1): p. 1324.
- 19 Dobin, A., et al., STAR: ultrafast universal RNA-seq aligner. *Bioinformatics*, 2013. 29(1): p. 15-21.
- 20 Ghosh, S. and C.K. Chan, Analysis of RNA-Seq Data Using TopHat and Cufflinks. *Methods Mol Biol*, 2016. 1374: p. 339-61.
- 21 Robinson, M.D., D.J. McCarthy, and G.K. Smyth, edgeR: a Bioconductor package for differential expression analysis of digital gene expression data. *Bioinformatics*, 2010. 26(1): p. 139-40.
- 22 Huang da, W., B.T. Sherman, and R.A. Lempicki, Bioinformatics enrichment tools: paths toward the comprehensive functional analysis of large gene lists. *Nucleic Acids Res*, 2009. 37(1): p. 1-13.
- 23 Ogris, C., T. Helleday, and E.L. Sonnenhammer, PathwAX: a web server for network crosstalk based pathway annotation. *Nucleic Acids Res*, 2016. 44(W1): p. W105-9.
- 24 Li, H. and R. Durbin, Fast and accurate short read alignment with Burrows-Wheeler transform. *Genome Res*, 2009. 19(9): p. 1101-13.
- 25 McKenna, A., et al., The Genome Analysis Toolkit: a MapReduce framework for analyzing nextgeneration DNA sequencing data. *Genome Res*, 2010. 20(9): p. 1297-303.
- 26 Cibulskis, K., et al., Sensitive detection of somatic point mutations in impure and heterogeneous cancer samples. *Nat Biotechnol*, 2013. 31(3): p. 213-9.
- 27 do Valle, I.F., et al., Optimized pipeline of MuTect and GATK tools to improve the detection of somatic single nucleotide polymorphisms in whole-exome sequencing data. *BMC Bioinformatics*, 2016. 17(Suppl 12): p. 341.
- 28 Dees, N.D., et al., MuSiC: identifying mutational significance in cancer genomes. *Genome Res*, 2012. 22(8): p. 1589-98.
- 29 Koboldt, D.C., et al., VarScan 2: somatic mutation and copy number alteration discovery in cancer by exome sequencing. *Genome Res*, 2012. 22(3): p. 568-76.
- 30 Layer, R.M., et al., LUMPY: a probabilistic framework for structural variant discovery. *Genome Biol*, 2014. 15(6): p. R84.
- 31 Rausch, T., et al., DELLY: structural variant discovery by integrated paired-end and split-read analysis. *Bioinformatics*, 2012. 28(18): p. i333-i339.
- 32 Ye, K., et al., Pindel: a pattern growth approach to detect break points of large deletions and medium sized insertions from paired-end short reads. *Bioinformatics*, 2009. 25(21): p. 2865-71.
- 33 Raine, K.M., et al., cgPindel: Identifying Somatic Acquired Insertion and Deletion Events from Paired End Sequencing. *Curr Protoc Bioinformatics*, 2015. 52: p. 15.7.1-12.
- 34 Zeitouni, B., et al., SVDetect: a tool to identify genomic structural variations from paired-end and mate-pair sequencing data. *Bioinformatics*, 2010. 26(15): p. 1895-6.
- 35 Forbes, S.A., et al., COSMIC: somatic cancer genetics at high-resolution. *Nucleic Acids Res*, 2017. 45(D1): p. D777-D783.

- 36 Kim, J., et al., Somatic ERCC2 mutations are associated with a distinct genomic signature in urothelial tumors. *Nat Genet*, 2016. 48(6): p. 600-606.
- 37 <http://cancer.sanger.ac.uk/cosmic/signatures>.
- 38 Mochizuki, H., et al., BRAF Mutations in Canine Cancers. *PLoS One*, 2015. 10(6): p. e0129534.
- 39 Schneider, G., et al., Tissue-specific tumorigenesis: context matters. *Nat Rev Cancer*, 2017. 17(4): p. 239-253.
- 40 Park, Y.Y., et al., Reconstruction of nuclear receptor network reveals that NR2E3 is a novel upstream regulator of ESR1 in breast cancer. *EMBO Mol Med*, 2012. 4(1): p. 52-67.
- 41 Sleenckx, N., et al., Canine mammary tumours, an overview. *Reprod Domest Anim*, 2011. 46(6): p. 1112-31.
- 42 Campos, L.C., et al., Prognostic significance of tissue and serum HER2 and MUC1 in canine mammary cancer. *J Vet Diagn Invest*, 2015. 27(4): p. 531-5.
- 43 Luder Ripoli, F., et al., Multiplex Gene Expression Profiling of 16 Target Genes in Neoplastic and NonNeoplastic Canine Mammary Tissues Using Branched-DNA Assay. *Int J Mol Sci*, 2016. 17(9).
- 44 Damasceno, K.A., et al., Relationship between the expression of versican and EGFR, HER-2, HER-3 and CD44 in matrix-producing tumours in the canine mammary gland. *Histol Histopathol*, 2016. 31(6):
- 45 Kim, J.H., et al., Inflammatory mammary carcinoma with metastasis to the brain and distant organs in a spayed Shih Tzu dog. *J Vet Diagn Invest*, 2011. 23(5): p. 1079-82.