




REVISED	EC NO: J2007-2529	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
	2007/03/07 DRWN:KAIT001		2007/03/09 CHKD:KTOYODA	2007/03/12 APPR:NUKITA	10 UNDER	±0.2	DRAWN BY H. HIRAMOTO	DATE '89/04/03	TITLE NEW MINI FIT CONNECTOR HEADER HOUSING ASS'Y -LEAD FREE-		
			10 OVER 30 UNDER	±0.3	CHECKED BY M. FUKUSHIMA	DATE '94/04/20					
			30 OVER	±0.4	APPROVED BY M. FUKUSHIMA	DATE '94/04/20	MOLEX MOLEX INCORPORATED				
			ANGULAR ±3 °	MATERIAL NO.	DOCUMENT NO.	SHEET NO.					
		REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

	10	9	8	7	6	5	4	3	2	1	
F	NOT TOOLED	5566-24APB-3 IO	NOT TOOLED	5566-24AGS2-3 IO	NOT TOOLED	5566-24AGS-3 IO	NOT TOOLED	5566-24AS-3 IO	NOT TOOLED	5566-24A-3 IO	24
	↑	↑ -22APB-3 IO	↑	↑ -22AGS2-3 IO	↑	↑ -22AGS-3 IO	↑	↑ -22AS-3 IO	↑	↑ -22A-3 IO	22
		-20APB-3 IO		-20AGS2-3 IO		-20AGS-3 IO		-20AS-3 IO		-20A-3 IO	20
		-18APB-3 IO		-18AGS2-3 IO		-18AGS-3 IO		-18AS-3 IO		-18A-3 IO	18
		-16APB-3 IO		-16AGS2-3 IO		-16AGS-3 IO		-16AS-3 IO		-16A-3 IO	16
		-14APB-3 IO		-14AGS2-3 IO		-14AGS-3 IO		-14AS-3 IO		-14A-3 IO	14
		-12APB-3 IO		-12AGS2-3 IO		-12AGS-3 IO		-12AS-3 IO		-12A-3 IO	12
		-10APB-3 IO		-10AGS2-3 IO		-10AGS-3 IO		-10AS-3 IO		-10A-3 IO	10
		-08APB-3 IO		-08AGS2-3 IO		-08AGS-3 IO		-08AS-3 IO		-08A-3 IO	8
		-06APB-3 IO		-06AGS2-3 IO		-06AGS-3 IO		-06AS-3 IO		-06A-3 IO	6
	↓ -04APB-3 IO		↓ -04AGS2-3 IO		↓ -04AGS-3 IO		↓ -04AS-3 IO		↓ -04A-3 IO	4	
NOT TOOLED	5566-02APB-3 IO	NOT TOOLED	5566-02AGS2-3 IO	NOT TOOLED	5566-02AGS-3 IO	NOT TOOLED	5566-02AS-3 IO	NOT TOOLED	5566-02A-3 IO	2	
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	CKT. SIZE	
5566-NAPB-3 IO		5566-NAGS2-3 IO		5566-NAGS-3 IO		5566-NAS-3 IO		5566-NA-3 IO			
39-29-5247	5566-24APB-2 IO	39-30-9245	5566-24AGS2-2 IO	39-29-6248	5566-24AGS-2 IO	39-30-6242	5566-24AS-2 IO	39-28-8240	5566-24A-2 IO	24	
↑ -5227	↑ -22APB-2 IO	↑ -9225	↑ -22AGS2-2 IO	↑ -6228	↑ -22AGS-2 IO	↑ -6222	↑ -22AS-2 IO	↑ -8220	↑ -22A-2 IO	22	
-5207	-20APB-2 IO	-9205	-20AGS2-2 IO	-6208	-20AGS-2 IO	-6202	-20AS-2 IO	-8200	-20A-2 IO	20	
-5187	-18APB-2 IO	-9185	-18AGS2-2 IO	-6188	-18AGS-2 IO	-6182	-18AS-2 IO	-8180	-18A-2 IO	18	
-5167	-16APB-2 IO	-9165	-16AGS2-2 IO	-6168	-16AGS-2 IO	-6162	-16AS-2 IO	-8160	-16A-2 IO	16	
-5147	-14APB-2 IO	-9145	-14AGS2-2 IO	-6148	-14AGS-2 IO	-6142	-14AS-2 IO	-8140	-14A-2 IO	14	
-5127	-12APB-2 IO	-9125	-12AGS2-2 IO	-6128	-12AGS-2 IO	-6122	-12AS-2 IO	-8120	-12A-2 IO	12	
-5107	-10APB-2 IO	-9105	-10AGS2-2 IO	-6108	-10AGS-2 IO	-6102	-10AS-2 IO	-8100	-10A-2 IO	10	
-5087	-08APB-2 IO	-9085	-08AGS2-2 IO	-6088	-08AGS-2 IO	-6082	-08AS-2 IO	-8080	-08A-2 IO	8	
-5067	-06APB-2 IO	-9065	-06AGS2-2 IO	-6068	-06AGS-2 IO	-6062	-06AS-2 IO	-8060	-06A-2 IO	6	
↓ -5047	↓ -04APB-2 IO	↓ -9045	↓ -04AGS2-2 IO	↓ -6048	↓ -04AGS-2 IO	↓ -6042	↓ -04AS-2 IO	↓ -8040	↓ -04A-2 IO	4	
39-29-5027	5566-02APB-2 IO	39-30-9025	5566-02AGS2-2 IO	39-29-6028	5566-02AGS-2 IO	39-30-6022	5566-02AS-2 IO	39-28-8020	5566-02A-2 IO	2	
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	CKT. SIZE	
5566-NAPB-2 IO		5566-NAGS2-2 IO		5566-NAGS-2 IO		5566-NAS-2 IO		5566-NA-2 IO			
39-29-5246	5566-24APB	39-30-9244	5566-24AGS2	39-29-0243	5566-24AGS	39-30-6241	5566-24AS	39-28-1243	5566-24A	24	
↑ -5226	↑ -22APB	↑ -9224	↑ -22AGS2	↑ -0223	↑ -22AGS	↑ -6221	↑ -22AS	↑ -1223	↑ -22A	22	
-5206	-20APB	-9204	-20AGS2	-0203	-20AGS	-6201	-20AS	-1203	-20A	20	
-5186	-18APB	-9184	-18AGS2	-0183	-18AGS	-6181	-18AS	-1183	-18A	18	
-5166	-16APB	-9164	-16AGS2	-0163	-16AGS	-6161	-16AS	-1163	-16A	16	
-5146	-14APB	-9144	-14AGS2	-0143	-14AGS	-6141	-14AS	-1143	-14A	14	
-5126	-12APB	-9124	-12AGS2	-0123	-12AGS	-6121	-12AS	-1123	-12A	12	
-5106	-10APB	-9104	-10AGS2	-0103	-10AGS	-6101	-10AS	-1103	-10A	10	
-5086	-08APB	-9084	-08AGS2	-0083	-08AGS	-6081	-08AS	-1083	-08A	8	
-5066	-06APB	-9064	-06AGS2	-0063	-06AGS	-6061	-06AS	-1063	-06A	6	
↓ -5046	↓ -04APB	↓ -9044	↓ -04AGS2	↓ -0043	↓ -04AGS	↓ -6041	↓ -04AS	↓ -1043	↓ -04A	4	
39-29-5026	5566-02APB	39-30-9024	5566-02AGS2	39-29-0023	5566-02AGS	39-30-6021	5566-02AS	39-28-1023	5566-02A	2	
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	CKT. SIZE	
5566-NAPB		5566-NAGS2		5566-NAGS		5566-NAS		5566-NA			

A	REVISED EC NO: J2007-2529 DRWNG SAI T001 CHKDK TOYODA APPR: NUKITA	2007/03/07 2007/03/09 2007/03/12	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
				10 UNDER	± ---	DRAWN BY H. HIRAMOTO	DATE '89/04/03	TITLE NEW MINI FIT CONNECTOR HEADER HOUSING ASS'Y -LEAD FREE-						
				10 OVER 30 UNDER	± ---	CHECKED BY M. FUKUSHIMA	DATE '94/04/20							
				30 OVER	± ---	APPROVED BY M. FUKUSHIMA	DATE '94/04/20	MOLEX INCORPORATED						
				ANGULAR	± --- °	MATERIAL NO.								
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		DOCUMENT NO. SD-5566-002	SHEET NO. 2 OF 6					
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										

tb_frame_A3_J_ME_S Rev. D 2004/04/02	9	8	7	6	5	4	3	2	EN-02JA(021)	
---	---	---	---	---	---	---	---	---	--------------	--

	10	9	8	7	6	5	4	3	2	1	
F	NOT TOOLED	5566-24BGS2-3 IO	NOT TOOLED	5566-24BGS-3 IO	NOT TOOLED	5566-24BS-3 IO	NOT TOOLED	5566-24B-3 IO	NOT TOOLED	5566-24APBS-3 IO	24
	↑	↑ -22BGS2-3 IO	↑	↑ -22BGS-3 IO	↑	↑ -22BS-3 IO	↑	↑ -22B-3 IO	↑	↑ -22APBS-3 IO	22
		-20BGS2-3 IO		-20BGS-3 IO		-20BS-3 IO		-20B-3 IO		-20APBS-3 IO	20
		-18BGS2-3 IO		-18BGS-3 IO		-18BS-3 IO		-18B-3 IO		-18APBS-3 IO	18
		-16BGS2-3 IO		-16BGS-3 IO		-16BS-3 IO		-16B-3 IO		-16APBS-3 IO	16
		-14BGS2-3 IO		-14BGS-3 IO		-14BS-3 IO		-14B-3 IO		-14APBS-3 IO	14
		-12BGS2-3 IO		-12BGS-3 IO		-12BS-3 IO		-12B-3 IO		-12APBS-3 IO	12
		-10BGS2-3 IO		-10BGS-3 IO		-10BS-3 IO		-10B-3 IO		-10APBS-3 IO	10
		-08BGS2-3 IO		-08BGS-3 IO		-08BS-3 IO		-08B-3 IO		-08APBS-3 IO	8
		-06BGS2-3 IO		-06BGS-3 IO		-06BS-3 IO		-06B-3 IO		-06APBS-3 IO	6
	↓	↓ -04BGS2-3 IO	↓	↓ -04BGS-3 IO	↓	↓ -04BS-3 IO	↓	↓ -04B-3 IO	↓	↓ -04APBS-3 IO	4
NOT TOOLED	5566-02BGS2-3 IO	NOT TOOLED	5566-02BGS-3 IO	NOT TOOLED	5566-02BS-3 IO	NOT TOOLED	5566-02B-3 IO	NOT TOOLED	5566-02APBS-3 IO	2	
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	CKT. SIZE	
5566-NBGS2-3 IO		5566-NBGS-3 IO		5566-NBS-3 IO		5566-NB-3 IO		5566-NAPBS-3 IO			
39-30-9247	5566-24BGS2-2 IO	39-31-0248	5566-24BGS-2 IO	39-31-0242	5566-24BS-2 IO	39-31-0240	5566-24B-2 IO	39-30-6244	5566-24APBS-2 IO	24	
↑ -9227	↑ -22BGS2-2 IO	↑ -0228	↑ -22BGS-2 IO	↑ -0222	↑ -22BS-2 IO	↑ -0220	↑ -22B-2 IO	↑ -6224	↑ -22APBS-2 IO	22	
↑ -9207	↑ -20BGS2-2 IO	↑ -0208	↑ -20BGS-2 IO	↑ -0202	↑ -20BS-2 IO	↑ -0200	↑ -20B-2 IO	↑ -6204	↑ -20APBS-2 IO	20	
↑ -9187	↑ -18BGS2-2 IO	↑ -0188	↑ -18BGS-2 IO	↑ -0182	↑ -18BS-2 IO	↑ -0180	↑ -18B-2 IO	↑ -6184	↑ -18APBS-2 IO	18	
↑ -9167	↑ -16BGS2-2 IO	↑ -0168	↑ -16BGS-2 IO	↑ -0162	↑ -16BS-2 IO	↑ -0160	↑ -16B-2 IO	↑ -6164	↑ -16APBS-2 IO	16	
↑ -9147	↑ -14BGS2-2 IO	↑ -0148	↑ -14BGS-2 IO	↑ -0142	↑ -14BS-2 IO	↑ -0140	↑ -14B-2 IO	↑ -6144	↑ -14APBS-2 IO	14	
↑ -9127	↑ -12BGS2-2 IO	↑ -0128	↑ -12BGS-2 IO	↑ -0122	↑ -12BS-2 IO	↑ -0120	↑ -12B-2 IO	↑ -6124	↑ -12APBS-2 IO	12	
↑ -9107	↑ -10BGS2-2 IO	↑ -0108	↑ -10BGS-2 IO	↑ -0102	↑ -10BS-2 IO	↑ -0100	↑ -10B-2 IO	↑ -6104	↑ -10APBS-2 IO	10	
↑ -9087	↑ -08BGS2-2 IO	↑ -0088	↑ -08BGS-2 IO	↑ -0082	↑ -08BS-2 IO	↑ -0080	↑ -08B-2 IO	↑ -6084	↑ -08APBS-2 IO	8	
↑ -9067	↑ -06BGS2-2 IO	↑ -0068	↑ -06BGS-2 IO	↑ -0062	↑ -06BS-2 IO	↑ -0060	↑ -06B-2 IO	↑ -6064	↑ -06APBS-2 IO	6	
↓ -9047	↓ -04BGS2-2 IO	↓ -0048	↓ -04BGS-2 IO	↓ -0042	↓ -04BS-2 IO	↓ -0040	↓ -04B-2 IO	↓ -6044	↓ -04APBS-2 IO	4	
39-30-9027	5566-02BGS2-2 IO	39-31-0028	5566-02BGS-2 IO	39-31-0022	5566-02BS-2 IO	39-31-0020	5566-02B-2 IO	39-30-6024	5566-02APBS-2 IO	2	
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	CKT. SIZE	
5566-NBGS2-2 IO		5566-NBGS-2 IO		5566-NBS-2 IO		5566-NB-2 IO		5566-NAPBS-2 IO			
39-30-9246	5566-24BGS2	39-31-0247	5566-24BGS	39-31-0241	5566-24BS	39-29-3246	5566-24B	39-30-6243	5566-24APBS	24	
↑ -9226	↑ -22BGS2	↑ -0227	↑ -22BGS	↑ -0221	↑ -22BS	↑ -3226	↑ -22B	↑ -6223	↑ -22APBS	22	
↑ -9206	↑ -20BGS2	↑ -0207	↑ -20BGS	↑ -0201	↑ -20BS	↑ -3206	↑ -20B	↑ -6203	↑ -20APBS	20	
↑ -9186	↑ -18BGS2	↑ -0187	↑ -18BGS	↑ -0181	↑ -18BS	↑ -3186	↑ -18B	↑ -6183	↑ -18APBS	18	
↑ -9166	↑ -16BGS2	↑ -0164	↑ -16BGS	↑ -0161	↑ -16BS	↑ -3166	↑ -16B	↑ -6163	↑ -16APBS	16	
↑ -9146	↑ -14BGS2	↑ -0147	↑ -14BGS	↑ -0141	↑ -14BS	↑ -3146	↑ -14B	↑ -6143	↑ -14APBS	14	
↑ -9126	↑ -12BGS2	↑ -0127	↑ -12BGS	↑ -0121	↑ -12BS	↑ -3126	↑ -12B	↑ -6123	↑ -12APBS	12	
↑ -9106	↑ -10BGS2	↑ -0107	↑ -10BGS	↑ -0101	↑ -10BS	↑ -3106	↑ -10B	↑ -6103	↑ -10APBS	10	
↑ -9086	↑ -08BGS2	↑ -0087	↑ -08BGS	↑ -0081	↑ -08BS	↑ -3086	↑ -08B	↑ -6083	↑ -08APBS	8	
↑ -9066	↑ -06BGS2	↑ -0067	↑ -06BGS	↑ -0061	↑ -06BS	↑ -3066	↑ -06B	↑ -6063	↑ -06APBS	6	
↓ -9046	↓ -04BGS2	↓ -0047	↓ -04BGS	↓ -0041	↓ -04BS	↓ -3046	↓ -04B	↓ -6043	↓ -04APBS	4	
39-30-9026	5566-02BGS2	39-31-0027	5566-02BGS	39-31-0021	5566-02BS	39-29-3026	5566-02B	39-30-6023	5566-02APBS	2	
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	CKT. SIZE	
5566-NBGS2		5566-NBGS		5566-NBS		5566-NB		5566-NAPBS			



REVISED EC NO: J2007-2529 DRW:KSAI T001 CHK:DK TOYODA APPR:NUK I TA 2007/03/07 2007/03/09 2007/03/12	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
		10 UNDER		±	---	DRAWN BY H. HIRAMOTO	DATE '89/04/03	TITLE NEW MINI FIT CONNECTOR HEADER HOUSING ASS'Y -LEAD FREE-					
		10 OVER 30 UNDER		±	---	CHECKED BY M. FUKUSHIMA	DATE '94/04/20						
		30 OVER		±	---	APPROVED BY M. FUKUSHIMA	DATE '94/04/20	MOLEX INCORPORATED					
		ANGULAR ±--- °				MATERIAL NO.						DOCUMENT NO. SD-5566-002	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SHEET NO. 3 OF 6					
		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

tb_frame_A3_J_ME_S Rev. D 2004/04/02	9	8	7	6	5	4	3	2	EN-02JA(021)	
---	---	---	---	---	---	---	---	---	--------------	--



	10	9	8	7	6	5	4	3	2	1																	
F							NOT TOOLED	5566-24BPBS-3 IO	NOT TOOLED	5566-24BPB-3 IO	24	F															
							▲	▲ -22BPBS-3 IO	▲	▲ -22BPB-3 IO	22																
								-20BPBS-3 IO		-20BPB-3 IO	20																
								-18BPBS-3 IO		-18BPB-3 IO	18																
								-16BPBS-3 IO		-16BPB-3 IO	16																
								-14BPBS-3 IO		-14BPB-3 IO	14																
								-12BPBS-3 IO		-12BPB-3 IO	12																
								-10BPBS-3 IO		-10BPB-3 IO	10																
								-08BPBS-3 IO		-08BPB-3 IO	8																
								-06BPBS-3 IO		-06BPB-3 IO	6																
E							▼	▼ -04BPBS-3 IO	▼	▼ -04BPB-3 IO	4	E															
							NOT TOOLED	5566-02BPBS-3 IO	NOT TOOLED	5566-02BPB-3 IO	2																
							EDP NO.	ENG. NO	EDP NO.	ENG. NO	CKT. SIZE																
							5566-NBPBS-3 IO		5566-NBPB-3 IO																		
							39-31-0246	5566-24BPBS-2 IO	39-31-0244	5566-24BPB-2 IO	24																
							▲ -0226	▲ -22BPBS-2 IO	▲ -0224	▲ -22BPB-2 IO	22																
							-0206	-20BPBS-2 IO	-0204	-20BPB-2 IO	20																
							-0186	-18BPBS-2 IO	-0184	-18BPB-2 IO	18																
							-0166	-16BPBS-2 IO	-0164	-16BPB-2 IO	16																
							-0146	-14BPBS-2 IO	-0144	-14BPB-2 IO	14																
D							-0126	-12BPBS-2 IO	-0124	-12BPB-2 IO	12	D															
							-0106	-10BPBS-2 IO	-0104	-10BPB-2 IO	10																
							-0086	-08BPBS-2 IO	-0084	-08BPB-2 IO	8																
							-0066	-06BPBS-2 IO	-0064	-06BPB-2 IO	6																
							▼ -0046	▼ -04BPBS-2 IO	▼ -0044	▼ -04BPB-2 IO	4																
							39-31-0026	5566-02BPBS-2 IO	39-31-0024	5566-02BPB-2 IO	2																
							EDP NO.	ENG. NO	EDP NO.	ENG. NO	CKT. SIZE																
							5566-NBPBS-2 IO		5566-NBPB-2 IO																		
							39-35-0248	5566-24A-400	39-31-0245	5566-24BPBS	39-31-0243		5566-24BPB	24													
							▲ -0228	▲ -22A-400	▲ -0225	▲ -22BPBS	▲ -0223		▲ -22BPB	22													
C							-0208	-20A-400	-0205	-20BPBS	-0203	-20BPB	20	C													
							-0188	-18A-400	-0185	-18BPBS	-0183	-18BPB	18														
							-0168	-16A-400	-0165	-16BPBS	-0163	-16BPB	16														
							-0148	-14A-400	-0145	-14BPBS	-0143	-14BPB	14														
							-0128	-12A-400	-0125	-12BPBS	-0123	-12BPB	12														
							-0108	-10A-400	-0105	-10BPBS	-0103	-10BPB	10														
							-0088	-08A-400	-0085	-08BPBS	-0083	-08BPB	8														
							-0068	-06A-400	-0065	-06BPBS	-0063	-06BPB	6														
							▼ -0048	▼ -04A-400	▼ -0045	▼ -04BPBS	▼ -0043	▼ -04BPB	4														
							39-35-0028	5566-02A-400	39-31-0025	5566-02BPBS	39-31-0023	5566-02BPB	2														
B							EDP NO.	ENG. NO	EDP NO.	ENG. NO	CKT. SIZE	B															
							5566-NA-400		5566-NBPBS		5566-NBPB																
A							REVISED EC NO: J2007-2529 DRW:KSAI T001 2007/03/07 CHKD:KTOYODA 2007/03/09 APPR:NUKITA 2007/03/12		DESCRIPTION		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		A						
											10 UNDER		± ---	DRAWN BY H. HIRAMOTO		DATE '89/04/03		TITLE NEW MINI FIT CONNECTOR HEADER HOUSING ASS'Y -LEAD FREE-									
											10 OVER 30 UNDER		± ---	CHECKED BY M. FUKUSHIMA		DATE '94/04/20											
											30 OVER		± ---	APPROVED BY M. FUKUSHIMA		DATE '94/04/20											
											ANGULAR		± --- °	MATERIAL NO.		DOCUMENT NO.		SHEET NO.									
											DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-5566-002		4 OF 6										
											SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
											L		REV														
fb_frame_A3_J_ME_S Rev. D 2004/04/02		9	8	7	6	5	4	3	2	EN-02JA(021)																	

[illegible]

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B
A											A



極数別レイアウト☒
(SCALE 1:1)



注 記

1. 嵌合相手：5557シリーズ
2. 使用符号の説明

2. 使用符号の説明 5566 - N A * * - * - *

ベースナンバー

極數					
----	--	--	--	--	--

アッセンブリー

ターミナル材料 _____

"BLANK": 黃銅		
-------------	--	--

PB : リン青銅		
-----------	--	--

ターミナルのメツキ _____
「ロイヤル」銀座店 金曜日 午後 6 時 40 分

"BLANK": 錫メッキ 0.9 μ m MIN.
CS: ニッケル 1.37 μ m MIN. 全面下地

GS : ニツクル 1.27μm MIN. 全面下地
コンタクト部 金 0.76μm MIN

半田付け部 錫 2.54 μ m MIN.

ヘッダー材料 _____

"BLANK": ナイロン 66, UL 94V-2

210 : ナイロン 66, UL 94V-0

色 400 : ナイロ 66, UL 94V-0, 黒

Bl : 黒色

BU : 青色

RE : 赤色

YE : 黄色

GR : 灰色	MODEL
---------	-------

				MODEL
	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE

MM ONLY	4:1	METRIC	 PROJECTION
---------	-----	--------	--

DRAWN BY	DATE	TITLE
H. HIRAMOTO	'89/05/07	NEW MINI FIT CONNECTOR

NEW FRONT END CONNECTOR					
HEADER ASS'Y					
<table border="1"> <tr> <td>11.11.19.010</td> <td>09/05/07</td> </tr> <tr> <td>CHECKED BY</td> <td>DATE</td> </tr> </table>		11.11.19.010	09/05/07	CHECKED BY	DATE
11.11.19.010	09/05/07				
CHECKED BY	DATE				

M.FUKUSHIMA '91/10/29 -LEAD FREE-

APPROVED BY M. ENOMOTO	DATE 10/14/2009	MOLEX INCORPORATED
---------------------------	--------------------	--

M. ENOMOTO	9/17/07/29	MOLEX INCORPORATED
MATERIAL NO.	DOCUMENT NO.	S

MATERIAL NO.	DOCUMENT NO.	3
SEE CHART	SD-5566-003	1

SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO	
------	--	--

1A3 INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PER

4	3	2	FN-02 JA(02
---	---	---	-------------

ENGLISH

基板穴推奨寸法 (SCALE 2 : 1)

	10	9	8	7	6	5	4	3	2	1			
F									39-35-0248	5566-24A-400	24		
									▲-0228	▲-22A-400	22		
									-0208	-20A-400	20		
									-0188	-18A-400	18		
									-0168	-16A-400	16		
									-0148	-14A-400	14		
									-0128	-12A-400	12		
									-0108	-10A-400	10		
									-0088	-08A-400	8		
									-0068	-06A-400	6		
E									▼-0048	▼-04A-400	4		
									39-35-0028	5566-02A-400	2		
									EDP NO.	ENG. NO		極数	
									5566-NA-400				
	39-29-5247	5566-24APB-210	39-29-6248	5566-24AGS-210	39-28-8240	5566-24A-210	24						
	▲-5227	▲-22APB-210	▲-6228	▲-22AGS-210	▲-8220	▲-22A-210	22						
	-5207	-20APB-210	-6208	-20AGS-210	-8200	-20A-210	20						
	-5187	-18APB-210	-6188	-18AGS-210	-8180	-18A-210	18						
	-5167	-16APB-210	-6168	-16AGS-210	-8160	-16A-210	16						
	-5147	-14APB-210	-6148	-14AGS-210	-8140	-14A-210	14						
D	-5127	-12APB-210	-6128	-12AGS-210	-8120	-12A-210	12						
	-5107	-10APB-210	-6108	-10AGS-210	-8100	-10A-210	10						
	-5087	-08APB-210	-6088	-08AGS-210	-8080	-08A-210	8						
	-5067	-06APB-210	-6068	-06AGS-210	-8060	-06A-210	6						
	▼-5047	▼-04APB-210	▼-6048	▼-04AGS-210	▼-8040	▼-04A-210	4						
	39-29-5027	5566-02APB-210	39-29-6028	5566-02AGS-210	39-28-8020	5566-02A-210	2						
	EDP NO.	ENG. NO	EDP NO.	ENG. NO	EDP NO.	ENG. NO			極数				
	5566-NAPB-210		5566-NAGS-210		5566-NA-210								
	39-29-5246	5566-24APB	39-29-0243	5566-24AGS	39-28-1243	5566-24A	24						
	▲-5226	▲-22APB	▲-0223	▲-22AGS	▲-1223	▲-22A	22						
C	-5206	-20APB	-0203	-20AGS	-1203	-20A	20						
	-5186	-18APB	-0183	-18AGS	-1183	-18A	18						
	-5166	-16APB	-0163	-16AGS	-1163	-16A	16						
	-5146	-14APB	-0143	-14AGS	-1143	-14A	14						
	-5126	-12APB	-0123	-12AGS	-1123	-12A	12						
	-5106	-10APB	-0103	-10AGS	-1103	-10A	10						
	-5086	-08APB	-0083	-08AGS	-1083	-08A	8						
	-5066	-06APB	-0063	-06AGS	-1063	-06A	6						
	▼-5046	▼-04APB	▼-0043	▼-04AGS	▼-1043	▼-04A	4						
	39-29-5026	5566-02APB	39-29-0023	5566-02AGS	39-28-1023	5566-02A	2						
B	EDP NO.	ENG. NO	EDP NO.	ENG. NO	EDP NO.	ENG. NO			極数				
	5566-NAPB		5566-NAGS		5566-NA								
	REVISED	EC NO: J2006-2418 DRWN: NABEI CHKD: KTOYODA APPR: NUKITA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				10 UNDER	± ---	DRAWN BY H. HIRAMOTO	DATE '89/05/07	NEW MINI FIT CONNECTOR HEADER ASS'Y -LEAD FREE-					
				10 OVER 30 UNDER	± ---	CHECKED BY M. FUKUSHIMA	DATE '91/10/29						
				30 OVER	± ---	APPROVED BY M. ENOMOTO	DATE '91/10/29	MOLEX INCORPORATED					
				ANGULAR	± --- °	MATERIAL NO.						DOCUMENT NO.	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-5566-003		2 OF 3			
				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

[illegible]

DWG. NO.		SD-5566-N****-*		8		7		6		5		4		3		2		1	
NOT	TOOLED	5566-24APB-310	NOT	TOOLED	5566-24AGS2-310	NOT	TOOLED	5566-24AGS-310	NOT	TOOLED	5566-24AS-310	NOT	TOOLED	5566-24A-310	NOT	TOOLED	5566-24A-310	24	
	▲	▲ -22APB-310	▲	▲	▲ -22AGS2-310	▲	▲	▲ -22AGS-310	▲	▲	▲ -22AS-310	▲	▲	▲ -22A-310	▲	▲	▲ -22A-310	22	
		-20APB-310			-20AGS2-310			-20AGS-310			-20AS-310			-20A-310			-20A-310	20	
		-18APB-310			-18AGS2-310			-18AGS-310			-18AS-310			-18A-310			-18A-310	18	
		-16APB-310			-16AGS2-310			-16AGS-310			-16AS-310			-16A-310			-16A-310	16	
		-14APB-310			-14AGS2-310			-14AGS-310			-14AS-310			-14A-310			-14A-310	14	
		-12APB-310			-12AGS2-310			-12AGS-310			-12AS-310			-12A-310			-12A-310	12	
		-10APB-310			-10AGS2-310			-10AGS-310			-10AS-310			-10A-310			-10A-310	10	
		-08APB-310			-08AGS2-310			-08AGS-310			-08AS-310			-08A-310			-08A-310	8	
		-06APB-310			-06AGS2-310			-06AGS-310			-06AS-310			-06A-310			-06A-310	6	


5566-NAPB-310		5566-NAGS2-310		5566-NAGS-310		5566-NAS-310		5566-NA-310		5566-NA-310		5566-NA-310		5566-NA-310		5566-NA-310		24
39-29-5247	5566-24APB-210	39-30-9245	5566-24AGS2-210	39-29-6248	5566-24AGS-210	39-30-6242	5566-24AS-210	39-28-8240	5566-24A-210	39-28-8240	5566-24A-210	39-28-8240	5566-24A-210	39-28-8240	5566-24A-210	39-28-8240	5566-24A-210	24
▲	▲ -22APB-210	▲	▲ -22AGS2-210	▲	▲ -22AGS-210	▲	▲ -22AS-210	▲	▲ -22AS-210	▲	▲ -22A-210	▲	▲ -22A-210	▲	▲ -22A-210	▲	▲ -22A-210	22
-5207	-20APB-210	-9205	-20AGS2-210	-6208	-20AGS-210	-6202	-20AS-210	-8200	-20AS-210	-8200	-20A-210	-8200	-20A-210	-8200	-20A-210	-8200	-20A-210	20
-5187	-18APB-210	-9185	-18AGS2-210	-6188	-18AGS-210	-6182	-18AS-210	-8180	-18AS-210	-8180	-18A-210	-8180	-18A-210	-8180	-18A-210	-8180	-18A-210	18
-5167	-16APB-210	-9165	-16AGS2-210	-6168	-16AGS-210	-6162	-16AS-210	-8160	-16AS-210	-8160	-16A-210	-8160	-16A-210	-8160	-16A-210	-8160	-16A-210	16
-5147	-14APB-210	-9145	-14AGS2-210	-6148	-14AGS-210	-6142	-14AS-210	-8140	-14AS-210	-8140	-14A-210	-8140	-14A-210	-8140	-14A-210	-8140	-14A-210	14
-5127	-12APB-210	-9125	-12AGS2-210	-6128	-12AGS-210	-6122	-12AS-210	-8120	-12AS-210	-8120	-12A-210	-8120	-12A-210	-8120	-12A-210	-8120	-12A-210	12
-5107	-10APB-210	-9105	-10AGS2-210	-6108	-10AGS-210	-6102	-10AS-210	-8100	-10AS-210	-8100	-10A-210	-8100	-10A-210	-8100	-10A-210	-8100	-10A-210	10
-5087	-08APB-210	-9085	-08AGS2-210	-6088	-08AGS-210	-6082	-08AS-210	-8080	-08AS-210	-8080	-08A-210	-8080	-08A-210	-8080	-08A-210	-8080	-08A-210	8
-5067	-06APB-210	-9065	-06AGS2-210	-6068	-06AGS-210	-6062	-06AS-210	-8060	-06AS-210	-8060	-06A-210	-8060	-06A-210	-8060	-06A-210	-8060	-06A-210	6
▼	▼ -04APB-210	▼	▼ -04AGS2-210	▼	▼ -04AGS-210	▼	▼ -04AS-210	▼	▼ -04AS-210	▼	▼ -04A-210	▼	▼ -04A-210	▼	▼ -04A-210	▼	▼ -04A-210	4
39-29-5027	5566-02APB-210	39-30-9025	5566-02AGS2-210	39-29-6028	5566-02AGS-210	39-30-6022	5566-02AS-210	39-28-8020	5566-02A-210	39-28-8020	5566-02A-210	39-28-8020	5566-02A-210	39-28-8020	5566-02A-210	39-28-8020	5566-02A-210	2
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	CKT. SIZE

5566-NAPB-210		5566-NAGS2-210		5566-NAGS-210		5566-NAS-210		5566-NA-210		5566-NA-210		5566-NA-210		5566-NA-210		5566-NA-210		24
39-29-5246	5566-24APB	39-30-9244	5566-24AGS2	39-29-0243	5566-24AGS	39-30-6241	5566-24AS	39-28-1243	5566-24A	39-28-1243	5566-24A	39-28-1243	5566-24A	39-28-1243	5566-24A	39-28-1243	5566-24A	24
▲	▲ -22APB	▲	▲ -22AGS2	▲	▲ -22AGS	▲	▲ -22AS	▲	▲ -22AS	▲	▲ -22A	▲	▲ -22A	▲	▲ -22A	▲	▲ -22A	22
-5206	-20APB	-9204	-20AGS2	-0203	-20AGS	-6201	-20AS	-1203	-20AS	-1203	-20A	-1203	-20A	-1203	-20A	-1203	-20A	20
-5186	-18APB	-9184	-18AGS2	-0183	-18AGS	-6181	-18AS	-1183	-18AS	-1183	-18A	-1183	-18A	-1183	-18A	-1183	-18A	18
-5166	-16APB	-9164	-16AGS2	-0163	-16AGS	-6161	-16AS	-1163	-16AS	-1163	-16A	-1163	-16A	-1163	-16A	-1163	-16A	16
-5146	-14APB	-9144	-14AGS2	-0143	-14AGS	-6141	-14AS	-1143	-14AS	-1143	-14A	-1143	-14A	-1143	-14A	-1143	-14A	14
-5126	-12APB	-9124	-12AGS2	-0123	-12AGS	-6121	-12AS	-1123	-12AS	-1123	-12A	-1123	-12A	-1123	-12A	-1123	-12A	12
-5106	-10APB	-9104	-10AGS2	-0103	-10AGS	-6101	-10AS	-1103	-10AS	-1103	-10A	-1103	-10A	-1103	-10A	-1103	-10A	10
-5086	-08APB	-9084	-08AGS2	-0083	-08AGS	-6081	-08AS	-1083	-08AS	-1083	-08A	-1083	-08A	-1083	-08A	-1083	-08A	8
-5066	-06APB	-9064	-06AGS2	-0063	-06AGS	-6061	-06AS	-1063	-06AS	-1063	-06A	-1063	-06A	-1063	-06A	-1063	-06A	6
▼	▼ -04APB	▼	▼ -04AGS2	▼	▼ -04AGS	▼	▼ -04AS	▼	▼ -04AS	▼	▼ -04A	▼	▼ -04A	▼	▼ -04A	▼	▼ -04A	4
39-29-5026	5566-02APB	39-30-9024	5566-02AGS2	39-29-0023	5566-02AGS	39-30-6021	5566-02AS	39-28-1023	5566-02A	39-28-1023	5566-02A	39-28-1023	5566-02A	39-28-1023	5566-02A	39-28-1023	5566-02A	2
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	CKT. SIZE

A										DIMENSIONS IN										MM									

[illegible]

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX/JAPAN AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
 本図面は日本モレックス (株) の所有する情報を含むもので当社の許可なく複製を禁止する。
 EN-01C(032)MX-32



ENG. NO
SD-5566-NA***

EDP NO.
表 参照

MM DIMENSIONS IN METRIC DO NOT SCALE DRAWING

8

7

6

5

4

3

2

1

39-35-0248	5566-24A-400	24
▲-0228	▲-22A-400	22
-0208	-20A-400	20
-0188	-18A-400	18
-0168	-16A-400	16
-0148	-14A-400	14
-0128	-12A-400	12
-0108	-10A-400	10
-0088	-08A-400	8
-0068	-06A-400	6
▼-0048	▼-04A-400	4
39-35-0028	5566-02A-400	2
EDP NO.	ENG. NO	極数
5566-NA-400		

39-29-5247	5566-24APB-210	39-29-6248	5566-24AGS-210	39-28-8240	5566-24A-210	24
▲-5227	▲-22APB-210	▲-6228	▲-22AGS-210	▲-8220	▲-22A-210	22
-5207	-20APB-210	-6208	-20AGS-210	-8200	-20A-210	20
-5187	-18APB-210	-6188	-18AGS-210	-8180	-18A-210	18
-5167	-16APB-210	-6168	-16AGS-210	-8160	-16A-210	16
-5147	-14APB-210	-6148	-14AGS-210	-8140	-14A-210	14
-5127	-12APB-210	-6128	-12AGS-210	-8120	-12A-210	12
-5107	-10APB-210	-6108	-10AGS-210	-8100	-10A-210	10
-5087	-08APB-210	-6088	-08AGS-210	-8080	-08A-210	8
-5067	-06APB-210	-6068	-06AGS-210	-8060	-06A-210	6
▼-5047	▼-04APB-210	▼-6048	▼-04AGS-210	▼-8040	▼-04A-210	4
39-29-5027	5566-02APB-210	39-29-6028	5566-02AGS-210	39-28-8020	5566-02A-210	2
EDP NO.	ENG. NO	EDP NO.	ENG. NO	EDP NO.	ENG. NO	極数
5566-NAPB-210						

39-29-5246	5566-24APB	39-29-0243	5566-24AGS	39-28-1243	5566-24A	24
▲-5226	▲-22APB	▲-0223	▲-22AGS	▲-1223	▲-22A	22
-5206	-20APB	-0203	-20AGS	-1203	-20A	20
-5186	-18APB	-0183	-18AGS	-1183	-18A	18
-5166	-16APB	-0163	-16AGS	-1163	-16A	16
-5146	-14APB	-0143	-14AGS	-1143	-14A	14
-5126	-12APB	-0123	-12AGS	-1123	-12A	12
-5106	-10APB	-0103	-10AGS	-1103	-10A	10
-5086	-08APB	-0083	-08AGS	-1083	-08A	8
-5066	-06APB	-0063	-06AGS	-1063	-06A	6
▼-5046	▼-04APB	▼-0043	▼-04AGS	▼-1043	▼-04A	4
39-29-5026	5566-02APB	39-29-0023	5566-02AGS	39-28-1023	5566-02A	2
EDP NO.	ENG. NO	EDP NO.	ENG. NO	EDP NO.	ENG. NO	極数
5566-NAPB						

5566-NA***		5566-NAGS		5566-NA	
MODEL NO.		FINISH		EDP. NO.	
角 度 ANGLE		仕 上 げ 注 記 2 参 照		表 参 照	
30°以上	0.3	F SEE SHEET 1 OF 2	M.V.K.1	適用電線範囲	—H—
30°以下	0.25	E SEE SHEET 1 OF 2	H.H.	被覆外径	INS. RANGE
未 注	0.2	D SEE SHEET 1 OF 2	H.H. Y.Y	90°/5/7	CHK'D BY 91/0/29
10 UNDER	0.2	REVISION RECORD	DR. CHK. DATE	DRAWN BY H.HIRAMOTO	M.FUKUSHIMA
10 UNDER	0.2	REVISION RECORD	DR. CHK. DATE	APP'D BY 91/0/29	尺 度 SCALE
一般公差	0.2	REVISION RECORD	DR. CHK. DATE	MEMOMOTO	—H—
GENERAL TOLERANCES		REVISE ONLY ON CAD SYSTEM		TITLE 名称 NEW MINI FIT CONNECTOR	
				HEADER ASS'Y -LEAD FREE-	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX(JAPAN) AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
本図面は日本モリックス(株)の所有する情報を含むもので 当社の許可なく複製を禁止する。