




++++RimWiring++++

Rim Wiring Schedule
5/1/2006

RP1	Cable from Rim box to PAC (PAX Case)		Belden 8170 (S) - Belden 1037A (P)			
A,B	Description	Size	Color	Twist	Length	Comment
A	TEC power	#16	P-B1	Z		
B	TEC power	#16	P-W1	Z		
C	Shield	#18	P-S1	-		
D	dewar diode 1	#24	S-BF-Red	Y		
E	dewar diode 2	#24	S-BF-Blu	Y		
F	SPARE	#16	P-B3	X		
G	SPARE	#16	P-W3	X		
H	SPARE	#24	S-BF-Br	W		
J	SPARE	#24	S-BF-Blk	W		
K	compressor power	#16	P-B2	V		
L	compressor power	#16	P-W2	V		
M	Shield	#18	P-S2	-		
N	cryocooler therm 2	#24	S-BF-Red	U		
--	cryocooler therm 1	#24	S-BF-Gr	U	54"	
R	-5V	#24	S-GF-Blu	T		
S	GND	#24	S-GF-Blk	T		
T	PAXTEC therm 1	#24	S-BF-Red	S		
U	PAXTEC therm 2	#24	S-BF-Wh	S		
V	GNDsense	#24	S-RF-Blk	R		
W	+6sense	#24	S-RF-Gr	R		
X	+5sense	#24	S-GF-Wh	Q		
Y	-5sense	#24	S-GF-Blk	Q		
Z	+5V	#24	S-RF-Red	P		
a	GND	#24	S-RF-Blk	P		
b	GND	#24	S-BF-Blk	O		
c	+6V	#24	S-BF-Y	O		
d	GND	#24	S-BF-Blk	M		
e	+5V	#24	S-BF-Or	M		
A	UTG620-28SN	#16/#18 get RM16M23D28 pins		UTG20ACN housing		
B	UTG620-28SN	#24 get SM24ML1D70 pins				

RW1	Cable inside rim box from bottom connector to components for RP1						
A	Description	B,C,D,E,F,G	Size	Color	Twist	Length	Comment
A	TEC power		#16				
B	TEC power		#16				
C	Shield		#18				
D	dewar diode 1		#24				
E	dewar diode 2		#24				
F	SPARE		#16				
G	SPARE		#16				
H	SPARE		#24				
J	SPARE		#24				
K	compressor power		#16				
L	compressor power		#16				
M	Shield		#18				
N	cryocooler therm 2		#24				
--	cryocooler therm 1		#24				
R	-5V		#24				
S	GND		#24				
T	PAXTEC therm 1		#24				
U	PAXTEC therm 2		#24				
V	GND		#24				
W	+6sense		#24				
X	+5sense		#24				
Y	-5sense		#24				
Z	+5V		#24				
a	GND		#24				
b	GND		#24				
c	+6V		#24				
d	GND		#24				
e	+5V		#24				
A	UTC020-28P	#16/#18 get RC16M23D28, #24 get SC24ML1D70 sockets					
B							
C							
D							
E							
F							
G							
RW2	24V from power supply to STI supply						
A, B	Description		Size	Color	Twist	Length	Comment
1							
2							
A	Tyco 1-480698(newark 46F2063) with 2 contacts Tyco 350550-2(Newark 90F5656)						
B	Tyco 1-480698(newark 46F2063) with 2 contacts Tyco 350550-2(Newark 90F5656)						

++++RimWiring++++

RW3	serial from STI to ucnlr						
A,B	Description		Size	Color	Twist	Length	Comment
	1						
	2						
	3						
A							
B							
RW4	from TEC to ucnlr						
A	Description	B	Size	Color	Twist	Length	Comment
A							
B							
RW5	24V from power supply to TEC board						
A	Description	B	Size	Color	Twist	Length	
RW6	connection from power mgmt board to control board						
A	Description	B	Size	Color	Twist	Length	
RW7	connection from power mgmt board to control board						
A	Description	B	Size	Color	Twist	Length	
	1						
	2						
	3						
	4						
	5						
RF1	Cable from rim to feed focus drive		Belden 9943				
A	Description	B	Size	Color	Twist	Length	
	1 Motor		#22	red		58"	
	2 Motor			white			
	3 Motor			black			
	4 Extend stop			orange			
	5 Common			brown			
	6 retract stop			blue			
	7 ground			green			
	A	Rim box end	13/16" strip back on connector			3/8" strip on shield	
	B	Terminal end	5" strip back on jacket/shield			green #6 spade	

++++RimWiring++++

