

AMPLIMITE D-Subminiature Connectors

HD-20 SERIES, PCB CONNECTORS

- Shell: Steel, tin plated
- Contacts: Pins - brass, sockets - phosphor bronze
- Contact Plating: (a) Gold on mating end, tin on termination end, nickel underplated
(b) Same as (a) with gold flash on mating end

Straight Posted Connectors, Front Metal-Shell

- Housing: UL 94V-0 black thermoplastic
- Threaded Inserts: Brass, unplated
- Female Screwlocks: Zinc
- RoHS Compliant per Tyco Electronics Documentation



RoHS Compliant

Plugs

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No of Pos.	Post Length (In.)	Plating Code	Price Each		
							1	10	100
With Standard Mounting Holes									
571-5747871-2	5747871-2	A	1	9	0.125	a	4.20	3.50	2.80
571-5747872-4	5747872-4	A	2	15	0.170	a	3.60	3.24	3.06
571-5747375-2	5747375-2	A	4	37	0.125	a	10.82	9.74	9.20
With Threaded Inserts									
571-5747871-8	5747871-8	B	1	9	0.125	a	5.78	5.36	5.04
571-5747872-8	5747872-8	B	2	15	0.125	a	6.01	5.81	4.63
571-5745968-8	5745968-8	B	3	25	0.125	a	7.92	7.13	6.73
571-5747375-8	5747375-8	B	4	37	0.125	a	9.86	8.87	8.38
With Female Screwlocks									
571-1-5747871-4	1-5747871-4	C	1	9	0.125	a	7.00	6.15	5.10
571-1-5745968-4	1-5745968-4	C	3	25	0.125	a	8.64	7.20	5.76

Receptacles



RoHS Compliant

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No of Pos.	Post Length (In.)	Plating Code	Price Each		
							1	10	100
With Standard Mounting Holes									
571-5747150-2	5747150-2	D	1	9	0.125	a	4.35	3.62	2.90
571-5747299-2	5747299-2	D	2	15	0.125	a	4.20	4.13	4.06
571-5745967-2	5745967-2	D	3	25	0.125	a	6.20	5.58	5.27
With Threaded Inserts									
571-5747150-8	5747150-8	E	1	9	0.125	a	5.45	5.19	4.68
571-5747150-7	5747150-7	E	1	9	0.125	b	6.00	5.30	4.24
571-5747299-8	5747299-8	E	2	15	0.125	a	5.50	5.41	5.32
571-5745967-8	5745967-8	E	3	25	0.125	a	8.80	7.42	5.94
571-5745967-7	5745967-7	E	3	25	0.125	b	6.06	5.45	5.15
571-5747301-8	5747301-8	E	4	37	0.125	a	12.45	10.37	8.30
With Retention Inserts									
571-2-5747706-0	2-5747706-0	F	1	9	0.125	a	5.33	5.03	4.35
571-2-5747708-0	2-5747708-0	F	3	25	0.125	a	7.10	6.52	5.22
With Female Screwlocks									
571-2-5747706-0	2-5747706-0	G	1	9	0.125	a	5.33	5.03	4.35
571-1-5747150-6	1-5747150-6	G	1	9	0.170	a	6.72	6.05	4.96
571-1-5747299-4	1-5747299-4	G	2	15	0.125	a	6.30	5.25	4.20
571-1-5745967-4	1-5745967-4	G	3	25	0.125	a	6.55	6.06	4.80

Straight Posted Connectors, Full Metal-Shell

- Housing: UL 94V-0 black thermoplastic



RoHS Compliant

Plugs with Mounting Holes

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No of Pos.	Post Length (In.)	Plating Code	Price Each		
							1	10	100
571-5745410-1	5745410-1	H	1	9	0.125	a	5.64	4.75	3.80
571-5745411-1	5745411-1	H	2	15	0.125	a	7.20	6.48	6.12

Receptacles with Mounting Holes



RoHS Compliant

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No of Pos.	Post Length (In.)	Plating Code	Price Each		
							1	10	100
571-5745183-2	5745183-2	I	1	9	0.125	b	5.50	4.95	4.68
571-5745187-1	5745187-1	I	3	25	0.125	a	8.58	8.01	6.42

Straight Posted Connectors, with ACTION PIN Contacts, Front Metal-Shell

- Housing: UL 94V-0 black thermoplastic
- ACTION PIN Contacts: Copper Alloy




RoHS Compliant

Receptacles with Threaded Inserts

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No of Pos.	Post Length (In.)	Plating Code	Price Each		
							1	10	100
571-5747090-2	5747090-2	J	1	9	0.228	a	5.00	4.50	4.25



AMPLIMITE D-Subminiature PCB Connectors

HD-20 SERIES RIGHT ANGLE CONNECTORS, FRONT METAL SHELL

- Shell: Steel, tin plated
- Contacts: Pins - brass, sockets - phosphor bronze
- .318 PCB footprint
- Housing: UL 94V-0 black thermoplastic
- Contact Plating: (a) Gold on mating end, tin on termination end, nickel underplated (b) Gold flash on mating end, tin on termination end, nickel underplated
- RoHS Compliant per Tyco Electronics documentation



RoHS Compliant

Plugs

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Positions	Post Length (in.)	Plating Code	Price Each		
							1	10	100
Without boardlocks, with threaded inserts									
571-5747250-4	5747250-4	A	1	9	0.125	a	2.99	2.55	2.22
571-5747236-4	5747236-4	A	2	15	0.125	a	7.35	6.07	5.42
571-5747238-4	5747238-4	A	3	25	0.125	a	4.65	4.19	3.95
571-5747252-4	5747252-4	A	4	37	0.125	a	14.08	13.11	10.73
With boardlocks & threaded inserts									
571-5747840-4	5747840-4	A	1	9	0.125	a	1.67	1.39	1.31
571-5747840-3	5747840-3	A	1	9	0.125	b	2.67	2.29	1.81
571-5747841-4	5747841-4	A	2	15	0.125	a	2.62	2.22	1.99
571-5747842-4	5747842-4	A	3	25	0.125	a	4.08	3.88	3.30
571-5747843-4	5747843-4	A	4	37	0.125	a	4.77	3.97	3.18
With boardlocks & female screwlocks									
571-5747840-6	5747840-6	A	1	9	0.125	a	2.42	2.31	1.93
571-5747841-6	5747841-6	A	2	15	0.125	a	2.62	2.22	1.99
571-5747842-6	5747842-6	A	3	25	0.125	a	8.01	7.40	6.66
571-5747842-5	5747842-5	A	3	25	0.125	b	11.40	9.67	7.74

Receptacles

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Positions	Post Length (in.)	Plating Code	Price Each		
							1	10	100
Without boardlocks, with threaded inserts									
571-5745781-4	5745781-4	B	1	9	0.125	a	2.85	2.42	2.04
571-5745781-3	5745781-3	B	1	9	0.125	b	3.47	3.09	2.36
571-5745782-4	5745782-4	B	2	15	0.125	a	3.57	3.12	2.49
571-5745783-4	5745783-4	B	3	25	0.125	a	4.15	3.66	2.95
571-5745783-3	5745783-3	B	3	25	0.125	b	4.75	4.52	4.06
571-5745784-4	5745784-4	B	4	37	0.125	a	6.81	5.67	4.54
Without boardlocks, with female screwlocks									
571-5745781-6	5745781-6	B	1	9	0.125	a	6.45	5.93	4.60
571-5745783-6	5745783-6	B	3	25	0.125	a	6.76	6.60	6.28
571-5745783-5	5745783-5	B	3	25	0.125	b	3.37	2.82	2.40
With boardlocks & threaded inserts									
571-5747844-4	5747844-4	B	1	9	0.125	a	2.34	2.02	1.81
571-5747844-3	5747844-3	B	1	9	0.125	b	2.44	2.12	1.90
571-5747845-4	5747845-4	B	2	15	0.125	a	2.34	2.02	1.81
571-5747845-3	5747845-3	B	2	15	0.125	b	2.25	1.87	1.49
571-5747846-4	5747846-4	B	3	25	0.125	a	3.81	3.39	2.70
571-5747847-4	5747847-4	B	4	37	0.125	a	5.75	5.04	4.38
With boardlocks & female screwlocks									
571-5747844-5	5747844-5	B	1	9	0.125	b	2.44	2.12	1.90
571-5747845-6	5747845-6	B	2	15	0.125	a	6.56	5.91	5.41
571-5747845-5	5747845-5	B	2	15	0.125	b	6.59	5.82	4.66
571-5747846-6	5747846-6	B	3	25	0.125	a	4.47	3.82	3.18
571-5747846-5	5747846-5	B	3	25	0.125	b	3.05	2.79	2.18
571-5747847-6	5747847-6	B	4	37	0.125	a	6.81	5.67	4.54

HD-20 SERIES RIGHT ANGLE CONNECTORS, FULL METAL SHELL

- Shell: Steel, tin plated
- Contacts: Pins - brass, sockets - phosphor bronze
- .545 PCB footprint
- Insert: UL 94V-0 black thermoplastic
- Contact Plating: (a) Gold on mating end, tin on termination end, nickel underplated (b) Gold flash on mating end, tin on termination end, nickel underplated
- RoHS Compliant per Tyco Electronics documentation



RoHS Compliant

Plugs with Standard Mounting Screws

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Positions	Post Length (in.)	Plating Code	Price Each		
							1	10	100
571-5745351-4	5745351-4	C	1	9	0.125	a	15.74	14.17	13.38
571-5745355-4	5745355-4	C	5	50	0.125	a	30.66	26.99	22.66

Receptacles with Standard Mounting Screws

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Positions	Post Length (in.)	Plating Code	Price Each		
							1	10	100
571-5745112-2	5745112-2	D	1	9	0.125	a	15.78	13.10	12.10
571-5745114-2	5745114-2	D	3	25	0.125	a	22.33	19.00	16.22
571-5745116-2	5745116-2	D	5	50	0.125	a	32.62	29.76	25.78

HD-20 SERIES RIGHT ANGLE CONNECTORS, PLASTIC SHELL

- Shell: Steel, tin plated
- Contacts: Pins - brass, sockets - phosphor bronze
- Shell and housing: UL 94V-0 black thermoplastic
- Standard mounting holes
- .590 PCB footprint
- Contact Plating: (a) Gold on mating end, tin on termination end, nickel underplated (b) Gold flash on mating end, tin on termination end, nickel underplated
- RoHS Compliant per Tyco Electronics documentation



RoHS Compliant

Plugs Without Boardlocks

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Positions	Post Length (in.)	Plating Code	Price Each		
							1	10	100
571-5747468-2	5747468-2	E	2	15	0.125	a	10.48	9.95	7.96
571-5748826-2	5748826-2	E	3	25	0.125	b	4.46	4.01	3.79


Receptacles Without Boardlocks

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Positions	Post Length (in.)	Plating Code	Price Each		
							1	10	100
571-5748826-2	5748826-2	F	1	9	0.125	b	4.46	4.01	3.79
571-5747461-1	5747461-1	F	3	25	0.125	b	6.09	5.07	4.06


A

Shown with boardlocks




B

Shown with boardlocks




C




D


Shown with standard mounting screws



E



F



AMPLIMITE D-Subminiature Connectors

HD-20 SOLDER CUP CONNECTORS

- Contacts: Phosphor bronze, with gold flash on mating end, tin on solder cup, all nickel underplating
- Insert: UL 94V-0 thermoplastic, black
- Shell: Tin plated
- RoHS Compliant per Tyco Electronics documentation



RoHS Compliant

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Pos.	Price Each		
					1	10	100
Plugs, Tin Plating							
571-5-747904-2	5-747904-2	A	1	9	3.01	2.69	2.03
571-5-747908-2	5-747908-2	A	2	15	2.68	2.32	1.90
571-5-747912-2	5-747912-2	A	3	25	3.56	3.04	2.41
571-5-747916-2	5-747916-2	A	4	37	5.35	4.93	3.98
Receptacles, Tin Plating							
571-5-747905-2	5-747905-2	B	1	9	2.78	2.23	1.68
571-5-747909-2	5-747909-2	B	2	15	4.81	4.15	3.40
571-5-747913-2	5-747913-2	B	3	25	4.55	3.88	3.10
571-5-747917-2	5-747917-2	B	4	37	6.59	5.85	4.74

HDE-20 IDC CONNECTORS, METAL SHELL (For Discrete Wire)

- Wire size: 26-22 AWG
- Shell: Steel, tin-plated
- Insert: UL94V-0 black thermoplastic
- Contacts: Phosphor bronze
- Plating: 30μ" gold on mating end, tin on termination end, all nickel underplated
- RoHS Compliant per Tyco Electronics documentation



RoHS Compliant

Preloaded with IDC crimp contacts. Use extraction tool 571-912321.

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Pos.	Price Each		
					1	10	100
Plugs							
571-1-745492-8	1-745492-8	C	1	9	3.40	3.19	2.71
571-1-745494-5	1-745494-5	C	2	15	4.64	4.18	3.94
571-1-745496-7	1-745496-7	C	3	25	4.26	3.83	3.62
Receptacles							
571-1-745491-7	1-745491-7	D	1	9	3.14	2.95	2.67
571-1-745493-4	1-745493-4	D	2	15	4.31	3.88	3.66
571-1-745495-8	1-745495-8	D	3	25	6.91	6.21	5.87

HDF-20 SERIES (For Flat Ribbon Cable)

Low Profile, All Plastic Connectors

- Shell, housing, & cover: UL 94V-0 black thermoplastic
- Plating: gold on mating end, tin on solder end, all over nickel underplated
- Contacts: phosphor-bronze
- Standard mounting holes
- RoHS Compliant per Tyco Electronics documentation



RoHS Compliant

* Threaded inserts

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Pos.	Price Each		
					1	10	100
Plugs							
571-1658615-4	1658615-4	E	1	9	4.90	4.67	4.20
571-1658615-3	1658615-3	E	2	15	5.43	4.89	4.62
571-1658615-2	1658615-2	E	3	25	6.78	6.10	5.76
571-1658615-1	1658615-1	E	4	37	9.27	8.34	7.88
Receptacles							
571-1658614-4	1658614-4	F	1	9	4.36	3.93	3.71
571-1658610-4	1658610-4	F	1	9	9.20	4.73	4.13
571-1658614-3	1658614-3	F	2	15	5.08	4.57	4.32
571-1658614-2	1658614-2	F	3	25	6.78	6.10	5.76
571-1658614-1	1658614-1	F	4	37	12.08	6.92	6.05

Low Profile Connectors, Metal Shell


- Housing, cover, and cable stabilizer: UL 94V-0 black thermoplastic
- Shell: steel, tin plated
- Standard mounting holes
- RoHS Compliant per Tyco Electronics documentation



RoHS Compliant

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Pos.	Price Each		
					1	10	100
Plugs							
571-1658613-4	1658613-4	G	1	9	6.10	5.25	4.01
571-1658613-3	1658613-3	G	3	15	5.65	5.38	4.84
571-1658613-2	1658613-2	G	3	25	9.78	5.41	4.73
571-1658613-1	1658613-1	G	4	37	9.59	8.63	8.15
Receptacles							
571-1658612-4	1658612-4	H	1	9	5.05	4.55	4.29
571-1658612-3	1658612-3	H	2	15	5.65	5.38	4.84
571-1658612-2	1658612-2	H	3	25	7.30	6.57	6.21
571-1658612-1	1658612-1	H	4	37	9.59	8.63	8.15
Cable Stabilizer							
571-7472754	7472754	I	1	9	.36	.33	.25
571-7472753	7472753	I	2	15	.48	.42	.37
571-7472752	7472752	I	3	25	.57	.53	.48
571-747275-1	747275-1	I	4	37	.63	.32	.27



AMPLIMITE D-Subminiature Connectors

HDP-20, CRIMP SNAP-IN CONTACT CONNECTORS

- Insert: UL 94V-0 thermoplastic, black
- Shell: steel, zinc or tin plated
- RoHS Compliant per Tyco Electronics Documentation



RoHS Compliant

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Pos.	Price Each		
					1	10	100
Plugs, Zinc Plating Shells							
571-205204-9	205204-9	A	1	9	1.18	1.03	.91
571-205206-9	205206-9	A	2	15	1.48	1.34	1.06
571-5205208-1	5205208-1	A	3	25	1.40	1.18	.976
571-205210-8	205210-8	A	4	37	2.20	1.91	1.47
571-1658641-3	1658641-3	A	5	50	2.58	2.20	1.76
Plugs, Tin Plated Shells, Without Grounding Indents							
571-205204-8	205204-8	A	1	9	1.45	1.40	.90
571-205206-8	205206-8	A	2	15	1.30	1.17	1.11
571-207464-7	207464-7	A	3	25	1.35	1.21	1.14
Plugs, Tin Plated Shells, With Grounding Indents							
571-2052044	205204-4	B	1	9	.87	.81	.57
571-2052063	205206-3	B	2	15	1.09	.97	.91
571-2074642	207464-2	B	3	25	.97	.85	.66
571-2052103	205210-3	B	4	37	1.85	1.65	1.33
571-1658641-2	1658641-2	B	5	50	1.55	1.48	1.33
Receptacle, Zinc Plating Shells							
571-205203-8	205203-8	C	1	9	1.17	1.03	.83
571-205205-7	205205-7	C	2	15	1.34	1.20	.955
571-5205207-1	5205207-1	C	3	25	1.17	1.08	.75
571-205209-7	205209-7	C	4	37	2.05	1.91	1.54
571-1658640-2	1658640-2	C	5	50	2.62	2.20	1.76
Receptacle, Tin Plating Shells							
571-2052033	205203-3	C	1	9	.85	.80	.76
571-2052052	205205-2	C	2	15	.87	.82	.65
571-2074631	207463-1	C	3	25	1.05	.98	.74
571-2052092	205209-2	C	4	37	1.32	1.18	.944
571-1658640-1	1658640-1	C	5	50	2.42	2.18	2.06

CRIMP, SNAP-IN CONTACTS - SIZE 20 DF

- Use with HDP series

Plating:

- (a) Gold flash over nickel on entire contact
- (b) Gold on mating end, tin on termination end, with entire contact nickel underplated
- (c) Gold flash over all nickel underplated, additional gold on mating end
- (d) Gold flash on mating end, tin on crimp barrel, all nickel underplated
- (e) 30µ" Gold on mating end, tin on crimp barrel, all nickel underplated
- (f) 30µ" Gold on mating and termination ends
- (g) Gold on mating end, tin on crimp barrel, all nickel underplated

Use insertion/extraction tool 571-912851; Crimp Tool 571-584482


For quantities of 5000 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Wire Size	Plating Code	Price Each		
					1	100	1000
Pins - (for use with Plugs)							
571-1665070	1-66507-0	D	28-24	a	.33	.20	.145
571-665703	66570-3	E	28-24	c	.24	.23	.22
571-666824	66682-4	D	28-24	d	.30	.27	.25
571-7452547	745254-7	D	26-22	a	.31	.28	.27
571-7452546	745254-6	D	26-22	d	.30	.27	.25
571-1658544-1	1658544-1	D	26-22	g	.36	.33	.31
571-1665060	1-66506-0	D	24-20	a	.13	.12	.11
571-2052027	205202-7	F	24-20	a	.45	.33	.30
571-1658539-4	1658539-4	D	24-20	d	.19	.13	.11
571-665069	66506-9	D	24-20	d	.17	.16	.135
571-5665067	5-66506-7	D	24-20	e	.17	.16	.15
571-1658539-3	1658539-3	D	24-20	g	.21	.19	.18
571-7452294	745229-4	F	24-20	f	.28	.26	.20
Sockets - (for use with Receptacles)							
571-1665050	1-66505-0	D	28-24	a	.19	.16	.11
571-666834	66683-4	D	28-24	d	.25	.23	.21
571-7452536	745253-6	D	26-22	d	.33	.30	.28
571-1665040	1-66504-0	D	24-20	a	.18	.16	.14
571-2052017	205201-7	O	24-20	a	.25	.23	.21
571-1658537-2	1658537-2	D	24-20	d	.17	.15	.10
571-2052015	205201-5	F	24-20	c	.48	.45	.43
571-665049	66504-9	D	24-20	d	.20	.18	.13
571-1658537-4	1658537-4	D	24.2	g	.28	.20	.17
571-665693	66569-3	E	18 max	c	.29	.26	.19


INSERTION / EXTRACTION TOOLS

For quantities of 5 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Description	Price Each
571-912851	91285-1	Insertion / extraction tool w/6 tips and wrench	15.75
571-910672	91067-2	Insertion / extraction tool	8.06
571-912321	91232-1	Extraction tool	8.10



AMPLIMITE D-Subminiature Connectors



HDP-22 HIGH DENSITY, CRIMP SNAP-IN CONTACT CONNECTORS

Materials:

- Shell: steel, tin plated
- Insert: black thermoplastic, UL94V-0 rated

Contacts not included, order separately from Size 22 DF Contacts.

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Positions	Price Each		
					1	10	100
Plugs, with Grounding Indents							
571-7483641	748364-1	A	1	15	2.28	2.17	1.95
571-1658671-1	1658671-1	A	2	26	3.56	3.20	3.03
571-1658672-1	1658672-1	A	3	44	3.98	3.58	3.38
571-1658673-1	1658673-1	A	4	62	3.84	3.46	3.26
571-1658674-1	1658674-1	A	5	78	5.42	4.88	4.61
Receptacles, with Grounding Indents							
571-1658681-1	1658681-1	B	1	15	2.35	2.11	2.00
571-1658682-1	1658682-1	B	2	26	3.98	3.58	3.38
571-1658683-1	1658683-1	B	3	44	5.04	4.54	4.28
571-1658684-1	1658684-1	B	4	62	7.03	6.33	5.98
571-1658685-1	1658685-1	B	5	78	8.70	7.83	6.58

HDP-22 Crimp Snap-In Contacts

Features:

- AWG size: 28-22
- Pin: brass
- Socket: phosphor bronze
- Plating:
 - (a) 30µ" gold on mating end, tin on crimp barrel, all nickel underplated
 - (b) Gold flash on mating end, tin on crimp barrel, all nickel underplated



RoHS Compliant

For quantities of 5000 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Plating Code	Type	Price Each		
					1	100	1000
571-1658670-2	1658670-2	C	a	Pin	.20	.13	.12
571-1658670-4	1658670-4	C	b	Pin	.14	.13	.12
571-1658686-2	1658686-2	D	a	Socket	.17	.10	.09
571-1658686-4	1658686-4	D	b	Socket	.14	.13	.12

Insertion/ Extraction Tool

For quantities of 5 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Description	Price Each
571-912851	91285-1	E	Insertion / Extraction tool	15.75

HD-22 FRONT METAL SHELL, RIGHT ANGLE CONNECTORS

Features:

- PCB Mount
- High density, .350 PCB footprint with boardlocks
- Front shell: steel tin plated
- Housing: black thermoplastic, UL94V-0
- Contacts: pin-brass, socket-phosphor bronze .22DF
- Plating:
 - (a) 30µ" gold on mating end, tin on termination end, all nickel underplated
 - (b) Gold flash on mating end, tin on termination end, all nickel underplated
- RoHS Compliant per Tyco Electronics Documentation

- Shell: nickel plated steel
- Boardlocks: tin plated brass
- Threaded Inserts: tin plated brass
- Female Screwlocks: nickel plated brass



RoHS Compliant

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Positions	Plating Code	Mounting Hardware	Price Each		
							1	10	100
571-5749767-1	5749767-1	F	1	15	a	4-40 inserts	3.90	3.51	3.32
571-5749768-1	5749768-1	F	1	15	a	4-40 screw locks	4.82	4.34	4.10
571-5749769-1	5749769-1	F	2	26	a	4-40 inserts	8.30	7.47	7.06
571-5749771-1	5749771-1	F	3	44	a	4-40 inserts	12.52	11.27	10.64

Receptacles with Boardlock

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Positions	Plating Code	Mounting Hardware	Price Each		
							1	10	100
571-1734530-3	1734530-3	G	1	15	a	4-40 screw locks	.98	.88	.83
571-1734344-1	1734344-1	G	1	15	b	4-40 inserts	.62	.56	.53
571-2-1734344-3	2-1734344-3	G	1	15	a	4-40 inserts	2.72	2.45	2.31
571-5748481-5	5748481-5	G	2	26	a	4-40 screw locks	5.42	4.88	4.61
571-5748482-5	5748482-5	G	3	44	a	4-40 inserts	3.64	3.28	3.09

HD-20 STACKED PCB CONNECTORS

AMPLIMITE HD-20 Stacked PCB Connectors add the advantage of reducing overall board real estate normally consumed by individual PCB connectors.

Materials:

- Housing: UL94V-0, Thermoplastic, Black
- Front Metal Shell: Tin Plated Steel
- Boardlocks: Tin Plated Brass
- Female Screwlocks: Nickel Plated Brass
- Threaded Inserts: Tin Plated Brass
- Brackets: Zinc
- Contact Pins: Brass
- RoHS Compliant per Tyco Electronics Documentation
- Contact Sockets: Phosphor Bronze
- Plating: .000030 (0.00076) gold on mating end, tin on solder tails with overall nickel underplate



RoHS Compliant

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Upper D-Sub	Lower D-Sub	Dimensions: In.			Mounting Hardware	Price Each		
					A	B	C		1	10	100
571-1734279-3	1734279-3	H	9p Plug	9p Plug	1.22	0.984	0.750	4-40 inserts	14.86	9.77	9.23
571-1734285-3	1734285-3	H	9p Plug	9p Receptacle	1.22	0.984	0.750	4-40 inserts	9.46	7.00	6.71
571-1-1734282-3	1-1734282-3	H	15p Plug	15p Receptacle	1.55	1.31	0.750	4-40 inserts	13.72	12.35	11.66
571-1-1734285-3	1-1734285-3	H	15p Receptacle	15p Receptacle	1.55	1.31	0.750	4-40 inserts	14.19	13.87	12.85
571-2-1734285-3	2-1734285-3	H	25p Receptacle	25p Receptacle	2.09	1.85	0.750	4-40 inserts	12.82	11.54	10.90
571-3-1734285-3	3-1734285-3	H	37p Receptacle	37p Receptacle	43.94	2.50	0.750	4-40 inserts	12.38	11.14	10.52

AMPLIMITE D-Sub Connectors and Hardware Kits

SERIES 109 CONNECTORS

(FOR MIL-C-24308)

- RoHS Compliant per Tyco Electronics Documentation
- Shell: steel, cadmium plated
- Standard mount



For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Positions	Price Each		
					1	10	100
Plugs							
571-1757819-1	1757819-1	A	1	9	4.08	3.40	2.72
571-1757819-2	1757819-2	A	2	15	6.30	5.94	5.61
571-1757819-3	1757819-3	A	3	25	5.13	4.98	4.72
571-1757819-4	1757819-4	A	4	37	6.99	6.64	6.29
Receptacles							
571-1757820-1	1757820-1	B	1	9	4.08	3.40	2.72
571-1757820-2	1757820-2	B	2	15	5.18	4.48	4.42
571-1757820-3	1757820-3	B	3	25	5.34	4.98	4.72
571-1757820-4	1757820-4	B	4	37	7.20	6.49	6.44

Connector Contacts for Series 109 Connectors

- Wire Size: 20-24 AWG
- RoHS Compliant per Tyco Electronics Documentation



For quantities of 5000 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Type	Price Each		
				1	100	1000
571-2050891	205089-1	C	Pin	.51	.42	.37
571-2050901	205090-1	C	Socket	.52	.46	.443

Tools

For quantities of 2 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Description	Price Each
571-910672	91067-2	Insertion/Extraction Tool	8.06
571-6019665	601966-5	Positioner for Series 109	171.68
571-6019661	601966-1	Crimp Tool	653.63

HARDWARE AND ACCESSORIES

Male Screw Retainers Kits, Thread Size 4-40

Includes: male screw - retention clip - stainless steel

- RoHS Compliant per Tyco Electronics Documentation



For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Chromate Color	Price Each		
				1	10	100
For HDP-20, Metal Shell Connectors						
571-5205980-1	5205980-1	D	Yellow	.67	.56	.44
571-5205980-4	5205980-4	D	Clear	.79	.67	.535
For HDF-20, Metal-Shell and All-Plastic Connectors						
571-5746881-1	5746881-1	E	Yellow	1.67	1.51	1.42

Female Screw Lock Kits, Thread Size 4-40

Includes two complete sets of: female screw, two flat washers, lock washer, and hex nut or square nut. Material and finish for all parts: cold rolled steel, zinc plated clear or yellow chromate.

- RoHS Compliant per Tyco Electronics Documentation



For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Chromate Color	Price Each		
				1	10	100
For HD-20 Right Angle Connectors, Plastic Shell						
571-5207952-1	5207952-1	F	Yellow	1.67	1.44	1.16
571-5207952-3	5207952-3	F	Clear	1.59	1.41	1.07
For HDE Connectors, Metal/All Plastic Shell						
571-5745563-1	5745563-1	G	Yellow	1.97	1.67	1.41
571-5745563-3	5745563-3	G	Clear	1.34	1.21	1.14
For HDP/HDF Connectors, Metal Shell/All Plastic						
571-5205817-1	5205817-1	G	Yellow	1.90	1.60	1.29
571-5205817-3	5205817-3	G	Clear	1.83	1.70	1.22
For HD Connectors, All Plastic with Integral Standoffs						
571-5207719-1	5207719-1	G	Yellow	1.83	1.58	1.25
571-5207719-3	5207719-3	G	Clear	1.83	1.58	1.25

Standard Spring Latch

Includes: two stainless steel spring latches

- For shell size 1-4
- RoHS Compliant per Tyco Electronics Documentation



For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Price Per Pkg. of 2		
			1	10	100
571-745779-2	745779-2	H	1.66	1.59	1.23

Locking Post Assembly Kit

Includes two complete assemblies of: 4-40 post, two flat washers, lock washer, and hex nut. Material for all parts: cold rolled steel, zinc plated yellow chromate.

- RoHS Compliant per Tyco Electronics Documentation



For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Price Per Pkg. of 2		
			1	10	100
571-5206514-1	5206514-1	I	2.00	1.80	1.70

Slide Latch Kit for Use with Shell Size 2


Includes: slide latch - steel and two complete assemblies of screw, two washers, and hex nut - steel, zinc plated yellow chromate.

- RoHS Compliant per Tyco Electronics Documentation



For quantities of 500 and up, call for quote.

MOUSER NON-RoHS STOCK NO.	MOUSER RoHS STOCK NO.	AMP Part No.	Fig.	Price Per Pkg. of 2		
				1	10	100
571-7455835	571-5745583-5	5745583-5	J	2.65	2.39	2.25



AMPLIMITE D-Sub Backshell Kits



This product is RoHS compliant.



RoHS Compliant

UNSHIELDED CABLE CLAMP KITS

These cable clamp assemblies can be used on either a plug or socket. All parts are packaged unassembled.

- Use with HDP metal shell
- Each kit includes: 1 hinged plastic clamp, 2 self-tapping screws, 1 strain-relief clip, 1 cable exit gate plug

Box and Lid, Straight / 90° Exit, Black Thermoplastic

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	Cable O.D. (max.)	Price Each		
					1	10	100
571-2074671	207467-1	A	1	.25"	2.79	2.66	2.04
571-2074701	207470-1	A	2	.325"	3.08	2.94	2.40
571-2073451	207345-1	B	3	.50"	3.21	2.71	2.56
†571-2074731	207473-1	B	4	.675"	3.24	2.92	2.75

Box and Lid, Straight / 90° Exit w/ Male Screw Retainers

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	Cable O.D. (max.)	Price Each		
					1	10	100
571-5207908-1	5207908-1	A	1	.25"	3.26	2.80	2.26
571-5207908-4	5207908-4	A	2	.325"	4.06	3.50	2.83
571-5207908-7	5207908-7	B	3	.50"	3.73	3.19	2.56
†571-5207908-0	1-5207908-0	B	4	.675"	4.43	3.81	3.13

Clam Shell, Straight / 45° Exit, Black Thermoplastic

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	Cable O.D. (max.)	Price Each		
					1	10	100
571-5205729-1	5205729-1	C	1	.256"	2.60	2.25	1.80
571-5205730-1	5205730-1	C	2	.320"	3.15	2.75	2.31
571-5205718-1	5205718-1	C	3	.420"	2.40	2.06	1.65
571-5205731-1	5205731-1	C	4	.490"	3.87	3.54	2.83

2 Piece Gray Nylon Housing

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	Cable O.D. (max.)	Price Each		
					1	10	100
571-5206471-1	5206471-1	D	2	.350"	3.66	3.30	2.64
571-5206472-1	5206472-1	D	3	.335"	3.66	3.30	2.64
571-5745081-1	5745081-1	D	4	.675"	4.08	3.40	2.81
571-5745082-1	5745082-1	D	5	.775"	4.16	3.47	2.88

†90° Cable O.D.: .50" max.

STRAIGHT EXIT RF/EMI SHIELDS FOR JACKETED CABLE

- Metal-plated plastic shield: Thermoplastic, plated nickel over copper
- Die cast shield: Zinc alloy, plated bright nickel over bright copper
- RoHS Compliant per Tyco Electronics documentation



RoHS Compliant

Metal Plated Plastic Shield Kits

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	Cable O.D. (max.)	Price Each		
					1	10	100
571-5745854-3	5745854-3	E	1	.25"	3.99	2.83	2.71
571-5745854-1	5745854-1	E	1	.37"	4.18	3.97	3.18
571-5747099-3	5747099-3	E	2	.38"	4.71	3.92	3.14
571-5745833-7	5745833-7	E	3	.35"	6.93	5.77	4.62
571-5745833-5	5745833-5	E	3	.43"	4.80	4.00	3.20

Die Cast Shield Kits

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	Cable O.D. (max.)	Price Each		
					1	10	100
571-5745171-1	5745171-1	E	1	.25"	6.43	5.49	4.42
571-5745172-2	5745172-2	E	2	.30"	8.05	6.08	5.64
571-5745173-3	5745173-3	E	3	.43"	6.56	5.59	4.56
571-5745174-4	5745174-4	E	4	.43"	8.28	7.85	6.28
571-5745174-3	5745174-3	E	4	.50"	9.66	7.96	6.63
571-5745175-1	5745175-1	E	5	.75"	9.23	8.15	6.79

Die Cast Shield Kits with Grommets

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	Cable O.D. (max.)	Price Each		
					1	10	100
571-5748676-1	5748676-1	E	1	.32"	5.06	4.68	3.81
571-5748676-2	5748676-2	E	2	.32"	5.25	4.74	4.01
571-5748676-3	5748676-3	E	3	.47"	5.68	5.01	4.29
571-5748676-4	5748676-4	E	4	.47"	8.50	7.05	6.11
571-5748676-5	5748676-5	E	5	.47"	12.67	11.30	9.11

HDP-20, ENCLOSURE KITS

Each kit contains: connector, inner shield, outer shield, enclosure, and two jackscrews. Contacts and Ferrules must be ordered separately.

- Connector shell and shields: steel, tin plated
- RoHS Compliant per Tyco Electronics documentation
- Connector insert: UL 94V-0 black thermoplastic
- Enclosure: PVC



RoHS Compliant

For quantities of 500 and up, call for quote.

MOUSER STOCK NO.	AMP Part No.	Fig.	Shell Size	No. of Postions	Cable O.D. (max.)	Price Each		
						1	10	100
Plug Kits								
571-1658655-1	1658655-1	F	1	9	.335"	6.76	5.18	4.90
571-1658659-1	1658659-1	F	3	25	.455"	8.58	7.77	6.22
Receptacle Kits								
571-1658654-1	1658654-1	G	1	9	.335"	6.95	5.97	5.42
571-1658658-1	1658658-1	G	3	25	.455"	8.76	7.92	6.34

© Copyright 2008 Mouser Electronics

© Copyright 2008 Mouser Electronics

www.mouser.com/amp



a tti company

[Mouser Catalog Download](#)


(800) 346-6873

1213


A




B




C




D



E



F



G

