# MSc Data Mining

## Topic 06 : Classification

## Part 03 : Naive Bayes

Dr Bernard Butler and Dr Kieran Murphy

Department of Computing and Mathematics, SETU Waterford.
(bernard.butler@setu.ie; kmurphy@wit.ie)

Spring Semester, 2024

### Outline

- Motivation behind naïve Bayes
- Sample application
- Summary of properties

# Outline

1. Motivation — Spam Filtering 2

2. Application — Trump's Claims 10

3. Summary 18

# Spam Filtering

## Reality




## Simplified Problem

Assume that we have the following set of messages previously classified as spam or ham.

| Message | Class |
|---|---|
| "send us your password" | spam |
| "send us your review" | ham |
| "password review" | ham |
| "review us" | spam |
| "send your password" | spam |
| "send us your account" | spam |

We are interested in classifying the following new message as spam or ham:

| Message | Class |
|---|---|
| "review us now" | ? |

# Count occurrences … compute probabilities

| Message | Class |
|---|---|
| "send us your password" | spam |
| "send us your review" | ham |
| "password review" | ham |
| "review us" | spam |
| "send your password" | spam |
| "send us your account" | spam |

| Word | # in spam | # in ham | $\Pr(\bullet \mid \text{spam})$ | $\Pr(\bullet \mid \text{ham})$ |
|---|---|---|---|---|
| account | | | | |
| password | | | | |
| review | | | | |
| send | | | | |
| us | | | | |
| your | | | | |

| Class | Count | Probability |
|---|---|---|
| spam | | |
| ham | | |

# Count occurrences … compute probabilities

| Message | Class |
|---|---|
| "send us your password" | spam |
| "send us your review" | ham |
| "password review" | ham |
| "review us" | spam |
| "send your password" | spam |
| "send us your account" | spam |

| Word | # in spam | # in ham | $\Pr(\bullet \mid \text{spam})$ | $\Pr(\bullet \mid \text{ham})$ |
|---|---|---|---|---|
| account | | | | |
| password | | | | |
| review | | | | |
| send | | | | |
| us | | | | |
| your | | | | |

| Class | Count | Probability |
|---|---|---|
| spam | 4 | $\Pr(\text{spam}) = 4/6$ |
| ham | 2 | $\Pr(\text{ham}) = 2/6$ |

# Count occurrences … compute probabilities

| Message | Class |
|---|---|
| "send us your password" | spam |
| "send us your review" | ham |
| "password review" | ham |
| "review us" | spam |
| "send your password" | spam |
| "send us your account" | spam |

| Word | # in spam | # in ham | $\Pr(\bullet \mid \text{spam})$ | $\Pr(\bullet \mid \text{ham})$ |
|---|---|---|---|---|
| account | 1 | 0 | 1/4 | 0/2 |
| password | | | | |
| review | | | | |
| send | | | | |
| us | | | | |
| your | | | | |

| Class | Count | Probability |
|---|---|---|
| spam | 4 | $\Pr(\text{spam}) = 4/6$ |
| ham | 2 | $\Pr(\text{ham}) = 2/6$ |

# Count occurrences … compute probabilities

| Message | Class |
|---|---|
| "send us your password" | spam |
| "send us your review" | ham |
| "password review" | ham |
| "review us" | spam |
| "send your password" | spam |
| "send us your account" | spam |

| Word | # in spam | # in ham | $\Pr(\bullet \mid \text{spam})$ | $\Pr(\bullet \mid \text{ham})$ |
|---|---|---|---|---|
| account | 1 | 0 | 1/4 | 0/2 |
| password | 2 | 1 | 2/4 | 1/2 |
| review | 1 | 2 | 1/4 | 2/2 |
| send | 3 | 1 | 3/4 | 1/2 |
| us | 3 | 1 | 3/4 | 1/2 |
| your | 3 | 1 | 3/4 | 1/2 |

| Class | Count | Probability |
|---|---|---|
| spam | 4 | $\Pr(\text{spam}) = 4/6$ |
| ham | 2 | $\Pr(\text{ham}) = 2/6$ |

# Count occurrences … compute probabilities

| Message | Class |
|---|---|
| "send us your password" | spam |
| "send us your review" | ham |
| "password review" | ham |
| "review us" | spam |
| "send your password" | spam |
| "send us your account" | spam |

| Word | # in spam | # in ham | $\Pr(\bullet\|\text{spam})$ | $\Pr(\bullet\|\text{ham})$ |
|---|---|---|---|---|
| account | 1 | 0 | 1/4 | 0/2 |
| password | 2 | 1 | 2/4 | 1/2 |
| review | 1 | 2 | 1/4 | 2/2 |
| send | 3 | 1 | 3/4 | 1/2 |
| us | 3 | 1 | 3/4 | 1/2 |
| your | 3 | 1 | 3/4 | 1/2 |

| Class | Count | Probability |
|---|---|---|
| spam | 4 | $\Pr(\text{spam}) = 4/6$ |
| ham | 2 | $\Pr(\text{ham}) = 2/6$ |

## What we have

The probability that a message contains, say the word review, among our message classed as spam, i.e.,

$$\Pr(\text{review}|\text{spam}) = 1/4$$

## What we want

The probability that a message is spam given that it contains, say the word review, i.e.,

$$\Pr(\text{spam}|\text{review}) = ?$$

# Count occurrences … compute probabilities

| Message | Class |
|---|---|
| "send us your password" | spam |
| "send us your review" | ham |
| "password review" | ham |
| "review us" | spam |
| "send your password" | spam |
| "send us your account" | spam |

| Word | # in spam | # in ham | $\Pr(\bullet\|\text{spam})$ | $\Pr(\bullet\|\text{ham})$ |
|---|---|---|---|---|
| account | 1 | 0 | 1/4 | 0/2 |
| password | 2 | 1 | 2/4 | 1/2 |
| review | 1 | 2 | 1/4 | 2/2 |
| send | 3 | 1 | 3/4 | 1/2 |
| us | 3 | 1 | 3/4 | 1/2 |
| your | 3 | 1 | 3/4 | 1/2 |

| Class | Count | Probability |
|---|---|---|
| spam | 4 | $\Pr(\text{spam}) = 4/6$ |
| ham | 2 | $\Pr(\text{ham}) = 2/6$ |

prior probabilities

## What we have

The probability that a message contains, say the word review, among our message classed as spam, i.e.,

$$\Pr(\text{review}|\text{spam}) = 1/4$$

## What we want

The probability that a message is spam given that it contains, say the word review, i.e.,

$$\Pr(\text{spam}|\text{review}) = ?$$

posterior probabilities

# Aside: Probability Laws

## Bayes Rule

$$\overbrace{\Pr(A|B)\Pr(B)}^{\text{conditional}\times\text{marginal}} = \overbrace{\Pr(A \text{ AND } B)}^{\text{joint}} = \overbrace{\Pr(B|A)\Pr(A)}^{\text{conditional}\times\text{marginal}}$$

$$\Pr(A|B)\Pr(B) = \Pr(B|A)\Pr(A) \longrightarrow \Pr(B|A) = \frac{\Pr(A|B)\Pr(B)}{\Pr(A)}$$

## Complementry Rule

$$\Pr(\text{NOT } A) = 1 - \Pr(A)$$

## Independent Events

If events $A$ and $B$ are independent, then $\Pr(A \text{ AND } B) = \Pr(A)\Pr(B)$

## Law of total of probability

Let $A$ be any event. Let $\{B_1, B_2, B_3, \ldots, B_n\}$ be a set of events, exactly one of which must occur, then

$$\Pr(A) = \Pr(A|B_1)\Pr(B_1) + \Pr(A|B_2)\Pr(B_2) + \cdots + \Pr(A|B_n)\Pr(B_n)$$

# Classifying a Message Using a Single Word

Applying the law of total probability, with $A = \text{review}$, and $B_1 = \text{spam}$ and $B_2 = \text{ham}$, then we have

$$\Pr(\text{review}) = \Pr(\text{review}|\text{spam})\Pr(\text{spam}) + \Pr(\text{review}|\text{ham})\Pr(\text{ham}) = \frac{1}{4}\cdot\frac{4}{6} + \frac{2}{2}\cdot\frac{2}{6} = \frac{3}{6}$$

Now we can apply Bayes rule, with $A = \text{review}$ and $B = \text{spam}$ we have

$$\Pr(\text{spam}|\text{review}) = \frac{\Pr(\text{review}|\text{spam})\Pr(\text{spam})}{\Pr(\text{review})} = \frac{\frac{1}{4}\cdot\frac{4}{6}}{\frac{3}{6}} = \frac{1}{3} = 33.3\%$$

And we can apply Bayes rule, with $A = \text{review}$ and $B = \text{ham}$ to get

$$\Pr(\text{ham}|\text{review}) = \frac{\Pr(\text{review}|\text{ham})\Pr(\text{ham})}{\Pr(\text{review})} = \frac{\frac{2}{2}\cdot\frac{2}{6}}{\frac{3}{6}} = \frac{2}{3} = 66.7\%$$

So on receiving a message containing the word review we can classify it a spam with probability 33.3% and ham with probability 66.7%.

# Classifying a Message Using a Single Word

Applying the law of total probability, with $A = \text{review}$, and $B_1 = \text{spam}$ and $B_2 = \text{ham}$, then we have

$$\Pr(\text{review}) = \Pr(\text{review}|\text{spam})\Pr(\text{spam}) + \Pr(\text{review}|\text{ham})\Pr(\text{ham}) = \frac{1}{4}\cdot\frac{4}{6} + \frac{2}{2}\cdot\frac{2}{6} = \frac{3}{6}$$

Now we can apply Bayes rule, with $A = \text{review}$ and $B = \text{spam}$ we have

$$\Pr(\text{spam}|\text{review}) = \frac{\Pr(\text{review}|\text{spam})\Pr(\text{spam})}{\Pr(\text{review})} = \frac{\frac{1}{4}\cdot\frac{4}{6}}{\frac{3}{6}} = \frac{1}{3} = 33.3\%$$

And we can apply Bayes rule, with $A = \text{review}$ and $B = \text{ham}$ to get

$$\Pr(\text{ham}|\text{review}) = \frac{\Pr(\text{review}|\text{ham})\Pr(\text{ham})}{\Pr(\text{review})} = \frac{\frac{2}{2}\cdot\frac{2}{6}}{\frac{3}{6}} = \frac{2}{3} = 66.7\%$$

So on receiving a message containing the word review we can classify it a spam with probability 33.3% and ham with probability 66.7%.

# Classifying a Message Using a Single Word

Applying the law of total probability, with $A = \text{review}$, and $B_1 = \text{spam}$ and $B_2 = \text{ham}$, then we have

$$\Pr(\text{review}) = \Pr(\text{review}|\text{spam})\Pr(\text{spam}) + \Pr(\text{review}|\text{ham})\Pr(\text{ham}) = \frac{1}{4}\cdot\frac{4}{6} + \frac{2}{2}\cdot\frac{2}{6} = \frac{3}{6}$$

Now we can apply Bayes rule, with $A = \text{review}$ and $B = \text{spam}$ we have

$$\Pr(\text{spam}|\text{review}) = \frac{\Pr(\text{review}|\text{spam})\Pr(\text{spam})}{\Pr(\text{review})} = \frac{\frac{1}{4}\cdot\frac{4}{6}}{\frac{3}{6}} = \frac{1}{3} = 33.3\%$$

And we can apply Bayes rule, with $A = \text{review}$ and $B = \text{ham}$ to get

$$\Pr(\text{ham}|\text{review}) = \frac{\Pr(\text{review}|\text{ham})\Pr(\text{ham})}{\Pr(\text{review})} = \frac{\frac{2}{2}\cdot\frac{2}{6}}{\frac{3}{6}} = \frac{2}{3} = 66.7\%$$

So on receiving a message containing the word review we can classify it a spam with probability 33.3% and ham with probability 66.7%.

# Classifying a Message Using a Single Word

Applying the law of total probability, with $A = \text{review}$, and $B_1 = \text{spam}$ and $B_2 = \text{ham}$, then we have

$$\Pr(\text{review}) = \Pr(\text{review}|\text{spam})\Pr(\text{spam}) + \Pr(\text{review}|\text{ham})\Pr(\text{ham}) = \frac{1}{4}\cdot\frac{4}{6} + \frac{2}{2}\cdot\frac{2}{6} = \frac{3}{6}$$

Now we can apply Bayes rule, with $A = \text{review}$ and $B = \text{spam}$ we have

$$\Pr(\text{spam}|\text{review}) = \frac{\Pr(\text{review}|\text{spam})\Pr(\text{spam})}{\Pr(\text{review})} = \frac{\frac{1}{4}\cdot\frac{4}{6}}{\frac{3}{6}} = \frac{1}{3} = 33.3\%$$

And we can apply Bayes rule, with $A = \text{review}$ and $B = \text{ham}$ to get

$$\Pr(\text{ham}|\text{review}) = \frac{\Pr(\text{review}|\text{ham})\Pr(\text{ham})}{\Pr(\text{review})} = \frac{\frac{2}{2}\cdot\frac{2}{6}}{\frac{3}{6}} = \frac{2}{3} = 66.7\%$$

So on receiving a message containing the word review we can classify it a spam with probability 33.3% and ham with probability 66.7%.

# Classifying a Message Using Multiple Words I

- We can now (hopefully) do this for each word in our test message ("review us now"), but what about classifying using multiple words? … here comes the naïve bit …

$$\boxed{\text{Naïve Bayes assumes that presence of each word are independent events}}$$

Recall: independent events means can multiply to get joint probabilities.

- We are interested in classifying the message

$$\text{review us now}$$

- We don't have data on the word now so only looking at messages containing review and us and not containing account, password. send, or your.

$$\Pr(\{\text{review}, \text{us}\}|\text{spam}) = \underbrace{\left(1-\frac{1}{4}\right)}_{\text{account}}\underbrace{\left(1-\frac{2}{4}\right)}_{\text{password}}\underbrace{\left(\frac{1}{4}\right)}_{\text{review}}\underbrace{\left(1-\frac{3}{4}\right)}_{\text{send}}\underbrace{\left(\frac{3}{4}\right)}_{\text{us}}\underbrace{\left(1-\frac{3}{4}\right)}_{\text{your}} = 0.0044$$

and

$$\Pr(\{\text{review}, \text{us}\}|\text{ham}) = \underbrace{\left(1-\frac{0}{2}\right)}_{\text{account}}\underbrace{\left(1-\frac{1}{2}\right)}_{\text{password}}\underbrace{\left(\frac{2}{2}\right)}_{\text{review}}\underbrace{\left(1-\frac{1}{2}\right)}_{\text{send}}\underbrace{\left(\frac{1}{2}\right)}_{\text{us}}\underbrace{\left(1-\frac{1}{2}\right)}_{\text{your}} = 0.0625$$

# Classifying a Message Using Multiple Words I

- We can now (hopefully) do this for each word in our test message ("review us now"), but what about classifying using multiple words? … here comes the naïve bit …

  **Naïve Bayes assumes that presence of each word are independent events**

  Recall: independent events means can multiply to get joint probabilities.
- We are interested in classifying the message

  review us now
- We don't have data on the word now so only looking at messages containing review and us and not containing account, password. send, or your.

$$\Pr(\{\text{review}, \text{us}\}|\text{spam}) = \underbrace{\left(1-\frac{1}{4}\right)}_{\text{account}}\underbrace{\left(1-\frac{2}{4}\right)}_{\text{password}}\underbrace{\left(\frac{1}{4}\right)}_{\text{review}}\underbrace{\left(1-\frac{3}{4}\right)}_{\text{send}}\underbrace{\left(\frac{3}{4}\right)}_{\text{us}}\underbrace{\left(1-\frac{3}{4}\right)}_{\text{your}} = 0.0044$$

and

$$\Pr(\{\text{review}, \text{us}\}|\text{ham}) = \underbrace{\left(1-\frac{0}{2}\right)}_{\text{account}}\underbrace{\left(1-\frac{1}{2}\right)}_{\text{password}}\underbrace{\left(\frac{2}{2}\right)}_{\text{review}}\underbrace{\left(1-\frac{1}{2}\right)}_{\text{send}}\underbrace{\left(\frac{1}{2}\right)}_{\text{us}}\underbrace{\left(1-\frac{1}{2}\right)}_{\text{your}} = 0.0625$$

# Classifying a Message Using Multiple Words I

- We can now (hopefully) do this for each word in our test message ("review us now"), but what about classifying using multiple words? … here comes the naïve bit …

  **Naïve Bayes assumes that presence of each word are independent events**

  Recall: independent events means can multiply to get joint probabilities.
- We are interested in classifying the message

  review us now
- We don't have data on the word now so only looking at messages containing review and us and not containing account, password. send, or your.

$$\Pr(\{\text{review}, \text{us}\}|\text{spam}) = \underbrace{\left(1-\frac{1}{4}\right)}_{\cancel{\text{account}}}\underbrace{\left(1-\frac{2}{4}\right)}_{\cancel{\text{password}}}\underbrace{\left(\frac{1}{4}\right)}_{\text{review}}\underbrace{\left(1-\frac{3}{4}\right)}_{\cancel{\text{send}}}\underbrace{\left(\frac{3}{4}\right)}_{\text{us}}\underbrace{\left(1-\frac{3}{4}\right)}_{\cancel{\text{your}}} = 0.0044$$

and

$$\Pr(\{\text{review}, \text{us}\}|\text{ham}) = \underbrace{\left(1-\frac{0}{2}\right)}_{\cancel{\text{account}}}\underbrace{\left(1-\frac{1}{2}\right)}_{\cancel{\text{password}}}\underbrace{\left(\frac{2}{2}\right)}_{\text{review}}\underbrace{\left(1-\frac{1}{2}\right)}_{\cancel{\text{send}}}\underbrace{\left(\frac{1}{2}\right)}_{\text{us}}\underbrace{\left(1-\frac{1}{2}\right)}_{\cancel{\text{your}}} = 0.0625$$

# Classifying a Message Using Multiple Words II

Now we can apply the law of total probability as before

$$\begin{aligned}\Pr(\{\text{review}, \text{us}\}) &= \Pr(\{\text{review}, \text{us}\}|\text{spam})\Pr(\text{spam}) + \Pr(\{\text{review}, \text{us}\}|\text{ham})\Pr(\text{ham}) \\ &= 0.0044\left(\frac{4}{6}\right) + 0.0625\left(\frac{2}{6}\right) = 0.0237\end{aligned}$$

And finally Bayes rule

$$\Pr(\text{spam}|\{\text{review}, \text{us}\}) = \frac{\Pr(\{\text{review}, \text{us}\}|\text{spam})\Pr(\text{spam})}{\Pr(\{\text{review}, \text{us}\})} = \frac{0.0044\left(\frac{4}{6}\right)}{0.0237} = 0.123$$

and

$$\Pr(\text{ham}|\{\text{review}, \text{us}\}) = \frac{\Pr(\{\text{review}, \text{us}\}|\text{ham})\Pr(\text{ham})}{\Pr(\{\text{review}, \text{us}\})} = \frac{0.0625\left(\frac{2}{6}\right)}{0.0237} = 0.877$$

Hence, the probability that the message is spam is 12.3%, and ham is 87.7%.

# Classifying a Message Using Multiple Words II

Now we can apply the law of total probability as before

$$\begin{aligned}\Pr(\{\text{review}, \text{us}\}) &= \Pr(\{\text{review}, \text{us}\}|\text{spam})\Pr(\text{spam}) + \Pr(\{\text{review}, \text{us}\}|\text{ham})\Pr(\text{ham}) \\ &= 0.0044\left(\frac{4}{6}\right) + 0.0625\left(\frac{2}{6}\right) = 0.0237\end{aligned}$$

And finally Bayes rule

$$\Pr(\text{spam}|\{\text{review}, \text{us}\}) = \frac{\Pr(\{\text{review}, \text{us}\}|\text{spam})\Pr(\text{spam})}{\Pr(\{\text{review}, \text{us}\})} = \frac{0.0044\left(\frac{4}{6}\right)}{0.0237} = 0.123$$

and

$$\Pr(\text{ham}|\{\text{review}, \text{us}\}) = \frac{\Pr(\{\text{review}, \text{us}\}|\text{ham})\Pr(\text{ham})}{\Pr(\{\text{review}, \text{us}\})} = \frac{0.0625\left(\frac{2}{6}\right)}{0.0237} = 0.877$$

Hence, the probability that the message is spam is 12.3%, and ham is 87.7%.

# Classifying a Message Using Multiple Words III

A final comment:

- The classifier picks the class with the largest probability, so in this case

$$\Pr(\text{spam}|\{\text{review}, \text{us}\}) = \frac{\Pr(\{\text{review}, \text{us}\}|\text{spam})\Pr(\text{spam})}{\Pr(\{\text{review}, \text{us}\})} = \frac{0.0044\left(\frac{4}{6}\right)}{0.0237} = 0.123$$

and

$$\Pr(\text{ham}|\{\text{review}, \text{us}\}) = \frac{\Pr(\{\text{review}, \text{us}\}|\text{ham})\Pr(\text{ham})}{\Pr(\{\text{review}, \text{us}\})} = \frac{0.0625\left(\frac{2}{6}\right)}{0.0237} = 0.877$$

- We can skip the computation of $\Pr(\{\text{review}, \text{us}\})$ involving the law of total probability step since that is a common denominator in above formula, And instead look are relative likelihood

$$\frac{\Pr(\text{spam}|\{\text{review}, \text{us}\})}{\Pr(\text{ham}|\{\text{review}, \text{us}\})} = \frac{\Pr(\{\text{review}, \text{us}\}|\text{spam})\Pr(\text{spam})}{\Pr(\{\text{review}, \text{us}\}|\text{ham})\Pr(\text{ham})} \implies \begin{cases} > 1 & \text{pick spam} \\ < 1 & \text{pick ham} \end{cases}$$

# Outline

1. Motivation — Spam Filtering 2

2. Application — Trump's Claims 10

3. Summary 18

# Trump's Claims — Dataset

The Washington Post has released a curated list of Donald Trump's false claims while in office. The claim's have been categorised and cross linked. We will see how well a naïve Bayes classifier will do on this dataset.

```
df = pd.read_csv("wapo_trumpclaims_export-012021.csv.gz")
print(df.shape)
df.head(5)
```

```
(30573, 9)
```

| | id | location | claim | analysis | pinocchios | category | repeated_ids | repeated_count | date |
|---|---|---|---|---|---|---|---|---|---|
| **0** | 31608.0 | Remarks | "We also got tax cuts, the largest tax cut and... | This is Trump's second favorite falsehood, and... | 4.0 | Taxes | 31608, 31581, 31305, 31183, 31530, 30920, 3085... | 296 | 01/20/2021 |
| **1** | 31609.0 | Remarks | "We just got seventy five million votes. And t... | When the counting was finished, Trump had rece... | NaN | Election | 31609, 31292, 31155, 31016, 31082, 30992, 3156... | 19 | 01/20/2021 |
| **2** | 31610.0 | Remarks | "One of the things we're very, very proud of i... | Contrary to his boasts, Trump did not achieve ... | NaN | Miscellaneous | 31610, 31598, 31187, 30918, 30374, 29845, 2922... | 84 | 01/20/2021 |
| **3** | 31611.0 | Remarks | "Our first lady has been a woman of great grac... | In reality, Melania Trump leaves the White Hou... | NaN | Miscellaneous | NaN | 0 | 01/20/2021 |
| **4** | 31612.0 | Remarks | "That's why [regulation cuts] we have such goo... | Leaving aside Trump's claim about the impact o... | NaN | Jobs | NaN | 0 | 01/20/2021 |

# Trump's Claims — Dataset

```
df.category.value_counts(dropna=False)
```

```
Immigration          3225
Foreign policy       3165
Election             3037
Miscellaneous        2767
Coronavirus          2521
Trade                2513
Economy              2475
Russia               1838
Jobs                 1732
Health care          1629
Ukraine probe        1377
Environment          1065
Biographical record   963
Taxes                 857
Crime                 852
NaN                   169
Guns                  165
Education             151
Terrorism              72
Name: category, dtype: int64
```

# Trump's Claims — Dataset

```
df.category.value_counts(dropna=False)
```

```
Immigration          3225
Foreign policy       3165
Election             3037
Miscellaneous        2767
Coronavirus          2521
Trade                2513
Economy              2475
Russia               1838
Jobs                 1732
Health care          1629
Ukraine probe        1377
Environment          1065
Biographical record   963
Taxes                 857
Crime                 852
NaN                   169
Guns                  165
Education             151
Terrorism              72
Name: category, dtype: int64
```

General observations . . .

- Some classes are relatively rare.
- Some classifications would appear to overlap `Russia` ↔ `Election`.
- There are 169 unclassified observations, missing values . . . **these need** to be removed/encoded before model building.
- Total of 30,573 false claims! He was busy between golf sessions ... sorry, I could not resist.

# Trump's Claims — Data Preprocessing II

We perform our standard train-test split

```
from sklearn.model_selection import train_test_split
X_train, X_test, y_train, y_test = train_test_split(
    df.claim, df.category, test_size=0.2, random_state=42)
```

Next we need to reproduce the word extraction and counts that we did for the simple example earlier:

```
from sklearn.feature_extraction.text import CountVectorizer
count_vectorizer = CountVectorizer()

X_train_counts = count_vectorizer.fit_transform(X_train)
X_test_counts = count_vectorizer.transform(X_test)
```

Use the train dataset to determine parameters for the operation (`fit`). Then, apply (`transform`) to both train and test

Notice the function calls `fit_transform` on `X_train` and `transform` on `X_test`. The function `fit_transform` is two separate steps: `fit` and `transform` and could be written as

```
count_vectorizer.fit(X_train)
X_train_counts = count_vectorizer.transform(X_train)
```

or

```
X_train_counts = count_vectorizer.fit(X_train).transform(X_train)
```

# Trump's Claims — Data Preprocessing II

How many features?

8
```
X_train_counts.shape
```

```
(24323, 12718)
```

9
```
X_test_counts.shape
```

```
(6081, 12718)
```

A look at the first 1,000 features . . .

10
```
print(count_vectorizer.get_feature_names()[:1000])
```

```
['00', '000', '005', '006', '00pm', '00pme', '024', '024th', '028', '03', '036', '067', '085', '09', '0ver', '10', '100', '1000', '100th', '101', '102', '1024', '1024th', '103', '104', '1040', '105', '106', '107', '108', '109', '10s', '
0th', '111', '110', '112', '113', '115', '116', '117', '118', '119', '11th', '12', '120', '121', '122', '123', '125', '126', '127', '128', '129', '12th', '13', '130', '132', '133', '134', '135', '138th', '139', '13th', '14', '140
'141', '142', '143', '144', '144th', '145', '147', '149', '1492', '14th', '15', '150', '150th', '151', '154', '155', '157', '158', '15th', '16', '160', '161', '162', '164', '168', '169', '16th', '17', '170', '171', '172', '175', '176',
1776', '17b', '18', '180', '1807', '181', '182', '1824', '183', '184', '185', '1860', '187', '188', '1888', '1890', '1890s', '18s', '18th', '19', '190', '1900s', '191', '1912', '1913', '1917', '1918', '192', '1928', '1929', '1930s', '19
5', '1940s', '195', '1950', '1950s', '1951', '1952', '196', '1960', '1960s', '1962', '197', '1972', '1974', '1976', '1977', '198', '1980', '1980s', '1982', '1986', '1990', '1992', '1994', '1996', '1997', '19th', '1k', 'iliskyeyng', '1st
', '20', '200', '2000', '2001', '2006', '2008', '2009', '2010', '2011', '2012', '2013', '2014', '2015', '2016', '2017', '2018', '2019', '2020', '2020election', '2021', '2024', '2025', '2026', '2028', '2030', '2032', '2035', '204',
'205', '206', '207', '209', '20k', '20s', '20th', '21', '210', '2100', '212', '215', '216', '218', '21st', '22', '220', '221', '223', '224', '225', '227', '228', '22nd', '23', '230', '232', '235', '237', '238', '24', '240', '243', '245'
'25', '250', '251', '252', '253', '256', '257', '259', '25th', '26', '266', '27', '270', '273', '275', '276', '277', '279', '28', '280', '281', '285', '287', '289', '29', '290', '292', '293', '295', '297', '29th', '2a', '2k', '2nd', '2t
gq6o', '2yrs', '30', '300', '300k', '302', '304', '306', '307', '308', '30st', '31', '311', '312', '315', '31am', '31st', '32', '320', '325', '326', '33', '330', '331', '337', '33rd', '34', '340', '341', '342', '346', '348', '35', '350'
'3500', '355', '356', '358', '35s', '36', '360', '368', '37', '375', '379', '38', '380', '39', '392', '3crnij4pwt', '3rd', '40', '400', '4000', '401', '401k', '401ks', '40m', '40s', '41', '410', '412', '415', '42', '420', '424', '426',
'42am', '43', '435', '44', '440', '45', '450', '46', '462', '464', '468', '47', '470', '475', '48', '480', '49', '490', '495', '4s', '4th', '50', '500', '500th', '502', '504', '505', '506', '507', '51', '510', '517', '52', '520',
'525', '527', '529', '53', '530', '533', '537', '539', '54', '546', '55', '550', '552', '556', '56', '565', '566', '57', '572', '575', '58', '59', '593', '5p', '51', '5th', '5x', '60', '600', '6000', '603', '608', '60minutes', '60s', '6
', '618', '61st', '62', '620', '623', '63', '635', '64', '640', '643', '65', '650', '6500', '654', '658', '66', '663', '67', '670', '675', '68', '69', '690', '6th', '70', '700', '7000', '701', '70s', '71', '716', '72', '722', '725', '73
', '730', '738', '739', '74', '747', '74fs', '75', '750', '76', '77', '772', '774', '78', '79', '790', '792', '7yrs', '80', '800', '8000', '807', '80s', '81', '817', '82', '83', '84', '85', '850', '85th', '86', '863', '87', '876', '88',
880', '886', '89', '8th', '8x', '90', '900', '9000', '904', '90s', '91', '92', '922', '923', '93', '94', '940', '941', '945', '95', '959', '96', '97', '972', '975', '978', '98', '99', '991', '9th', 'a17', 'a5k3u9rg3d', 'abandon', 'aband
ned', 'abbott', 'abc', 'abcworldnews', 'abel', 'abedin', 'abeyance', 'abiding', 'ability', 'abject', 'ablaze', 'able', 'abolish', 'abolished', 'abolishice', 'abolishing', 'abortion', 'abortions', 'abound', 'about', 'above', 'abraham', 'a
rams', 'abroad', 'abruptly', 'absence', 'absentee', 'absentia', 'absolute', 'absolutely', 'absurd', 'abu', 'abundant', 'abuse', 'abused', 'abuser', 'abuses', 'abusing', 'abusive', 'aca', 'academy', 'accelerate', 'accept', 'acceptable',
acceptance', 'accepted', 'accepting', 'access', 'accessible', 'accident', 'accidentally', 'accidents', 'acclaimed', 'accompanied', 'accompanying', 'accomplish', 'accomplished', 'accomplishment', 'accomplishments', 'accord', 'according',
'accords', 'account', 'accountability', 'accountable', 'accountants', 'accounted', 'accounting', 'accounts', 'accumulated', 'accumulating', 'accuracy', 'accurate', 'accurately', 'accusation', 'accusations', 'accused', 'accuser', 'accuse
s', 'accusing', 'aced', 'achieve', 'achieved', 'achievement', 'achievements', 'achieving', 'acid', 'acknowledge', 'acknowledged', 'acknowledgment', 'aclu', 'acosta', 'acquire', 'acquiring', 'acquittal', 'acres', 'across', 'act', 'acted
'acting', 'action', 'actions', 'activate', 'activated', 'active', 'actively', 'activism', 'activist', 'activists', 'activities', 'activity', 'acts', 'actual', 'actuality', 'actually', 'acu', 'acuity', 'ad', 'adam', 'adamlazarz', 'add',
added', 'addict', 'addicted', 'addiction', 'adding', 'addition', 'additional', 'additionally', 'additions', 'address', 'addressed', 'addresses', 'addressing', 'adept', 'adhere', 'adjourn', 'adjournment', 'adjudged', 'adjudicate', 'adjud
cation', 'adjust', 'adjusted', 'admin', 'administer', 'administering', 'administra', 'administration', 'administrations', 'admins', 'admiral', 'admirer', 'admission', 'admissions', 'admit', 'admits', 'admitted', 'admitting', 'admonished
', 'adolph', 'adopted', 'adopting', 'adoption', 'ads', 'adult', 'adults', 'advance', 'advanced', 'advances', 'advancing', 'advantage', 'advantageous', 'advantages', 'adversaries', 'adversely', 'advertisements', 'advertising', 'advice', '
dvise', 'advised', 'advisers', 'advising', 'advisor', 'advisors', 'advisory', 'advocate', 'advocated', 'advocating', 'aeroplanes', 'aetna', 'af', 'affair', 'affairs', 'affect', 'affected', 'affecting', 'affection', 'affectionately', 'af
ects', 'affh', 'affidavits', 'affirm', 'affirmative', 'affirmatively', 'affirmed', 'afflicted', 'afford', 'affordable', 'affront', 'afghanistan', 'afghans', 'afraid', 'africa', 'african', 'after', 'aftermath', 'afternoon', 'afterwards',
'ag', 'again', 'against', 'age', 'agencies', 'agency', 'agenda', 'agent', 'agents', 'ages', 'aggression', 'aggressive', 'aggressively', 'agitated', 'agitators', 'ago', 'agony', 'agree', 'agreed', 'agreeing', 'agreement', 'agreements',
grees', 'agricultural', 'agriculture', 'ah', 'ahead', 'aid', 'aide', 'aides', 'aids', 'ailment', 'ailments', 'aim', 'aimed', 'aiming', 'air', 'ainsleyearhardt', 'aint', 'air', 'airborne', 'airbus', 'aircraft', 'airlifted', 'airline', 'a
rlines', 'airplane', 'airplanes', 'airport', 'airports', 'airstrikes', 'airwaves', 'isisspaific', 'ak', 'al', 'alabama', 'alan', 'alandersh', 'alarmed', 'alaska', 'albaghdadi', 'alcindor', 'alcohol', 'alec', 'alert', 'alerted', 'alerting',
alex', 'alexander', 'alexandria', 'alfonse', 'alfred', 'ali', 'alice', 'alien', 'aliens', 'alike', 'alito', 'alive', 'all', 'allegation', 'allegations', 'allege', 'alleged', 'allegedly', 'allegheny', 'allegiance', 'alleging', 'allentown
', 'alli', 'alliance', 'alliances', 'allies', 'alligators', 'allocated', 'allow', 'allowed', 'allowing', 'allows', 'alluding', 'ally', 'allyn', 'almost', 'alone', 'along', 'alongside', 'aloud', 'already', 'also', 'altar', 'alter', 'alter
d', 'alternative', 'alternatives', 'although', 'altogether', 'always', 'am', 'amaan', 'amassed', 'amateur', 'amateurs', 'amaze', 'amazed', 'amazing', 'amazingly', 'amazon', 'amazons', 'ambassador', 'ambassadors', 'amberjack'
ambition', 'ambitious', 'amend', 'amendment', 'amer', 'america', 'american', 'americans', 'amicable', 'amid', 'ammunition', 'amnesty', 'among', 'amorphous', 'amount', 'amounts', 'amt', 'amuck', 'amy', 'amyklobuchar', 'an', 'analogous',
'analysis', 'analyst', 'analyze', 'analyzed', 'analyzing', 'anarchist', 'anarchists', 'anarchy', 'anchor', 'anchors', 'ancient', 'and', 'andrew', 'andy', 'angela', 'angeles', 'angels', 'anger', 'angered', 'angie', 'angriest', 'angrily',
angry', 'anguish', 'animal', 'animals', 'animated', 'animosity', 'annapolis', 'annculter', 'annie', 'annihilate', 'annihilated', 'announce', 'announced', 'announcement', 'announcements', 'announces', 'announcing', 'annoy
d', 'annual', 'annualized', 'annually', 'anoint', 'anonymity', 'anonymous', 'another', 'answer', 'answered', 'answering', 'answers', 'anthem', 'anthony', 'anti', 'antibiotic', 'antibodies', 'antibody', 'anticipated', 'anticipating', 'an
icipation', 'antifa', 'antiquated', 'antitrust', 'antiviral', 'antonio', 'anwr', 'any', 'anybody', 'anymore', 'anyone', 'anyplace', 'anything', 'anytime', 'anyway', 'anyways', 'anywhere', 'aoc', 'ap', 'apache', 'apart', 'apartment', 'ap
ologetic', 'apiece', 'apologies', 'apologized', 'apologize', 'apologum', 'apology', 'apostrophe', 'appalling', 'apparatus', 'apparent', 'appeal', 'appeals', 'appear', 'appeared', 'appearing', 'appears', 'appease', 'appeasement',
appetite', 'applaud', 'applauded', 'applause', 'apple', 'applicant', 'applicants', 'application', 'applications', 'applied', 'apply', 'applying', 'appoint', 'appointed', 'appointee', 'appointing', 'appointment',
```

# Trump's Claims —Model Fit, Prediction and Evaluation I

As before* we import or model and create an instance of it

```
from sklearn.naive_bayes import MultinomialNB
model = MultinomialNB()
```

Fit our model using the train dataset

```
model.fit(X_train_counts, y_train)
```

Generate predictions using the test dataset

```
y_pred = model.predict(X_test_counts)
```

How well did it do? ... using accuracy score we have

```
from sklearn.metrics import accuracy_score
accuracy_score(y_test, y_pred)
```

```
0.7763525735898701
```

This is not bad . . . there are lots of class levels and some overlap between classes.

*This is the beauty of sklearn — consistent interface to all models, pre-/post- processing steps.

# Trump's Claims —Model Fit, Prediction and Evaluation II

| Predicted / Actual | Biographical record | Coronavirus | Crime | Economy | Education | Election | Environment | Foreign policy | Guns | Health care | Immigration | Jobs | Miscellaneous | Russia | Tax |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Biographical record** | 78 | 4 | 0 | 20 | 0 | 24 | 1 | 11 | 0 | 2 | 3 | 3 | 35 | 7 | 2 |
| **Coronavirus** | 0 | 438 | 0 | 18 | 0 | 10 | 0 | 11 | 0 | 1 | 15 | 5 | 15 | 5 | 1 |
| **Crime** | 2 | 3 | 84 | 3 | 0 | 13 | 0 | 8 | 0 | 0 | 22 | 0 | 26 | 7 | 0 |
| **Economy** | 2 | 6 | 1 | 388 | 0 | 4 | 9 | 10 | 0 | 2 | 9 | 30 | 6 | 0 | 9 |
| **Education** | 0 | 1 | 4 | 0 | 20 | 2 | 1 | 0 | 0 | 0 | 4 | 1 | 2 | 0 | 0 |
| **Election** | 5 | 9 | 9 | 8 | 0 | 460 | 0 | 8 | 0 | 0 | 6 | 1 | 39 | 16 | 2 |
| **Environment** | 0 | 3 | 0 | 17 | 0 | 8 | 124 | 12 | 0 | 0 | 4 | 2 | 13 | 0 | 0 |
| **Foreign policy** | 2 | 3 | 0 | 18 | 0 | 9 | 4 | 575 | 0 | 4 | 14 | 2 | 16 | 12 | 0 |
| **Guns** | 0 | 0 | 0 | 1 | 0 | 10 | 0 | 0 | 11 | 0 | 1 | 0 | 10 | 0 | 0 |
| **Health care** | 0 | 5 | 0 | 1 | 0 | 4 | 0 | 2 | 0 | 294 | 5 | 0 | 9 | 1 | 2 |
| **Immigration** | 0 | 4 | 0 | 4 | 0 | 6 | 0 | 10 | 0 | 2 | 564 | 0 | 10 | 4 | 0 |
| **Jobs** | 0 | 6 | 0 | 38 | 0 | 5 | 6 | 8 | 0 | 0 | 4 | 259 | 2 | 0 | 0 |
| **Miscellaneous** | 16 | 17 | 23 | 28 | 0 | 42 | 5 | 28 | 0 | 20 | 33 | 4 | 316 | 21 | 1 |
| **Russia** | 0 | 2 | 0 | 3 | 0 | 13 | 1 | 4 | 0 | 0 | 0 | 0 | 11 | 325 | 0 |
| **Taxes** | 1 | 1 | 0 | 23 | 0 | 1 | 0 | 4 | 0 | 2 | 2 | 0 | 11 | 0 | 123 |
| **Terrorism** | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 8 | 0 | 3 | 0 | 0 |
| **Trade** | 1 | 2 | 0 | 12 | 0 | 5 | 1 | 10 | 0 | 2 | 2 | 7 | 6 | 0 | 0 |
| **Ukraine probe** | 1 | 2 | 0 | 1 | 0 | 18 | 0 | 7 | 0 | 0 | 1 | 0 | 13 | 22 | 0 |

# Trump's Claims —Model Fit, Prediction and Evaluation III

Predicted

| Actual | Biographical record | Coronavirus | Crime | Economy | Education | Election | Environment | Foreign policy | Guns | Health care | Immigration | Jobs | Miscellaneous | Russia | Taxes | Trade | Ukraine probe |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Biographical record | 78 | 4 | 0 | 20 | 0 | 24 | 1 | 11 | 0 | 2 | 3 | 3 | 35 | 7 | 2 | 3 | 0 |
| Coronavirus | 0 | 438 | 0 | 18 | 0 | 10 | 0 | 11 | 0 | 1 | 15 | 5 | 15 | 5 | 1 | 2 | 2 |
| Crime | 2 | 3 | 84 | 3 | 0 | 13 | 0 | 8 | 0 | 0 | 22 | 0 | 26 | 7 | 0 | 0 | 0 |
| Economy | 2 | 6 | 1 | 388 | 0 | 4 | 9 | 10 | 0 | 2 | 9 | 30 | 6 | 0 | 9 | 29 | 0 |
| Education | 0 | 1 | 4 | 0 | 20 | 2 | 1 | 0 | 0 | 0 | 4 | 1 | 2 | 0 | 0 | 0 | 0 |
| Election | 5 | 9 | 9 | 8 | 0 | 460 | 0 | 8 | 0 | 0 | 6 | 1 | 39 | 16 | 2 | 4 | 15 |
| Environment | 0 | 3 | 0 | 17 | 0 | 8 | 124 | 12 | 0 | 0 | 4 | 2 | 13 | 0 | 0 | 4 | 1 |
| Foreign policy | 2 | 3 | 0 | 18 | 0 | 9 | 4 | 575 | 0 | 4 | 14 | 2 | 16 | 12 | 0 | 17 | 2 |
| Guns | 0 | 0 | 0 | 1 | 0 | 10 | 0 | 0 | 11 | 0 | 1 | 0 | 10 | 0 | 0 | 0 | 0 |
| Health care | 0 | 5 | 0 | 1 | 0 | 4 | 0 | 2 | 0 | 294 | 5 | 0 | 9 | 1 | 2 | 1 | 0 |
| Immigration | 0 | 4 | 0 | 4 | 0 | 6 | 0 | 10 | 0 | 2 | 564 | 0 | 10 | 4 | 0 | 4 | 0 |
| Jobs | 0 | 6 | 0 | 38 | 0 | 5 | 6 | 8 | 0 | 0 | 4 | 259 | 2 | 0 | 0 | 24 | 0 |
| Miscellaneous | 16 | 17 | 23 | 28 | 0 | 42 | 5 | 28 | 0 | 20 | 33 | 4 | 316 | 21 | 1 | 6 | 9 |
| Russia | 0 | 2 | 0 | 3 | 0 | 13 | 1 | 4 | 0 | 0 | 0 | 0 | 11 | 325 | 0 | 0 | 2 |
| Taxes | 1 | 1 | 0 | 23 | 0 | 1 | 0 | 4 | 0 | 2 | 2 | 0 | 11 | 0 | 123 | 3 | 0 |
| Terrorism | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 8 | 0 | 3 | 0 | 0 | 0 | 0 |
| Trade | 1 | 2 | 0 | 12 | 0 | 5 | 1 | 10 | 0 | 2 | 2 | 7 | 6 | 0 | 0 | 461 | 0 |
| Ukraine probe | 1 | 2 | 0 | 1 | 0 | 18 | 0 | 7 | 0 | 0 | 1 | 0 | 13 | 22 | 0 | 0 | 201 |




- Look at the largest, off main-diagonal entries.

# Outline

1. Motivation — Spam Filtering 2

2. Application — Trump's Claims 10

3. Summary 18

# Naïve Bayes Classifier — Review

## When to Consider

- Assumption of independence holds
- Categorical features.
- Spam filtering, Sentiment Analysis, and Recommendation Systems (with collaborative filtering).
- Variants exist for numeric (Gaussian-), binary (Bernoulli-) and multi-class (mulinomial-) featured Naïve Bayes.

## Advantages

- It is easy and fast to predict class. It also perform well in multi-class prediction.
- When assumption of independence holds, performs better compare to other models like logistic regression and needs less training data.

## Disadvantages

- Ignores feature relationships
- If categorical variable has a category (in test data set), which was not observed in training data set, then model will assign a 0 (zero) probability and will be unable to make a prediction. This is often known as “Zero Frequency”. To solve this, we can use the smoothing technique. One of the simplest smoothing techniques is Laplace estimation.
- If continuous features, then assumes normality conditions — often too restrictive.

# Resources

- A Gentle Introduction to Bayes Theorem for Machine Learning
  https://machinelearningmastery.com/bayes-theorem-for-machine-learning/
  This is well worth a read over a cup of coffee. The author, Jason Brownlee, is worth following.