



XIAO ESP32 C3, 0.96 OLED Display and DHT11



Relay Control and Feedback



Relay Control and Feedback - Original IOT configuration

Cloud Variables

[ADD](#)

| | Name ↓ | Last Value | Last Update | |
|--------------------------|---|------------|----------------------|---|
| <input type="checkbox"/> | xiao_19_comfort <code>String xiao_19_comfort;</code> | Too Cold | 07 Jun 2023 08:22:22 | ⋮ |
| <input type="checkbox"/> | xiao_19_depoin <code>float xiao_19_depoin;</code> | 9.185 | 07 Jun 2023 08:54:25 | ⋮ |
| <input type="checkbox"/> | xiao_19_heatindex <code>float xiao_19_heatindex;</code> | 17.124 | 07 Jun 2023 08:54:25 | ⋮ |
| <input type="checkbox"/> | xiao_19_humidity <code>float xiao_19_humidity;</code> | 57 | 07 Jun 2023 08:54:25 | ⋮ |
| <input type="checkbox"/> | xiao_19_temperature <code>float xiao_19_temperature;</code> | 17.8 | 07 Jun 2023 08:53:22 | ⋮ |

Associated Device



XIAO_ESP32_23

ID: a9ea85e0-a199-4816-aca4-...

Type: XIAO_ESP32C3

Status: ● Online



Change



Detach

Network

Wi-Fi Name: TALKTAL...

Password:

Secret Key:



Change

Relay Control and Feedback - Original IOT configuration

