



## XIAO ESP32 C3 and DHT11



# Relay Control and Feedback



## Relay Control and Feedback - Original IOT configuration

### Cloud Variables

[ADD](#)

	Name ↓	Last Value	Last Update	
<input type="checkbox"/>	<b>xiao_19_comfort</b> <code>String</code> xiao_19_comfort;	Too Cold	07 Jun 2023 08:22:22	⋮
<input type="checkbox"/>	<b>xiao_19_depoin</b> <code>float</code> xiao_19_depoin;	9.185	07 Jun 2023 08:54:25	⋮
<input type="checkbox"/>	<b>xiao_19_heatindex</b> <code>float</code> xiao_19_heatindex;	17.124	07 Jun 2023 08:54:25	⋮
<input type="checkbox"/>	<b>xiao_19_humidity</b> <code>float</code> xiao_19_humidity;	57	07 Jun 2023 08:54:25	⋮
<input type="checkbox"/>	<b>xiao_19_temperature</b> <code>float</code> xiao_19_temperature;	17.8	07 Jun 2023 08:53:22	⋮

### Associated Device



XIAO\_ESP32\_23

ID: a9ea85e0-a199-4816-aca4-...

Type: XIAO\_ESP32C3

Status: ● Online



Change



Detach

### Network

Wi-Fi Name: TALKTAL...

Password: .....

Secret Key: .....



Change