

Examen Antiguo - Salesforce Identity Manager

Identity Management Concepts

64. Universal Containers is using OpenID Connect to enable a connection from their new mobile app to its production Salesforce org.

What should be done to enable the retrieval of the access token status for the OpenID Connect connection?

- **A.** Leverage OpenID Connect Token Introspection. (Opción marcada en la imagen)
- **B.** Query using OpenID Connect discovery endpoint.
- **C.** Enable cross-origin resource sharing (CORS) for the /services/oauth2/token endpoint.
- **D.** Create a custom OAuth scope.

Community (Partner and Customer)

63. Northern Trail Outfitters wants to implement a partner community. Active community users will need to review and accept the community rules, and update key contact information for each community member before performing any further operation on the portal.

Which approach will meet this requirement?

- **A.** Create a custom landing page and email campaign asking all community members to login and verify their data.
- **B.** Add a banner to the community Home page asking users to update their profile and accept the new community rules.
- **C.** Create tasks for users who need to update their data or accept the new community rules.
- **D.** Create a login flow that conditionally prompts users who have not accepted the new community rules and who have missing or outdated information. (Opción marcada en la imagen)

Community (Partner and Customer)

62. Northern Trail Outfitters want to allow its consumer to self-register on its business-to-consumer (B2C) portal that is built on Experience Cloud. The Identity architect has recommended to use Person Accounts.

Which three steps need to be configured to enable self-registration using person accounts?

Choose 3 answers

- **A.** Enable business accounts in the Setup page.
- **B.** Enable person accounts in the Setup page. (Opción marcada)
- **C.** Under Login and Registration settings, ensure that the default account field is empty. (Opción marcada)
- **D.** Enable access to person and business account record types under Public Access Settings. (Opción marcada)
- **E.** Set organization-wide default sharing for Contact to Public Read Only.

Community (Partner and Customer)

61 of 64. When designing a multi-branded Customer Identity and Access Management solution on the Salesforce Platform, how should an identity architect ensure a specific brand experience in Salesforce is presented?

- **A.** The Experience ID, which can be included in OAuth/Open ID flows and Security Assertion Markup Language (SAML) flows as a URL parameter. (Opción marcada)
- **B.** The Audience ID, which can be set in a shared cookie.
- **C.** Add a custom parameter to the service provider's OAuth/SAML call and implement logic on its login page to apply branding based on the parameters value.
- **D.** Provide a brand picker that the end user can use to select its sub-brand when they arrive on Salesforce.

Accepting Third-Party Identity in Salesforce

60 of 64. Northern Trail Outfitters (NTO) is planning to roll out a partner portal for its distributors using Experience Cloud. NTO would like to use an external identity provider (IdP) and for partners to register for access to the portal. Each partner should be allowed to register only once to avoid duplicate accounts with Salesforce.

What should a identity architect recommend to create partners?

- **A.** Create a custom page in Experience Cloud to self register partner with Experience Cloud and Ping identity store. (Opción marcada en la imagen, pero incorrecta)
- **B.** On successful creation of Partners using Self Registration page in Experience Cloud, create identity in Ping.
- **C.** Create a custom web page in the Portal and create users in the IdP and Experience Cloud using published APIs.
- **D.** Allow partners to register through the IdP and create partner users in Salesforce through an API.

Identity Management Concepts

59. Northern Trail Outfitters has implemented OAuth 2.0 for its single sign-on (SSO) solution, allowing users to authenticate and access Salesforce resources using external identity providers. However, some users are reporting intermittent logouts when trying to access Salesforce through SSO.

What can be a potential point of failure that should be considered during troubleshooting?

- **A.** Expiration or revocation of the access token issued by the identity provider. (Opción marcada)
- **B.** Misconfiguration of the user's device, such as an outdated web browser or disabled JavaScript.
- **C.** Delays in the network routing between the user's location and the Salesforce servers.
- **D.** Insufficient user permissions in Salesforce causing access issues.

Community (Partner and Customer)

58 of 64. Universal Containers (UC) is using its production org as the identity provider for a new Experience Cloud site and the identity architect is deciding which login experience to use for the

site.

Which two page types are valid login page types for the site?

Choose 2 answers

- **A.** Login Discovery Page (Opción marcada en la imagen)
- **B.** Experience Builder Page
- **C.** Embedded Login Page (Opción marcada en la imagen)
- **D.** Lightning Experience Page

Accepting Third-Party Identity in Salesforce

57. Configure Salesforce as a SAML Service Provider, and enable SCIM (System for Cross-Domain Identity Management) for provisioning and deprovisioning of users.

Salesforce as an Identity Provider

56. A Salesforce customer is implementing Sales Cloud and a custom pricing application for its call center agents. An Enterprise single sign-on solution is used to authenticate and sign-in users to all applications. The customer has the following requirements:

1. The development team has decided to use a Canvas app to expose the pricing application to agents.
2. Agents should be able to access the Canvas app without needing to log in to the pricing application.

Which two options should the identity architect consider to provide support for the Canvas app to initiate login for users?

Choose 2 answers

- **A.** Configure the Canvas app as a connected app and set Admin-approved users as pre-authorized.
- **B.** Select "Enable as a Canvas Personal App" in the connected app settings.
- **C.** Enable OAuth settings in the connected app with required OAuth scopes for the pricing application.
- **D.** Enable SAML in the connected app and Security Assertion Markup Language (SAML) Initiation Method as Service Provider Initiated.

Salesforce Identity

55 of 64. An Identity and Access Management (IAM) Architect is recommending Identity Connect to integrate Microsoft Active Directory (AD) with Salesforce for user provisioning, deprovisioning and single sign-on (SSO).

Which feature of Identity Connect is applicable for this scenario?

- **A.** Identity Connect can be deployed as a managed package on Salesforce org, leveraging High Availability of Salesforce Platform out-of-the-box.
- **B.** When configured, Identity Connect acts as an identity provider to both Active Directory and Salesforce, thus providing SSO as a default feature.
- **C.** If the number of provisioned users exceeds Salesforce licence allowances, Identity Connect will start disabling the existing Salesforce users in First-in, First-out (FIFO) fashion.
- **D.** When Identity Connect is in place, if a user is deprovisioned in an on-premise AD, the user's Salesforce session is revoked immediately.

Salesforce Identity

54. Universal Containers (UC) uses Salesforce as a CRM and identity provider (IdP) for their Sales Team to seamlessly login to internal portals.

The IT team at UC is now evaluating Salesforce to act as an IdP for its remaining employees. Which Salesforce license is required to fulfill this requirement?

- **A.** Identity Verification
- **B.** Identity Connect
- **C.** Identity Only
- **D.** External Identity

Accepting Third-Party Identity in Salesforce

53. Northern Trail Outfitters (NTO) is setting up Salesforce to authenticate users with an external identity provider. The NTO Salesforce Administrator is having trouble getting things setup.

What should an identity architect use to show which part of the login assertion is failing?

- **A.** Security Assertion Markup Language Validator
- **B.** Connected App Manager
- **C.** SAML Metadata file importer
- **D.** Identity Provider Metadata download