D197 – YDM1

Shane Foshee

Prepare Your Repository With Initial Data On GitLab
   A. Create a private repository in gitlab.com named " D197" that includes *all* the files contained in the attached "WGU-Hub.zip."

   https://gitlab.com/shane_foshee_d197/d197/-/tree/main

   1. Include the repository link in the "Comments to Evaluator" section when you submit your task.

      See submission.

   2. Add "WGU-Evaluation" as a member with reporter access to your repository on GitLab.

   3. Include a screenshot of your current repository graph in GitLab.

Upload New File
Upload New File
Upload New File
Upload New File
Upload New File
Upload New File
Upload New File
Upload New File
Upload New File
Upload New File
Upload New File
Upload New File
Add a new directory for images
Upload New CSS File
Add a new directory for CSS
Initial commit

Clone Your Repository On Your Local Machine
   B.   Clone your remote repository to your local machine using the command line interface. Include a screenshot of the command line action and be sure to have your repository name visible in the command prompt.

```
shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197
$ git init
Initialized empty Git repository in C:/Users/shane/OneDrive/Desktop/WGU/YDM1 - D197/.git/

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git remote add origin https://gitlab.com/shane_foshee_d197/d197.git

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git branch -M main

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git push -uf origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://gitlab.com/shane_foshee_d197/d197.git'

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git pull
remote: Enumerating objects: 88, done.
remote: Counting objects: 100% (51/51), done.
remote: Compressing objects: 100% (51/51), done.
remote: Total 88 (delta 24), reused 0 (delta 0), pack-reused 37
Unpacking objects: 100% (88/88), 103.54 KiB | 914.00 KiB/s, done.
From https://gitlab.com/shane_foshee_d197/d197
 * [new branch]      main       -> origin/main
There is no tracking information for the current branch.
Please specify which branch you want to merge with.
See git-pull(1) for details.

    git pull <remote> <branch>

If you wish to set tracking information for this branch you can do so with:

    git branch --set-upstream-to=origin/<branch> main


shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git branch --set-upstream-to=orgin/main
fatal: No commit on branch 'main' yet.

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git pull git@gitlab.com:shane_foshee_d197/d197.git main
From gitlab.com:shane_foshee_d197/d197
 * branch            main       -> FETCH_HEAD

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git branch --set-upstream-to=orgin/main
fatal: the requested upstream branch 'orgin/main' does not exist
hint:
hint: If you are planning on basing your work on an upstream
hint: branch that already exists at the remote, you may need to
hint: run "git fetch" to retrieve it.
hint:
hint: If you are planning to push out a new local branch that
hint: will track its remote counterpart, you may want to use
hint: "git push -u" to set the upstream config as you push.
hint: Disable this message with "git config advice.setUpstreamFailure false"

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git push -uf origin main
Everything up-to-date
branch 'main' set up to track 'origin/main'.

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ ls -la
total 60
drwxr-xr-x 1 shane 197612    0 Apr  9 21:27 ./
drwxr-xr-x 1 shane 197612    0 Apr  9 21:20 ../
drwxr-xr-x 1 shane 197612    0 Apr  9 21:28 .git/
-rw-r--r-- 1 shane 197612 6293 Apr  9 21:27 README.md
-rw-r--r-- 1 shane 197612 3752 Apr  9 21:27 about.html
```

```
-rw-r--r-- 1 shane 197612 6293 Apr    9 21:27 README.md
-rw-r--r-- 1 shane 197612 3752 Apr    9 21:27 about.html
-rw-r--r-- 1 shane 197612 3269 Apr    9 21:27 contact.html
drwxr-xr-x 1 shane 197612    0 Apr    9 21:27 css/
-rw-r--r-- 1 shane 197612 4984 Apr    9 21:27 customers.html
drwxr-xr-x 1 shane 197612    0 Apr    9 21:27 images/
-rw-r--r-- 1 shane 197612 4838 Apr    9 21:27 index.html
drwxr-xr-x 1 shane 197612    0 Apr    9 21:27 js/
-rw-r--r-- 1 shane 197612 3427 Apr    9 21:27 services.html
-rw-r--r-- 1 shane 197612 3458 Apr    9 21:27 team.html
-rw-r--r-- 1 shane 197612 2931 Apr    9 21:27 vision.html

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$
```

Make Changes, Commit, and Push

C. Modify **three** HTML files you choose on the master branch by the doing the following:

1. Commit *each* change with a short, meaningful message that explains *all* changes you have made to the **three** HTML files. Include a screenshot for *each* git command for *each* change and be sure to have your repository name visible in the command prompt.

```
shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   customers.html
        modified:   index.html
        modified:   vision.html

no changes added to commit (use "git add" and/or "git commit -a")

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git add .

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git diff --staged
diff --git a/customers.html b/customers.html
index 3761ba5..90024a6 100644
--- a/customers.html
+++ b/customers.html
@@ -28,7 +28,7 @@
                 <a class="w3-bar-item w3-button w3-padding-large " id="contact-link" href="contact.html">Contact</a>
             </div>
         </div>
-
+
 <div id="customers">
             <h1>Customers</h1>
             <div>
@@ -39,7 +39,7 @@
                         <div class="w3-col m4">
                             <img src="images/customer.png" height="50px" width="50px" />
                             <h2>Customer 1</h2>
-                            <p>"<i>They have really done what they do for us and they have done it for a while. We are very happy with them.</i>"</p>
+                            <h1>"<i>They have really done what they do for us and they have done it for a while. We are very unhappy with them.</i>"</h1>
                         </div>
                         <div class="w3-col m4">
                             <img src="images/customer.png" height="50px" width="50px" />
@@ -86,9 +86,9 @@
             <a class="w3-button" href="team.html">Team</a> |
             <a class="w3-button " href="contact.html">Contact</a>

-        <hr />
+        <hr />
         <br />
     </div>

-    <script src="js/script.js"></script>
-</body>
\ No newline at end of file
+    <script src="js/script.js"></script>
+</body>
diff --git a/index.html b/index.html
index 9a17ae3..37b2ad5 100644
--- a/index.html
+++ b/index.html
@@ -71,8 +71,8 @@
                 </div>
                 <div class="w3-col m4">
                     <div class="tile-content">
-                        <h2>Our Services</h2>
-                        <p>We offer some realy great services. </p>
+                        <h1>Our Services</h1>
+                        <p>We offer some realy great services. Like so many services! </p>
                         <a id="services-link" href="services.html" class="read-more-button">Our Services</a>
                     </div>
                 </div>
```

```
@@ -103,4 +103,4 @@
        <script src="js/script.js"></script>
 </body>

-</html>
\ No newline at end of file
+</html>
diff --git a/vision.html b/vision.html
index 9172e69..3d55e2e 100644
--- a/vision.html
+++ b/vision.html
@@ -2,7 +2,7 @@
 <html lang="en">

 <head>
-     <title>WGU - Test</title>
+     <title>WGU - Night Owl</title>
       <meta charset="utf-8">
       <meta name="viewport" content="width=device-width, initial-scale=1">
;
diff --git a/customers.html b/customers.html
index 3761ba5..90024a6 100644
--- a/customers.html
+++ b/customers.html
@@ -28,7 +28,7 @@
             <a class="w3-bar-item w3-button w3-padding-large " id="contact-link" href="contact.html">Contact</a>
         </div>
     </div>
-
+
 <div id="customers">
            <h1>Customers</h1>
            <div>
@@ -39,7 +39,7 @@
                   <div class="w3-col m4">
                       <img src="images/customer.png" height="50px" width="50px" />
                       <h2>Customer 1</h2>
-                      <p>"<i>They have really done what they do for us and they have done it for a while. We are very happy with them.</i>"</p>
+                      <h1>"<i>They have really done what they do for us and they have done it for a while. We are very unhappy with them.</i>"</h1>
;
diff --git a/customers.html b/customers.html
index 3761ba5..90024a6 100644
--- a/customers.html
+++ b/customers.html
@@ -28,7 +28,7 @@
             <a class="w3-bar-item w3-button w3-padding-large " id="contact-link" href="contact.html">Contact</a>
         </div>
     </div>
-
+
 <div id="customers">
            <h1>Customers</h1>
            <div>
@@ -39,7 +39,7 @@
                   <div class="w3-col m4">
                       <img src="images/customer.png" height="50px" width="50px" />
                       <h2>Customer 1</h2>
-                      <p>"<i>They have really done what they do for us and they have done it for a while. We are very happy with them.</i>"</p>
+                      <h1>"<i>They have really done what they do for us and they have done it for a while. We are very unhappy with them.</i>"</h1>
                  </div>
                  <div class="w3-col m4">
                      <img src="images/customer.png" height="50px" width="50px" />
@@ -86,9 +86,9 @@
          <a class="w3-button" href="team.html">Team</a> |
         <a class="w3-button " href="contact.html">Contact</a>

-        <hr />
+        <hr />
         <br />
```

```
        </div>
-     <script src="js/script.js"></script>
-</body>
\ No newline at end of file
+     <script src="js/script.js"></script>
+</body>
diff --git a/index.html b/index.html
index 9a17ae3..37b2ad5 100644
--- a/index.html
+++ b/index.html
@@ -71,8 +71,8 @@
                    </div>
                    <div class="w3-col m4">
                        <div class="tile-content">
-                           <h2>Our Services</h2>
-                           <p>We offer some realy great services. </p>
+                           <h1>Our Services</h1>
+                           <p>We offer some realy great services. Like so many services! </p>
                            <a id="services-link" href="services.html" class="read-more-button">Our Services</a>
                        </div>
                    </div>
@@ -103,4 +103,4 @@
        <script src="js/script.js"></script>
 </body>

-</html>
\ No newline at end of file
+</html>
diff --git a/vision.html b/vision.html
index 9172e69..3d55e2e 100644
--- a/vision.html
+++ b/vision.html
@@ -2,7 +2,7 @@
 <html lang="en">

 <head>
-     <title>WGU - Test</title>
+     <title>WGU - Night Owl</title>
      <meta charset="utf-8">
      <meta name="viewport" content="width=device-width, initial-scale=1">
:
diff --git a/customers.html b/customers.html
index 3761ba5..90024a6 100644
--- a/customers.html
+++ b/customers.html
@@ -28,7 +28,7 @@
                <a class="w3-bar-item w3-button w3-padding-large " id="contact-link" href="contact.html">Contact</a>
            </div>
        </div>
-
+
 <div id="customers">
                <h1>Customers</h1>
                <div>
@@ -39,7 +39,7 @@
                        <div class="w3-col m4">
                            <img src="images/customer.png" height="50px" width="50px" />
                            <h2>Customer 1</h2>
-                           <p>"<i>They have really done what they do for us and they have done it for a while. We are very happy wit
h them.</i>"</p>
+                           <h1>"<i>They have really done what they do for us and they have done it for a while. We are very unhappy
with them.</i>"</h1>
:
diff --git a/customers.html b/customers.html
index 3761ba5..90024a6 100644
--- a/customers.html
+++ b/customers.html
@@ -28,7 +28,7 @@
```

```
                    <a class="w3-bar-item w3-button w3-padding-large " id="contact-link" href="contact.html">Contact</a>
                </div>
        </div>
-
+
 <div id="customers">
            <h1>Customers</h1>
            <div>
@@ -39,7 +39,7 @@
                    <div class="w3-col m4">
                        <img src="images/customer.png" height="50px" width="50px" />
                        <h2>Customer 1</h2>
-                       <p>"<i>They have really done what they do for us and they have done it for a while. We are very happy wit
h them.</i>"</p>
+                       <h1>"<i>They have really done what they do for us and they have done it for a while. We are very unhappy
with them.</i>"</h1>
                    </div>
                    <div class="w3-col m4">
                        <img src="images/customer.png" height="50px" width="50px" />
@@ -86,9 +86,9 @@
            <a class="w3-button" href="team.html">Team</a> |
            <a class="w3-button " href="contact.html">Contact</a>

-           <hr />
+           <hr />
            <br />
        </div>

-       <script src="js/script.js"></script>
-</body>
\ No newline at end of file
+       <script src="js/script.js"></script>
+</body>
diff --git a/index.html b/index.html
index 9a17ae3..37b2ad5 100644
--- a/index.html
+++ b/index.html
@@ -71,8 +71,8 @@
                </div>
                    <div class="w3-col m4">
                        <div class="tile-content">
-                           <h2>Our Services</h2>
-                           <p>We offer some realy great services. </p>
+                           <h1>Our Services</h1>
+                           <p>We offer some realy great services. Like so many services! </p>
                            <a id="services-link" href="services.html" class="read-more-button">Our Services</a>
                        </div>
                    </div>
@@ -103,4 +103,4 @@
        <script src="js/script.js"></script>
 </body>

-</html>
\ No newline at end of file
+</html>
diff --git a/vision.html b/vision.html
index 9172e69..3d55e2e 100644
--- a/vision.html
+++ b/vision.html
@@ -2,7 +2,7 @@
 <html lang="en">

 <head>
-    <title>WGU - Test</title>
+    <title>WGU - Night Owl</title>

diff --git a/customers.html b/customers.html
index 3761ba5..90024a6 100644
--- a/customers.html
```

```
@@ -28,7 +28,7 @@
                <a class="w3-bar-item w3-button w3-padding-large " id="contact-link" href="contact.html">Contact</a>
            </div>
        </div>

<div id="customers">
            <h1>Customers</h1>
            <div>
@@ -39,7 +39,7 @@
                <div class="w3-col m4">
                    <img src="images/customer.png" height="50px" width="50px" />
                    <h2>Customer 1</h2>
                    <p>"<i>They have really done what they do for us and they have done it for a while. We are very happy with them.</i>"<
/p>
                    <h1>"<i>They have really done what they do for us and they have done it for a while. We are very unhappy with them.</i
>"</h1>
                </div>
                <div class="w3-col m4">
                    <img src="images/customer.png" height="50px" width="50px" />
@@ -86,9 +86,9 @@
        <a class="w3-button" href="team.html">Team</a> |
        <a class="w3-button " href="contact.html">Contact</a>

        <hr />
        <hr />
        <br />
    </div>

    <script src="js/script.js"></script>
-</body>
\ No newline at end of file
+    <script src="js/script.js"></script>
+</body>
diff --git a/index.html b/index.html
index 9a17ae3..37b2ad5 100644
--- a/index.html
+++ b/index.html
@@ -71,8 +71,8 @@
                </div>
                <div class="w3-col m4">
                    <div class="tile-content">
                        <h2>Our Services</h2>
                        <p>We offer some realy great services. </p>
                        <h1>Our Services</h1>
                        <p>We offer some realy great services. Like so many services! </p>
                        <a id="services-link" href="services.html" class="read-more-button">Our Services</a>
                    </div>
                </div>
@@ -103,4 +103,4 @@
    <script src="js/script.js"></script>
</body>

-</html>
\ No newline at end of file
+</html>
diff --git a/vision.html b/vision.html
index 9172e69..3d55e2e 100644
--- a/vision.html
+++ b/vision.html
@@ -2,7 +2,7 @@
<html lang="en">

<head>
    <title>WGU - Test</title>
    <title>WGU - Night Owl</title>

diff --git a/customers.html b/customers.html
index 3761ba5..90024a6 100644
--- a/customers.html
+++ b/customers.html
```

```
@@ -28,7 +28,7 @@
                <a class="w3-bar-item w3-button w3-padding-large " id="contact-link" href="contact.html">Contact</a>
            </div>
        </div>
+
 <div id="customers">
            <h1>Customers</h1>
            <div>
@@ -39,7 +39,7 @@
                    <div class="w3-col m4">
                        <img src="images/customer.png" height="50px" width="50px" />
                        <h2>Customer 1</h2>
-                       <p>"<i>They have really done what they do for us and they have done it for a while. We are very happy with them.</i>"</p>
+                       <h1>"<i>They have really done what they do for us and they have done it for a while. We are very unhappy with them.</i>"</h1>
                    </div>
                    <div class="w3-col m4">
                        <img src="images/customer.png" height="50px" width="50px" />
@@ -86,9 +86,9 @@
            <a class="w3-button" href="team.html">Team</a> |
            <a class="w3-button " href="contact.html">Contact</a>

-           <hr />
+           <hr />
+           <br />
        </div>

-       <script src="js/script.js"></script>
-</body>
\ No newline at end of file
+       <script src="js/script.js"></script>
+</body>
diff --git a/index.html b/index.html
index 9a17ae3..37b2ad5 100644
--- a/index.html
+++ b/index.html
@@ -71,8 +71,8 @@
                </div>
                    <div class="w3-col m4">
                        <div class="tile-content">
-                           <h2>Our Services</h2>
-                           <p>We offer some realy great services. </p>
+                           <h1>Our Services</h1>
+                           <p>We offer some realy great services. Like so many services! </p>
                            <a id="services-link" href="services.html" class="read-more-button">Our Services</a>
                        </div>
                    </div>
@@ -103,4 +103,4 @@
        <script src="js/script.js"></script>
 </body>

-</html>
\ No newline at end of file
+</html>
diff --git a/vision.html b/vision.html
index 9172e69..3d55e2e 100644
--- a/vision.html
+++ b/vision.html
@@ -2,7 +2,7 @@
 <html lang="en">

 <head>
-       <title>WGU - Test</title>
+       <title>WGU - Night Owl</title>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">

diff --git a/customers.html b/customers.html
index 3761ba5..90024a6 100644
```

```
index 3761ba5..90024a6 100644
--- a/customers.html
+++ b/customers.html
@@ -28,7 +28,7 @@
                    <a class="w3-bar-item w3-button w3-padding-large " id="contact-link" href="contact.html">Contact</a>
            </div>
        </div>
-
+
 <div id="customers">
             <h1>Customers</h1>
             <div>
@@ -39,7 +39,7 @@
                        <div class="w3-col m4">
                            <img src="images/customer.png" height="50px" width="50px" />
                            <h2>Customer 1</h2>
-                           <p>"<i>They have really done what they do for us and they have done it for a while. We are very happy with them.</i>"</p>
+                           <h1>"<i>They have really done what they do for us and they have done it for a while. We are very unhappy with them.</i>"</h1>
                        </div>
                        <div class="w3-col m4">
                            <img src="images/customer.png" height="50px" width="50px" />
@@ -86,9 +86,9 @@
            <a class="w3-button" href="team.html">Team</a> |
            <a class="w3-button " href="contact.html">Contact</a>

-           <hr />
+           <hr />
+           <br />
        </div>

-       <script src="js/script.js"></script>
-</body>
\ No newline at end of file
+       <script src="js/script.js"></script>
+</body>
diff --git a/index.html b/index.html
index 9a17ae3..37b2ad5 100644
--- a/index.html
+++ b/index.html
@@ -71,8 +71,8 @@
                    </div>
                    <div class="w3-col m4">
                        <div class="tile-content">
-                           <h2>Our Services</h2>
-                           <p>We offer some realy great services. </p>
+                           <h1>Our Services</h1>
+                           <p>We offer some realy great services. Like so many services! </p>
                            <a id="services-link" href="services.html" class="read-more-button">Our Services</a>
                        </div>
                    </div>
@@ -103,4 +103,4 @@
        <script src="js/script.js"></script>
 </body>

-</html>
\ No newline at end of file
+</html>
diff --git a/vision.html b/vision.html
index 9172e69..3d55e2e 100644
--- a/vision.html
+++ b/vision.html
@@ -2,7 +2,7 @@
 <html lang="en">

 <head>
-       <title>WGU - Test</title>
+       <title>WGU - Night Owl</title>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git commit index.html -m "Change h2 to h1 and add text"
[main de3374d] Change h2 to h1 and add text
 1 file changed, 3 insertions(+), 3 deletions(-)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git commit customers.html -m "Change h2 to h1 and edit text"
[main 3b7c0eb] Change h2 to h1 and edit text
 1 file changed, 5 insertions(+), 5 deletions(-)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git commit vision.html -m "Change title from 'Test' to 'Night Owl'"
[main 6cbd54b] Change title from 'Test' to 'Night Owl'
 1 file changed, 5 insertions(+), 5 deletions(-)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$
```

2. Push the branch to GitLab. Include a screenshot of the command line action and be sure to have your repository name visible in the command prompt.

```
shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git push git@gitlab.com:shane_foshee_d197/d197.git main
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 16 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (9/9), 1.03 KiB | 1.03 MiB/s, done.
Total 9 (delta 6), reused 0 (delta 0), pack-reused 0
To gitlab.com:shane_foshee_d197/d197.git
   491eb1e..6cbd54b  main -> main

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$
```

Create A Branch and Make a Change
D. Modify a file on a new branch doing the following:
- create a "readme" branch using the command line interface
- add your student ID to the ReadMe.md file
- push the changes to the remote repository
- include a screenshot of the command line action and be sure to have your repository name visible in the command prompt

```
shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (main)
$ git checkout -b readme
Switched to a new branch 'readme'

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (readme)
$ git diff
diff --git a/README.md b/README.md
index 578b590..44468f1 100644
--- a/README.md
+++ b/README.md
@@ -1,5 +1,8 @@
 # D197

+Student ID:
+000998587
+

 ## Getting started

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (readme)
$ git commit README.md -m "Adds Student ID to README"
[readme 7028cbe] Adds Student ID to README
 1 file changed, 3 insertions(+)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (readme)
$ git push -u orgin readme
fatal: 'orgin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (readme)
$ git push -u git@gitlab.com:shane_foshee_d197/d197.git readme
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 365 bytes | 365.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0
remote:
remote: To create a merge request for readme, visit:
remote:    https://gitlab.com/shane_foshee_d197/d197/-/merge_requests/new?merge_request%5Bsource_branch%5D=readme
remote:
To gitlab.com:shane_foshee_d197/d197.git
 * [new branch]      readme -> readme
branch 'readme' set up to track 'git@gitlab.com:shane_foshee_d197/d197.git/readme'.

shane@ShanePC MINGW64 ~/OneDrive/Desktop/WGU/YDM1 - D197 (readme)
$
```

1. Include a screenshot of the current repository graph in GitLab after pushing changes.

readme   ⌄

You can move around the graph by using the arrow keys.

| Git revision | 🔍 | ☐ Begin with the selected commit |

Apr   9   readme ●◄ 🔲 Adds Student ID to README

        main ● 🔲 Change title from 'Test' to 'Night Owl'

           ● 🔲 Change h2 to h1 and edit text

           ● 🔲 Change h2 to h1 and add text

   10   ● 🟢 Upload New File

Simulate A Merge Conflict

E. Introduce a merge conflict with the "readme" branch by doing the following:
- add the git version to the ReadMe.md file on the master branch
- merge the "readme" branch to the master branch
- include a screenshot that demonstrates the conflict of this merge command line action and be sure to have your repository name visible in the command prompt

```
shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git diff --staged
diff --git a/README.md b/README.md
index 8abd424..18dae8c 100644
--- a/README.md
+++ b/README.md
@@ -1,6 +1,6 @@
 # D197

-Student ID: 000998587
+git version 2.40.0.windows.1

 ## Getting started


shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git commit -m "Reverts README.md to Student ID"
[main 1b69cbb] Reverts README.md to Student ID
 1 file changed, 1 insertion(+), 1 deletion(-)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git add README.md

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git commit --amend -m "Reverts README.md to git version"
[main eb3a42e] Reverts README.md to git version
 Date: Mon Apr 10 12:46:45 2023 -0600
 1 file changed, 1 insertion(+), 1 deletion(-)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git checkout readme
Switched to branch 'readme'

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (readme)
$ git commit -am "Reomves text 'Student ID'"
[readme 1e0f6a2] Reomves text 'Student ID'
 1 file changed, 1 insertion(+), 1 deletion(-)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (readme)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 3 commits.
  (use "git push" to publish your local commits)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git commit -am "Removes text 'Git version'"
[main 419a270] Removes text 'Git version'
 1 file changed, 1 insertion(+), 1 deletion(-)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git merge readme
Auto-merging README.md
CONFLICT (content): Merge conflict in README.md
Automatic merge failed; fix conflicts and then commit the result.

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main|MERGING)
$
```

1. Resolve the created conflict and push changes to the master branch in GitLab. Include a screenshot of the current repository graph in GitLab.

```
shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git commit --amend -m "Reverts README.md to git version"
[main eb3a42e] Reverts README.md to git version
 Date: Mon Apr 10 12:46:45 2023 -0600
 1 file changed, 1 insertion(+), 1 deletion(-)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git checkout readme
Switched to branch 'readme'

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (readme)
$ git commit -am "Reomves text 'Student ID'"
[readme 1e0f6a2] Reomves text 'Student ID'
 1 file changed, 1 insertion(+), 1 deletion(-)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (readme)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 3 commits.
  (use "git push" to publish your local commits)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git commit -am "Removes text 'Git version'"
[main 419a270] Removes text 'Git version'
 1 file changed, 1 insertion(+), 1 deletion(-)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git merge readme
Auto-merging README.md
CONFLICT (content): Merge conflict in README.md
Automatic merge failed; fix conflicts and then commit the result.

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main|MERGING)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 4 commits.
  (use "git push" to publish your local commits)

You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)
        both modified:   README.md

no changes added to commit (use "git add" and/or "git commit -a")

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main|MERGING)
$ git mergetool -t
usage: git mergetool [--tool=tool] [--tool-help] [-y|--no-prompt|--prompt] [-g|--gui|--

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main|MERGING)
$ git mergetool --tool=tool
Merging:
README.md

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main|MERGING)
$
```

README.md — C:\Users\shane\OneDrive\Desktop\WGU\YDM1 - D197 — Atom

File Edit View Selection Find Packages Help

Project | Welcome | Welcome Guide | README.md

D197

```
1   # D197
2
          Use me          our changes
3   <<<<<<< HEAD
4   2.40.0.1
5   =======
6   000998587
7
8
9   >>>>>>> readme
          Use me          their changes
10
11  ## Getting started
12
13  To make it easy for you to get
    started with GitLab, here's a list of
    recommended next steps.
14
15  Already a pro? Just edit this
    README.md and make it your own. Want
    to make it easy? [Use the template at
    the bottom](#editing-this-readme)!
16
17  ## Add your files
18
19  - [ ] [Create](https://
    docs.gitlab.com/ee/user/project/
    repository/web_editor.html#create-a-
    file) or [upload](https://
    docs.gitlab.com/ee/user/project/
    repository/web_editor.html#upload-a-
    file) files
```

ATOM

A hackable text editor for the 21ˢᵗ Century

For help, please visit

- The Atom docs for Guides and the API reference.
- The Atom forum at Github Discussions
- The Atom org. This is where all GitHub-created Atom packages can be found.

☑ Show Welcome Guide when opening Atom

atom.io ×

Your project is currently empty

Add folders

Reopen a project

```
shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main|MERGING)
$ git commit
hint: Waiting for your editor to close the file... notepad++.exe --wait: line 1: notepad++.exe: command not found
error: There was a problem with the editor 'notepad++.exe --wait'.
Please supply the message using either -m or -F option.

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main|MERGING)
$ git commit
hint: Waiting for your editor to close the file... notepad++.exe --wait: line 1: notepad++.exe: command not found
error: There was a problem with the editor 'notepad++.exe --wait'.
Please supply the message using either -m or -F option.

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main|MERGING)
$ winpty git commit -F -
(reading log message from standard input)
Fixes merge conflict using manual edits in text editor
^Z
[main 58dd556] Fixes merge conflict using manual edits in text editor

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git diff
diff --git a/README.md b/README.md
index ed2f0db..a80ccbc 100644
--- a/README.md
+++ b/README.md
@@ -1,12 +1,8 @@
 # D197

-<<<<<<< HEAD
-2.40.0.1
-=======
 000998587



->>>>>>> readme

 ## Getting started


shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git commit -m "Main merged with readme"
On branch main
Your branch is ahead of 'origin/main' by 6 commits.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   README.md

no changes added to commit (use "git add" and/or "git commit -a")

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git commit -am "main merged with readme"
[main c13e68a] main merged with readme
 1 file changed, 4 deletions(-)

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git push
Enumerating objects: 18, done.
Counting objects: 100% (18/18), done.
Delta compression using up to 16 threads
Compressing objects: 100% (14/14), done.
Writing objects: 100% (14/14), 1.55 KiB | 1.55 MiB/s, done.
Total 14 (delta 10), reused 0 (delta 0), pack-reused 0
To https://gitlab.com/shane_foshee_d197/d197.git
   b8f4e9d..c13e68a  main -> main

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$
```

Tag A Branch

F. Specify a version for your repository by doing the following:
- tag the master branch V.1.0.0
- push the tag to GitLab
- include a screenshot of the command line action and be sure to have your repository name visible in the command prompt

```
shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git tag -l

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git tag -a V.1.0.0 -m "Creates version 1.0 tag"

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git tag -l
V.1.0.0

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git push
Everything up-to-date

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git push main V.1.0.0
fatal: 'main' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$ git push origin V.1.0.0
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 186 bytes | 186.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0
To https://gitlab.com/shane_foshee_d197/d197.git
 * [new tag]         V.1.0.0 -> V.1.0.0

shane@ShanePC MINGW64 ~/OneDrive/Desktop/wgu/YDM1 - D197 (main)
$
```

1. Include a screenshot of the current repository graph in GitLab.