# The ultimate insider: the lab

Experiments in telling the story on paper. First round, for printing.

| ID | EXPERIMENT | PAGES |
|---|---|---|
| LAB 01 | One visual language for paper | 3 |
| LAB 02 | The building, in three frames | 1 |
| LAB 03 | The building, in one long image | 1 |
| LAB 04 | The condensed storyboard | 2 |
| LAB 05 | It could have been much worse, in two frames | 1 |
| LAB 06 | Meet the team, in three frames | 2 |

Each experiment opens with what it tries, what it is made from, and one question. Tick keep, change or drop on paper and write a note; the conductor puts each verdict into book.json. Built 31 October 2026, 00:14 UTC by lab/tools/build_lab.py; the rules are in lab/README.md.

LAB 01

# One visual language for paper

**TRIES**

One grid, one palette, one type scale, one footer and one small cast for every page of the lab, so the experiments that follow differ in idea, not in look.

**MADE FROM**

- `team/conductor/rc1/infographics/README.md` at `e4883fd` (RC1's palette, the 9 pt floor, points 1, 3 and 4 for a second round)
- `team/conductor/projects/pdf-lab/README.md` at `d8aec1d` (the cast, funny and useful)
- `claims/register.json` at `9346a9e` (C002, C006, C011, C024)
- `lab/README.md` and `lab/characters/` (this experiment's rules and drawings)

**THE QUESTION**

Keep this language for every lab page? Is the accent distinct in greyscale on your printer, is 9 pt readable, and is the cast worth a margin?

☐ **keep** ☐ **change** ☐ **drop** note

## The grid: twelve columns, a main column and a margin rail





**Fig 01.1 · Every page shares one grid.** 16 mm margins, a 178 mm text block, 4 mm gutters; figures may span all twelve columns, the cast and tiles live in the rail.
`lab/README.md, The page`

## The palette, and how it prints in grey



| ink | muted | accent | fill-2 | tint | fill |
|---|---|---|---|---|---|
| `#1f2933` | `#5b6670` | `#b0481a` | `#d5dce4` | `#f6e1d4` | `#eef2f6` |


**Fig 01.2 · Each colour, then the same colour as your printer's grey.** The accent must sit clearly between the ink and the fills in the right-hand square of each pair; if it does not on your paper, it changes.
`RC1's palette, team/conductor/rc1/infographics/README.md at e4883fd`

### The type scale, at the size it prints

| | |
|---|---|
| `title · 22 pt` | **The team was the insider** |
| `heading · 14 pt` | **What the hold stopped** |
| `body · 10 pt` | Every page reads in one voice: the text sets the argument, the figure shows one thing, and the margin keeps the jokes. |
| `call-out · 9.5 pt` | A call-out is set one size down, in a tinted box, after its paragraph. |
| `caption · 9 pt` | The floor. Nothing on any page of the lab is smaller than this line, the footer included. |
| `mono · 9 pt` | `team/conductor/WAKE.md at 298be4e` |
| `number · 28 pt` | **816** |

**Fig 01.3 · Seven sizes, one family.** Inter for words, a monospace for paths and commits. The build refuses any text under 9 pt.
`lab/README.md, Type`

### The cast: three agents and a mechanism, one line each



**THE CONDUCTOR**

Square, with a clock for a face and a baton. Paces the work and keeps the plan.



**SECURITY**

Round, behind a magnifying glass, with a clipboard. What was checked, and what was missed.




**THE HOLD**

An octagon with its arms up, the only one filled in the accent. Stops everything.

**Fig 01.4 · Told apart by shape, not colour.** Square, round, octagon: the cast reads in greyscale. No real person is drawn, the editor included; the agents may be laughed at.
`lab/characters/README.md`

## A worked page

This page is set the way every experiment in the lab will be. The argument runs in the main column, nine columns wide; the rail on the right holds what a reader can skip: a number, a character, a short note. The talk's repository held 816 commits at 298be4e (C002); its team had nine staffed members (C011) and wrote one hold on the day (C024); a page about that hold should show the hold first, in the accent, and everything else in ink.

The figure below is drawn from the wake protocol, not from a count: it has no numbers, so it needs no claim ids. Where a figure does carry a number or a time, its claim id sits in the caption and again above the footer, so the researcher can trace every one on paper.

### Five steps, and the one way out





**Fig 01.5 · One accent, one thing to see: the way out.** The steps are ink on the fill; only the hold is in the accent.
`team/conductor/WAKE.md, The five steps`

CONCEPT

**The rail is for what a reader may skip**

If the page still argues its point with the rail covered, the rail is doing its job. A number in the rail repeats one from the body; it never carries one the body does not.

WATCH OUT

**A character never carries a number**

Numbers stay in the body and the tiles, each with its claim id. The cast explains and jokes; it does not report. The hold is the talk's: 18:44:13 (C006).

**816**

commits in the talk's repository at 298be4e

`C002`



THE CONDUCTOR

One step per wake, on the clock. Small and steady beats one heroic night.



SECURITY

Checked: keys, scope, secrets. Not checked: what nobody wrote down. Tell me.




THE HOLD

Anyone can pull me. Only the editor puts me back.

`C002 · C006 · C011 · C024`

LAB 02

# The building, in three frames

**TRIES**

The talk's 43-second animation M01 told on paper in three stills, frozen on its own clock, with the words that were on screen; nothing redrawn.


**MADE FROM**

- M01 v1, `src/static/motion/lab/the-building/v1/index.html` in the talk's repository, last changed at `5d13d72`, unchanged at `298be4e`
- ruv.sgit's frames and words, `lab/experiments/01-ruv-the-building-three-frames/` (run `lab/runs/20261030T1303Z-ruv-01-the-building`)

**THE QUESTION**

Does the story survive without the motion? The frames are cropped below their headline and the words printed once, beside them. Is the opening (one way in, a corridor that splits) missed?

☐ **keep** ☐ **change** ☐ **drop** note





## 0:22

FRAME 1 OF 3 · PEOPLE

**Most turned left. Now and then, one found the gold.**

Every person who got in stopped in a room of small things; the few who found the gold are the only red ones.





## 0:30

FRAME 2 OF 3 · AGENTS

**Agents: more of them, and they keep going.**

Same door, same plan. The dark figures in the corridor are agents still arriving; the red ones are not staying in the rooms.




## 0:43

FRAME 3 OF 3 · THE STILL

**People stop at a room. Agents don't stop.**

Red: doing damage. A pattern, not a count: the animation's own footnote. Red shows capability, not intent: the talk's agents were a benign team.

Fig 02.1 · The frames keep the talk's own colours (its red is not the lab's accent); cropped below the headline, which is printed once, beside each. Frames and words: ruv.sgit, `lab/experiments/01-ruv-the-building-three-frames/`.

LAB 03

# The building, in one long image

**TRIES** To tell the talk's animation M01 as one image the eye travels down: every walk in it drawn as a line, the people's above and the agents' below, with the time and the words that were on screen down the left.

**MADE FROM**

- `src/static/motion/lab/the-building/v1/index.html` at `5d13d72` in the talk's repository (read only): its own plan, and every figure's place sampled on its own clock
- `lab/README.md` and `lab/tools/lab.css` (the lab's format, the designer's)


**THE QUESTION** Does one image carry the story that took 43 seconds? Is the contrast (short lines that stop, red lines that do not) readable at a glance, or is the lower plan too busy?

☐ **keep** ☐ **change** ☐ **drop** note

**0:00**
A building. One way in. A corridor that splits.


**0:05**
Most turned left.
**Now and then**, one found the gold.

Each line: one person, from the way in to where they stopped.




**0:23**
Agents: more of them,
**and they keep going.**

Each line: one agent. It turns red where it starts doing damage.




**0:37 to 0:43**
People stop at a room. **Agents don't stop.**
Red: doing damage. A pattern, not a count.
Red shows capability, not intent: the talk's agents were a benign team.

**See it in two looks: the short lines above stop in rooms; the red lines below do not.**
`M01 v1, src/static/motion/lab/the-building/v1/index.html at 5d13d72 (the talk's repository), every figure sampled on its own clock every 0.1 s by tools/sample.js`

LAB 04

# The condensed storyboard

**TRIES**

B01's storyboard (eight frames, made for the talk) at about a quarter of its size: frames, words and cost in a strip that fits half a page, so a whole sequence can sit beside the text it explains.

**MADE FROM**


- `src/static/studio/lab/b01/storyboard/index.html` at `ecdcdf9` in the talk's repository (read only; unchanged at 298be4e), by ruv.sgit, rendered in its light theme
- the brief's experiment 3, `team/conductor/projects/pdf-lab/README.md`

**THE QUESTION**


Does the strip carry the story without the motion and the notes? Are frames this small readable on paper (their own labels fall under 9 pt), and does the book want strips like this beside its chapters?

☐ **keep** ☐ **change** ☐ **drop** note


## The whole storyboard, condensed: eight frames in half a page





**1** Arrival
`three · 0:06 to 0:28`
*One: AI agents are the insider threat that never scaled before.*





**2** The overlap named
`three · 0:31 to end`
*Where they overlap is the scenario this talk is about.*





**3** Act one opens
`definition · first 3 s`
*Start with a definition, because the argument depends on it.*





**4** Act two opens
`infrastructure · first 3 s`
*Our systems were built for code that stays where you put it.*





**5** Act three opens
`spreadsheets · first 3 s`
*Everything a business does is a risk decision, including …*




**6** The collision
`collision · 0:04 to 0:30`
*An entity inside the company …*




**7** The way out
`way-out · 0:02 to 0:14`
*Measure what the agent can actually reach.*




**8** Close (optional)
`brakes · 0:26 to end`
*We put brakes in cars so that we can go faster.*

**What it costs.** Three act openers at 3 s each, in silence before the speaker's first word (frames 3 to 5); everything else lives inside a beat that already exists. Frame 8 only if deck wants it.

**Fig 04.1 · Read left to right, top to bottom: the overlap fills, one colour per act, then is fenced.** Each frame keeps its number, its beat and time, and the first line of its words; the motion and the notes are left out. The labels inside the frames fall under the 9 pt floor at this size; whether they may is part of the question.
`B01 storyboard at ecdcdf9 in the talk's repository, by ruv.sgit, light theme`

## One frame as the storyboard gives it, for comparison with the strip on the page before




**6** The collision · `collision · 0:04 to 0:30`

*An entity inside the company ... Infrastructure that cannot tell you what it did ... And a decision process that could not see it coming ...*

The overlap grows to fill the centre. Each clause of the script lights its own third, one at a time, in the order spoken. On "None of this is hypothetical" the three thirds become one colour.

The clauses on screen are short forms of the script, not new claims.

**Fig 04.2 · What the condensed strip gives up: the motion, the notes, and the size.** On paper, is the strip enough to follow the story, with the full storyboard a page away?
`the same storyboard, frame 6`

LAB 05

# It could have been much worse, in two frames

**TRIES**

The talk's animation M02 on paper in two stills frozen on its own clock: one public incident, then both side by side with the line the room was left with. No words added but the time and a caption.


**MADE FROM**

- `src/static/motion/lab/could-have-been-worse/v1/index.html` at `f45028c` in the talk's repository (read only), unchanged at 298be4e
- its two public sources as it names them: Microsoft MSRC, 19 January 2024; AWS security bulletin AWS-2025-015

**THE QUESTION**

Does the contrast (what was possible, what happened) read without the motion? Is one frame enough, the still on its own?

☐ keep ☐ change ☐ drop note




**0:11**
What the way in could have reached: the first incident, alone.




**0:32**
Each time, a small part of what was possible. It could have been much worse.

**Two public incidents, as their vendors reported them. "What was possible" is the talk's reading; "what happened" is the vendor's.**
`M02 v1, src/static/motion/lab/could-have-been-worse/v1/index.html at f45028c, frozen at 11.5 and 32 s; areas not to scale (the animation's own note)`

LAB 06

# Meet the team, in three frames

**TRIES**

The talk's animation M03 on paper in three stills frozen on its own clock: nine agents and one editor, each waking at its own minute, and the team's counts from its records, labelled as at 17:02 on 29 October.


**MADE FROM**

- `src/static/motion/lab/meet-the-team/v1/index.html` and team-in-numbers.json at `f45028c` in the talk's repository (read only), unchanged at 298be4e
- `claims/register.json`: C073 (the six counts at 17:02), C024 (the day's one hold, 18:44)


**THE QUESTION**

Do the dial and the counts tell how the talk was made, on paper? Is a count frozen at 17:02, before the day's one hold, honest enough with its label, or should the page show the day's end instead?

☐ keep ☐ change ☐ drop note _____





**0:06**
Nine agents. One editor.




**0:11**
Every hour, each wakes at its own minute.

**One hour of the schedule, swept in six seconds: each agent lights at its own minute.**
`M03 v1, src/static/motion/lab/meet-the-team/v1/index.html at f45028c, frozen at 6.5 and 11 s`




**The talk's counts at 17:02 on 29 October, not the day's (C073): 510 commits, CI's releases among them, and 164 releases. "0 holds" was true at 17:02; the day's one hold came at 18:44 (C024).**
`M03 v1 at f45028c, frozen at 40 s; its numbers read at load from team-in-numbers.json (team_numbers.py, 2026-10-29T17:02:26Z)`

**0:40.** The capability is the orchestration, not the model.

C073 · C024