

Function Approximation

Introduction

Marius Lindauer




Automated
Machine Learning
Hannover

- Last time: Control (making decisions) without a model of how the world works
 - ▶ We have to search for a well-performing policy
 - ▶ We still don't know the MDP model
 - ▶ We assume that we can model everything [by table look-ups](#)

- Last time: Control (making decisions) without a model of how the world works
 - ▶ We have to search for a well-performing policy
 - ▶ We still don't know the MDP model
 - ▶ We assume that we can model everything [by table look-ups](#)
 - This time: How can we learn if it does not fit into a table
 - ▶ table-based RL is often only applicable to toy problems
 - ▶ the real-world is much more complex
 - ▶ often we cannot see all kinds of states
 - ▶ Solution: we approximate the value functions by some kind of function
- ~> First step towards deep reinforcement learning

Value Function Approximation (VFA)

- Represent a (state-action/state) value function with a parameterized function instead of a table



- For finite action spaces, often represent the Q function as a vector: takes s as input and outputs a vector with one value for each action $[Q(s, a_1), Q(s, a_2), \dots]$

Motivation for Value Function Approximation (VFA)

- Don't want to have to explicitly store or learn for every single state a
 - ▶ Dynamics or reward model
 - ▶ Value
 - ▶ State-action value
 - ▶ Policy

Motivation for Value Function Approximation (VFA)

- Don't want to have to explicitly store or learn for every single state a
 - ▶ Dynamics or reward model
 - ▶ Value
 - ▶ State-action value
 - ▶ Policy
- Want more compact representation that generalizes across state or states and actions

Motivation for Value Function Approximation (VFA)

- Don't want to have to explicitly store or learn for every single state a
 - ▶ Dynamics or reward model
 - ▶ Value
 - ▶ State-action value
 - ▶ Policy
- Want more compact representation that generalizes across state or states and actions
- When is this possible / a reasonable thing to hope for?
 - ▶ smoothness in the state space (and action space)
 - ↪ in similar states, actions should have similar effects
 - ▶ structure in the problem

Benefits of Generalization

- Reduce memory needed to store $(P, R)/V/Q/\pi$
- Reduce computation needed to compute $(P, R)/V/Q/\pi$
- Reduce experience needed to find a good $(P, R)/V/Q/\pi$