

Visualization Basics

Intro to Data Visualization

Gaston Sanchez

CC BY-SA 4.0


Vision


Data Visualization?


Data visualization is simply **mapping data** to **geometric objects** and their **visual attributes**.

Star Wars data set

	name	gender	height	weight	jedi	species	weapon
1	Luke Skywalker	male	1.72	77	yes_jedi	human	lightsaber
2	Leia Organa	female	1.50	49	no_jedi	human	blaster
3	Obi-Wan Kenobi	male	1.82	77	yes_jedi	human	lightsaber
4	Han Solo	male	1.80	80	no_jedi	human	blaster
5	R2-D2	male	0.96	32	no_jedi	droid	unarmed
6	C-3PO	male	1.67	75	no_jedi	droid	unarmed
7	Yoda	male	0.66	17	yes_jedi	yoda	lightsaber
8	Chewbacca	male	2.28	112	no_jedi	wookiee	bowcaster







How does it (conceptually) work?


1 Dataset

A	B	C	D	E	F


2 Which variables

A	B	C	D	E	F

3 Which Geometric objects



4 Which visual attributes



Building a Scatterplot

- ▶ **Dataset:** starwars
- ▶ **Variables:** height, weight, jedi
- ▶ **Geometric objects:** points
- ▶ **Visual attributes:**
 - X-axis: height, Y-axis: weight
 - Shape: dots
 - Color: based on jedi categories

Mapping Data

data values

height	weight	jedi
1.72	77	yes_jedi
1.50	49	no_jedi
1.82	77	yes_jedi
1.80	80	no_jedi
0.96	32	no_jedi
1.67	75	no_jedi
0.66	17	yes_jedi
2.28	112	no_jedi



visual attributes

x	y	color
x_1	y_1	#F8766D
x_2	y_2	#00BFC4
x_3	y_3	#F8766D
x_4	y_4	#00BFC4
x_5	y_5	#00BFC4
x_6	y_6	#00BFC4
x_7	y_7	#F8766D
x_8	y_8	#00BFC4

These values are meaningful to us, but not to the computer

They need to be converted from data units to physical units that the computer can display

Supporting Elements

- ▶ Axis labels
- ▶ Legends (positions, labels, symbols)
- ▶ Choice of colors for points
- ▶ Background color (i.e. gray)
- ▶ Grid lines (major and minor)
- ▶ Axis tick marks

In Summary

- ▶ Graphs consist of several components
- ▶ Some components represent quantitative values (e.g. lines, bars, etc.)
- ▶ Some represent categorical values (e.g. color, shape, orientation)
- ▶ Some play a supporting role (e.g. grid lines, legends, scales on axes)

Geometric Objects and their Visual Attributes

Mapping Fundamentals



Geometric Objects (primitives)


Points



Lines



Bars




2D Areas / Polygons



Example of Graphs with Geometric Objects


Points: e.g. scatterplot



Lines: e.g. timeline



Bars: e.g. bar chart



2D-areas / Polygons: e.g. densities



Geometric objects

Graphical objects (typically) used to encode quantitative values

- ▶ Points
- ▶ Lines
- ▶ Bars
- ▶ 2D areas and polygons

Visual Attributes

Position



horizontal



vertical



both

Shape



Orientation (tilt)



Visual Attributes

Size



length



area



volume

Color Hue



Color Luminance



Color Saturation




Visual Attributes of Geometric objects


Used to encode both quantitative and categorical

- ▶ Position
- ▶ Color
- ▶ Size
- ▶ Shape
- ▶ Fill pattern
- ▶ Border
- ▶ Line style


Examples of Visual Attributes




Vertical position



Vertical position
Horizontal position



Vertical position
Horizontal position
Color hue



Vertical position
Horizontal position
Color hue
Size (area)

Gallery of Charts


(off-the-self examples)

Examples from Google Charts


Geo Chart




Scatter Chart




Column Chart




Histogram



Bar Chart



Combo Chart




Examples from Google Charts


Area Chart




Stepped Area Chart




Line Chart




Pie Chart



Bubble Chart




Donut Chart




Examples from Google Charts

Org Chart



Treemap




Table

	Name	Salary	Full Time
1	Marie	\$24,700	✓
2	Albert	\$25,200	✗
3	Enrico	\$25,700	✓
4	Lise	\$26,600	✓

Timeline




Gauge





Candlestick Chart



Examples from MS Excel



Examples from MS Excel



Examples from MS Excel



Clustered Bar



Stacked Bar



100% Stacked Bar



3-D Clustered Bar



3-D Stacked Bar



3-D 100% Stacked Bar



Pie



Pie of Pie



Bar of Pie



3-D Pie



Doughnut



Scatter



Scatter with Smooth
Lines and Markers



Scatter with Smooth
Lines



Scatter with Straight
Lines and Markers



Scatter with Straight
Lines







Bubble



3-D Bubble

Examples from MS Excel



Examples from ggplot2

One Variable

Continuous

```
c <- ggplot(mpg, aes(hwy)); c2 <- ggplot(mpg)
```



c + geom_area(stat = "bin")

x, y, alpha, color, fill, linetype, size



c + geom_density(kernel = "gaussian")

x, y, alpha, color, fill, group, linetype, size, weight



c + geom_dotplot()

x, y, alpha, color, fill



c + geom_freqpoly()

x, y, alpha, color, group, linetype, size



c + geom_histogram(binwidth = 5)

x, y, alpha, color, fill, linetype, size, weight



c2 + geom_qq(aes(sample = hwy))

x, y, alpha, color, fill, linetype, size, weight

Discrete

```
d <- ggplot(mpg, aes(fl))
```



d + geom_bar()

x, alpha, color, fill, linetype, size, weight

Examples from ggplot2

Two Variables

Continuous X, Continuous Y

```
e <- ggplot(mpg, aes(cty, hwy))
```



```
e + geom_label(aes(label = cty), nudge_x = 1,  
nudge_y = 1, check_overlap = TRUE)
```



```
x, y, label, alpha, angle, color, family, fontface,  
hjust, lineheight, size, vjust
```

```
e + geom_jitter(height = 2, width = 2)
```



```
x, y, alpha, color, fill, shape, size
```

```
e + geom_point()
```

```
x, y, alpha, color, fill, shape, size, stroke
```



```
e + geom_quantile()
```

```
x, y, alpha, color, group, linetype, size, weight
```



```
e + geom_rug(sides = "bl")
```

```
x, y, alpha, color, linetype, size
```



```
e + geom_smooth(method = lm)
```

```
x, y, alpha, color, fill, group, linetype, size, weight
```



```
e + geom_text(aes(label = cty), nudge_x = 1,  
nudge_y = 1, check_overlap = TRUE)
```

```
x, y, label, alpha, angle, color, family, fontface
```

Continuous Bivariate Distribution

```
h <- ggplot(diamonds, aes(carat, price))
```



```
h + geom_bin2d(binwidth = c(0.25, 500))
```

```
x, y, alpha, color, fill, linetype, size, weight
```



```
h + geom_density2d()
```

```
x, y, alpha, colour, group, linetype, size
```



```
h + geom_hex()
```

```
x, y, alpha, colour, fill, size
```

Continuous Function

```
i <- ggplot(economics, aes(date, unemployment))
```



```
i + geom_area()
```

```
x, y, alpha, color, fill, linetype, size
```



```
i + geom_line()
```

```
x, y, alpha, color, group, linetype, size
```



```
i + geom_step(direction = "hv")
```

```
x, y, alpha, color, group, linetype, size
```


So how do you approach
graphing data?

Creating graphs . . .

With computer technology, anyone can create graphics, but few of us know how to do it well.

Donna Wong

Approaching graphing data

With so many chart options, and various software tools, how can you determine what type of graph should you use?

In my opinion, there are a couple of aspects to always keep in mind:

- ▶ Data encoding (core idea)
- ▶ Common analytical tasks
- ▶ Visual perception basics
- ▶ Effective charts suggestions