

Pizza Sales Performance Analysis Using SQL Server

Business Intelligence & Data Analysis Project

Project Objective:-

Analyze pizza sales data to identify revenue trends, customer ordering behavior, best-selling products, and key business performance metrics using SQL.

Tools Used

- **SQL Server**
 - **SQL Server Management Studio (SSMS)**
-

Key Areas of Analysis

- **Sales KPIs**
 - **Revenue Analysis**
 - **Daily & Monthly Trends**
 - **Pizza Category Performance**
 - **Pizza Size Analysis**
 - **Top & Bottom Selling Pizzas**
-

Shaik Abdul Naveed Shareef

- Email: shaikabdulnaveedshareff@gmail.com
- LinkedIn: [Shaik Naveed | LinkedIn](#)
- GitHub: [GitHub](#)

Dataset Overview

Dataset Name: Pizza Sales Dataset

Description:

The dataset contains transactional sales data for a pizza restaurant, including order details, pizza categories, sizes, quantities sold, and revenue generated.

Columns Used:

- order_id
- order_date
- pizza_name
- pizza_category
- pizza_size
- quantity
- total_price

Analysis Goal:

To evaluate sales performance, identify customer ordering trends, and determine top-performing pizzas using SQL queries.

Key Business Insights:

Total Revenue generated: \$817,860

Average Order Value: \$38.31

Average Pizzas per Order: 2.32

Friday recorded the highest number of orders.

Large-sized pizzas contributed the highest sales revenue.

Thai Chicken Pizza generated the highest revenue.

Brie Carre Pizza generated the lowest revenue.

PIZZA SALES SQL QUERIES

A. KPI's

1. Total Revenue:

```
SELECT SUM(total_price) AS Total_Revenue  
FROM pizza_sales
```

Output:-

Results Messages	
	Total_Revenue
1	817860.05083847

2. Average Order Value

```
SELECT  
SUM(total_price) / COUNT(DISTINCT order_id) AS Avg_order_Value  
FROM pizza_sales
```

Output:-

Results Messages	
	Avg_order_Value
1	38.3072623343546

3. Total Pizzas Sold

```
SELECT  
SUM(quantity) AS Total_Pizza_Sold  
FROM pizza_sales
```

Output:-

Results Messages	
	Total_Pizza_Sold
1	49574

4. Total Orders

```
SELECT COUNT(DISTINCT order_id) AS Total_orders  
FROM pizza_sales
```

Output:-

Results		Messages
	Total_orders	
1	21350	

5. Average Pizzas Per Order

```
SELECT CAST(CAST(SUM(quantity) AS DECIMAL(10,2)) /
CAST(COUNT(DISTINCT order_id) AS DECIMAL(10,2)) AS DECIMAL(10,2)) AS
Avg_Pizzas_Per_order FROM pizza_sales
```

Output:-

Results		Messages
	Avg_Pizzas_Per_order	
1	2.32	

B. Daily Trend for Total Orders

```
SELECT DATENAME(DW, order_date) as order_day, COUNT(DISTINCT order_id) AS
Total_order
from pizza_sales
group by DATENAME(DW, order_date)
```

Output:-

Results		Messages
	order_day	Total_order
1	Saturday	3158
2	Wednesday	3024
3	Monday	2794
4	Sunday	2624
5	Friday	3538
6	Thursday	3239
7	Tuesday	2973

C. Monthly Trend for Orders

```
select DATENAME(MONTH, order_date) as Month_Name, COUNT(DISTINCT order_id) as
Total_Orders
from pizza_sales
```

GROUP BY DATENAME(MONTH, order_date)

Output:-

Results Messages		
	Month_Name	Total_Orders
1	February	1685
2	June	1773
3	August	1841
4	April	1799
5	May	1853
6	December	1680
7	January	1845
8	September	1661
9	October	1646
10	July	1935
11	November	1792
12	March	1840

D. % of Sales by Pizza Category

```
SELECT Pizza_Category, SUM(total_price) AS Total_Sales, SUM(total_price) *100 /  
(SELECT SUM(total_price) from pizza_sales WHERE MONTH(order_date) = 1) AS PCT  
from pizza_sales  
WHERE MONTH(order_date) = 1  
group by pizza_category
```

Output:-

Results Messages			
	Pizza_Category	Total_Sales	PCT
1	Classic	18619.4000015259	26.6779189176038
2	Chicken	16188.75	23.1952780348435
3	Veggie	17055.4000778198	24.4370162489706
4	Supreme	17929.7499866486	25.6897867985821

E. % of Sales by Pizza Size

```
SELECT pizza_size,CAST(SUM(total_price) AS DECIMAL(10,2)) AS Total_Sales,  
CAST(SUM(total_price) *100 /  
(SELECT SUM(total_price) from pizza_sales) AS DECIMAL(10,2))AS PCT  
from pizza_sales
```

WHERE DATEPART(quarter, order_date) = 1

group by pizza_size

ORDER BY PCT DESC

Output:-

Results		Messages	
	pizza_size	Total_Sales	PCT
1	L	95229.65	11.64
2	M	61159.00	7.48
3	S	45384.25	5.55
4	XL	3289.50	0.40
5	XXL	287.60	0.04

F. Total Pizzas Sold by Pizza Category

SELECT pizza_category, SUM(quantity) as Total_Quantity_Sold

FROM pizza_sales

WHERE MONTH(order_date) = 2

GROUP BY pizza_category

ORDER BY Total_Quantity_Sold DESC

Output:-

	Results	Messages
	pizza_category	Total_Quantity_Sold
1	Classic	14888
2	Supreme	11987
3	Veggie	11649
4	Chicken	11050

G. Top 5 Pizzas by Revenue

SELECT Top 5 pizza_name, SUM(total_price) AS Total_Revenue

FROM pizza_sales

GROUP BY pizza_name

ORDER BY Total_Revenue DESC

Output:-

Results Messages		
	Pizza_name	Total_Revenu
1	The Thai Chicken Pizza	43434.25
2	The Barbecue Chicken Pizza	42768
3	The California Chicken Pizza	41409.5
4	The Classic Deluxe Pizza	38180.5
5	The Spicy Italian Pizza	34831.25

H. Bottom 5 Pizzas by Revenue

```
SELECT Top 5 pizza_name, SUM(total_price) AS Total_Revenue
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Revenue ASC
```

Output:-

Results Messages		
	pizza_name	Total_Revenue
1	The Brie Carre Pizza	11588.4998130798
2	The Green Garden Pizza	13955.75
3	The Spinach Supreme Pizza	15277.75
4	The Mediterranean Pizza	15360.5
5	The Spinach Pesto Pizza	15596

Top 5 Pizzas by Quantity

```
SELECT TOP 5 pizza_name, SUM(quantity) AS Total_Quantity FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Quantity DESC
```

Output:-

Results Messages		
	pizza_name	Total_Quantity
1	The Classic Deluxe Pizza	2453
2	The Barbecue Chicken Pizza	2432
3	The Hawaiian Pizza	2422
4	The Pepperoni Pizza	2418
5	The Thai Chicken Pizza	2371

J. Bottom 5 Pizzas by Quantity

```
SELECT TOP 5 pizza_name, SUM(quantity) AS Total_Quantity
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Quantity ASC;
```

Output:-

Results Messages		
	pizza_name	Total_Quantity
1	The Brie Carre Pizza	490
2	The Mediterranean Pizza	934
3	The Calabrese Pizza	937
4	The Spinach Supreme Pizza	950
5	The Soppressata Pizza	961

K. Top 5 Pizzas by Total Orders

```
SELECT Top 5 pizza_name, COUNT(DISTINCT order_id) AS Total_Orders
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Orders DESC
```

Output:-

Results Messages		
	pizza_name	Total_Orders
1	The Classic Deluxe Pizza	2329
2	The Hawaiian Pizza	2280
3	The Pepperoni Pizza	2278
4	The Barbecue Chicken Pizza	2273
5	The Thai Chicken Pizza	2225

L. Bottom 5 Pizzas by Total Orders

```
SELECT Top 5 pizza_name, COUNT(DISTINCT order_id) AS Total_Orders
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Orders ASC
```

Output:-

Results Messages		
	pizza_name	Total_Orders
1	The Brie Carre Pizza	480
2	The Mediterranean Pizza	912
3	The Spinach Supreme Pizza	918
4	The Calabrese Pizza	918
5	The Chicken Pesto Pizza	938

Conclusion

This project analyzed pizza sales data using SQL Server to uncover key business insights. Through KPI calculations, sales trend analysis, category performance evaluation, and product ranking, valuable insights were identified to support data-driven business decisions. The analysis demonstrates practical SQL skills including aggregation, filtering, grouping, sorting, and date-based analysis.

Shaik Abdul Naveed Shareef

- SQL Developer / Data Analyst Aspirant

- Skills: SQL, Excel, Power BI, Data Analysis
- Email: shaikabdulnaveedshareff@gmail.com
- LinkedIn: [Shaik Naveed | LinkedIn](#)
- GitHub: [GitHub](#)

Thank you for reviewing this project.

For collaboration or opportunities, feel free to connect with me on LinkedIn or
GitHub.