

	3 – T16	T10@100C/C	T8@125C/C	– – –
----	----	T8@100 C/C	T8@100 C/C	– – –
----	----	T8@150 C/C	T8@150 C/C	– – –
----	----	T8@150C/C	T8@150C/C	HIDDEN BEAM

22,23,25,29,30,32,36,42,60,62A,63,64,65,66,67,68,84,85,86,93,94,95,96,98 & 99 ARE DELETED

T	TOP OVER SUPPORT		STIRRUPS		REMARKS
	(EXTRA LEFT	RIGHT	UPTO L/4	REST	
3 – T16	3 – T16	T8@100 C/C	T8@200 C/C	– – –	
2 – T16	2 – T16	T8@200 C/C	T8@200 C/C	– – –	
----	----	T10@100 C/C	T10@100 C/C	CANTILEVER	
3 – T16	3 – T16	T8@100 C/C	T8@150 C/C	TOP & BOTT.BARS TO BE TAKEN FROM CANTILEVER	
----	----	T8@150C/C	T8@200C/C	– – –	
2 – T16	2 – T16	T8@100 C/C	T8@150C/C	– – –	
2 – T16	2 – T16	T8@100C/C	T8@100C/C	– – –	
----	----	T8@200 C/C	T8@200 C/C	– – –	
----	2 – T16	T8@100 C/C	T8@100 C/C	– – –	
2 – T12	3 – T16	T10@100 C/C	T10@150 C/C	– – –	
----	----	T8@200C/C	T8@200C/C	– – –	
----	----	T10@100C/C	T10@100C/C	CANTILEVER	
----	2 – T16	T8@100C/C	T8@100C/C	TOP & BOTT.BARS TO BE TAKEN FROM CANTILEVER	
3 – T16	3 – T16	T10@100C/C	T10@150C/C	– – –	
2 – T16	2 – T16	T10@150C/C	T10@200C/C	– – –	
2 – T16	2 – T16	T10@100C/C	T10@150C/C	– – –	
----	----	T8@100C/C	T8@200C/C	– – –	
----	----	T8@150C/C	T8@150C/C	BEAM TOP @250 SUNK LVL	
----	----	T8@150 C/C	T8@150 C/C		
----	----	T8@100C/C	T8@100C/C	– – –	
----	----	T8@100C/C	T8@100C/C	CANTILEVER	
3 – T16	3 – T16	T10@100C/C	T10@125C/C	– – –	
----	----	T8@100 C/C	T8@100 C/C	– – –	
----	----	T8@150 C/C	T8@150 C/C	– – –	
----	----	T8@150C/C	T8@150C/C	HIDDEN BEAM	

3 S1 ARE DELETED

BAR	REMARKS
C/C (T UP)	–
/C (UP)	–
/C (T UP)	250MM SUNK SLAB
C/C (T UP)	–
C/C)	–
C/C (T UP)	–
C/C)	STAIRCASE SLAB

- at any given section. Ld = 50 X D (where D= dia. in mm)
9. All buildings shall have tie beams/plinth beams at ground level.
10. At any level where column size gets reduced in either dimension, tie beams/plinth beams are essential.
11. For cantilevers, top bars to be anchored behind from external support for –1.5 X span of cantilever.
12. Fire rating considered: – 2 Hour Max.

- Use of this drawing for construction shall explicitly confirm acceptance of following conditions by Owner / Builder / Contractor
1. Our responsibility shall remain limited to safe and sound construction as transmitted by this drawing and we shall not remain responsible for:

a) Safety of old structure during demolition.

b) Safety of any adjoining building /persons staying in building/persons and properties on adjoining roads.

c) Safety of construction worker/any personnel at work during construction

d) Correctness/safety of any temporary structure, scaffolding, shoring, centering erected at site and any injury to any personnel during any accidents.

e) Accidents occurring due to premature deshuttering, substandard construction material or workmanship / faulty construction procedure.


f) Any accident occurring due to construction of element not designed by us.
2. Supervision if specifically asked for will be provided to the satisfaction of verification of reinforcement on site
3. All structural concrete should be weigh batched, machine mixed and mechanically vibrated.
4. Any discrepancy between our drawing & Architects' drawing shall be brought to our notice before construction.
5. Drawing shall not be scaled written dimensions are to be followed.
6. This drawing to be read along with other relevant drawings.

R9	REVISED AS MARKED	15.12.23	NK	SIDDHI
R8	REVISED AS MARKED	30.11.23	NK	SIDDHI
R7	REVISED AS PER COMMENTS & AS MARKED	16.11.23	NK	SIDDHI
R6	REVISED AS PER COMMENTS & AS MARKED	03.11.23	NK	SIDDHI
R5	REVISED AS PER COMMENTS & AS MARKED	10.10.23	NK	SIDDHI
R4	REVISED AS PER COMMENTS & AS MARKED	10.10.23	NK	SIDDHI
R3	REVISED AS PER COMMENTS & AS MARKED	10.10.23	NK	SIDDHI
R2	REVISED AS PER COMMENTS	27.09.23	NK	SIDDHI
R1	REVISED AS PER COMMENTS	21.09.23	NK	SIDDHI
REV.	DESCRIPTION	DATE	DWN.	CHKD.

GRADE OF CONCRETE : –	– M25
GRADE OF STEEL : –	– Fe500
ENVIRONMENTAL EXPOSURE CONDITION : –	– MODERATE
DESIGN LIVE LOAD : – (UNLESS SPECIFIED)	–
S.B.C. : –	

PROJECT : PROPOSED RESORT @ PALI, RAIGARH (GUEST BLOCK – 1A & 1B)
CLIENT : MELLORA INFRASTRUCTURE
ARCHITECT : STUDIO HUMANE
DRAWING TITLE : RCC DETAIL OF 1ST FLOOR LEVEL

SCALE	DWN.BY	CHK.BY	DATE	JOB NO.
N.T.S.	Nandkumar	SIDDHI	18.09.2023	ASC–2544



Associated Structural Engineers LLP.

607, Opal Square, Opp. Railadevi Lake, Barve Rd. Wagale Estate, Thane (w)– 400 604.
Phone: +91–22–20812084/85, 8976072223
Email: info@ase.org.in Website: www.ase.org.in