

BB78,79,81	200 x 600	2 - T12	----	2 - T10	----	----	T8@150 C/C	T8@150 C/C	HIDDEN
HB	200 x SLAB THK.	2 - T12	----	2 - T12	----	----	T8@150C/C	T8@150C/C	

SCHEDULE OF SLABS AT 1ST FLOOR LEVEL:- SLAB S1 ARE DELETED

SLAB MARKED	THICK.	TYPE	REINFORCEMENT		REMARKS
			SHORT BAR	LONG BAR	
S2	175	TWO WAY	T10@100C/C (ALT. BENT UP)	T10@200C/C (ALT. BENT UP)	-
S3	125	TWO WAY	T8@150C/C (ALT. BENT UP)	T8@200C/C (ALT. BENT UP)	-
S4	125	ONE WAY	T8@100C/C (ALT. BENT UP)	T8@200C/C (ALT. BENT UP)	250MM SUNK SLAB
S5	115	ONE WAY	T8@150C/C (ALT. BENT UP)	T8@200C/C (ALT. BENT UP)	-
S6	115	ONE WAY	T8@150C/C (ALL STRAIGHT)	T8@200C/C (DIST.)	-
S7	175	TWO WAY	T10@150C/C (ALT. BENT UP)	T10@200C/C (ALT. BENT UP)	-
ST	225	ONE WAY	T12@100C/C (MAIN)	T12@200C/C (DIST.)	STAIRCASE SLAB

STRAIGHT



STRAIGHT