

Week .3

Course Name : Problem Solving and Testing

Course Code : 10211CS227

Name : SK Nazeem

Vtu No : VTU28507

1.Java Date and Time

2.Number of Days Between Two Dates

3.Day of the Year

4.Day of the Week

5.Java Priority Queue

6.Java Arraylist

7.Largest Number

8.Java Comparator

9.Sort the People

1.Java Date and Time

PROGRAM:

```
import java.util.*;

public class Main {

    public static String findDay(int month, int day, int year) {
        Calendar cal = Calendar.getInstance();

        cal.set(year, month - 1, day);

        String[] days = {
            "SUNDAY",
            "MONDAY",
            "TUESDAY",
            "WEDNESDAY",
            "THURSDAY",
            "FRIDAY",
            "SATURDAY"
        };

        return days[cal.get(Calendar.DAY_OF_WEEK) - 1];
    }

    public static void main(String[] args) {
```

```
Scanner sc = new Scanner(System.in);

int month = sc.nextInt();
int day = sc.nextInt();
int year = sc.nextInt();

System.out.println(findDay(month, day, year));

sc.close();
}
}
```

OUTPUT:



```
21 05 2006
WEDNESDAY

...Program finished with exit code 0
Press ENTER to exit console.
```

2. Number of Days Between Two Dates

PROGRAM:

```
import java.time.LocalDate;
import java.time.temporal.ChronoUnit;

class Solution {
    public int daysBetweenDates(String date1, String date2) {
        LocalDate d1 = LocalDate.parse(date1);
        LocalDate d2 = LocalDate.parse(date2);

        return (int) Math.abs(ChronoUnit.DAYS.between(d1, d2));
    }
}
```

OUTPUT:

Accepted Runtime: 4 ms

✓ Case 1 ✓ Case 2

Input

date1 =
"2019-06-29"

date2 =
"2019-06-30"

Output

1

Expected

1

Accepted Runtime: 4 ms

✓ Case 1 ✓ Case 2

Input

date1 =
"2020-01-15"

date2 =
"2019-12-31"

Output

15

Expected

15

3. Day of the Year

PROGRAM:

```
import java.time.LocalDate;

class Solution {
    public int dayOfYear(String date) {
        LocalDate d = LocalDate.parse(date);
        return d.getDayOfYear();
    }
}
```

OUTPUT:

Accepted Runtime: 4 ms

✓ Case 1 ✓ Case 2

Input

date =
"2019-01-09"

Output

9

Expected

9

Accepted Runtime: 4 ms

✓ Case 1 ✓ Case 2

Input

date =
"2019-02-10"

Output

41

Expected

41

4. Day of the Week

PROGRAM:

```
import java.time.LocalDate;
```

```
class Solution {  
    public String dayOfTheWeek(int day, int month, int year) {  
        LocalDate date = LocalDate.of(year, month, day);  
  
        String dayName = date.getDayOfWeek().toString();  
  
        return dayName.charAt(0) + dayName.substring(1).toLowerCase();  
    }  
}
```

OUTPUT:

Accepted Runtime: 5 ms

✓ Case 1 ✓ Case 2 ✓ Case 3

Input

day =
31

month =
8

year =
2019

Output

"Saturday"

Expected

"Saturday"

Accepted Runtime: 5 ms

✓ Case 1 ✓ Case 2 ✓ Case 3

Input

day =
18

month =
7

year =
1999

Output

"Sunday"

Expected

"Sunday"

Accepted Runtime: 5 ms

✓ Case 1 ✓ Case 2 ✓ Case 3

Input

day =
15

month =
8

year =
1993

Output

"Sunday"

Expected

"Sunday"

5. Java Priority Queue

PROGRAM:

```
import java.util.*;
```

```
class Student {
```

```
    private int id;
```

```
    private String name;
```

```
    private double cgpa;
```

```
    public Student(int id, String name, double cgpa) {
```

```
        this.id = id;
```

```
        this.name = name;
```

```
        this.cgpa = cgpa;
```

```
    }
```

```
    public int getID() {
```

```
        return id;
```

```
    }
```

```
    public String getName() {
```

```
        return name;
```

```
    }
```

```
    public double getCGPA() {
```

```
        return cgpa;
```

```
    }
```

```
}
```

```
class Priorities {
```

```
    public List<Student> getStudents(List<String> events) {
```

```
        PriorityQueue<Student> pq = new PriorityQueue<>(  
            (a, b) -> {
```

```
                if (a.getCGPA() != b.getCGPA()) {
```

```
                    return Double.compare(b.getCGPA(), a.getCGPA());
```

```
                }
```

```
            }
```

```
            int nameCompare = a.getName().compareTo(b.getName());
```

```
            if (nameCompare != 0) {
```

```
                return nameCompare;
```

```
            }
```

```
            return Integer.compare(a.getID(), b.getID());
```

```
        }
```

```
    };
```

```
    for (String event : events) {
```

```
        if (event.startsWith("ENTER")) {
```

```
            String[] parts = event.split(" ");
```

```
            String name = parts[1];
```



```

        double cgpa = Double.parseDouble(parts[2]);
        int id = Integer.parseInt(parts[3]);

        pq.add(new Student(id, name, cgpa));

    } else if (event.equals("SERVED")) {
        if (!pq.isEmpty()) {
            pq.poll();
        }
    }
}

List<Student> result = new ArrayList<>();

while (!pq.isEmpty()) {
    result.add(pq.poll());
}

return result;
}
}

public class Main {
    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

```

```
int n = sc.nextInt();
sc.nextLine();

List<String> events = new ArrayList<>();

for (int i = 0; i < n; i++) {
    events.add(sc.nextLine());
}

Priorities priorities = new Priorities();
List<Student> students = priorities.getStudents(events);

if (students.isEmpty()) {
    System.out.println("EMPTY");
} else {
    for (Student student : students) {
        System.out.println(student.getName());
    }
}

sc.close();
}
```

OUTPUT:

```
5
SURYA 99
VAMSHI 90
SIDDHU 100
HARSHA 91
SIVA 89
EMPTY

...Program finished with exit code 0
Press ENTER to exit console.
```

6.Java Arraylist

PROGRAM:

```
import java.util.*;

public class Main {
    public static void main(String[] args) {
```

```
Scanner sc = new Scanner(System.in);
```

```
int n = sc.nextInt();
```

```
ArrayList<ArrayList<Integer>> list = new ArrayList<>();
```

```
// Read the lines
```

```
for (int i = 0; i < n; i++) {
```

```
    int size = sc.nextInt();
```

```
    ArrayList<Integer> row = new ArrayList<>();
```

```
    for (int j = 0; j < size; j++) {
```

```
        row.add(sc.nextInt());
```

```
    }
```

```
    list.add(row);
```

```
}
```

```
// Number of queries
```

```
int q = sc.nextInt();
```

```
for (int i = 0; i < q; i++) {
```

```
    int x = sc.nextInt();
```

```
    int y = sc.nextInt();
```

```
// x and y are 1-based
if (x >= 1 && x <= list.size() &&
    y >= 1 && y <= list.get(x - 1).size()) {

    System.out.println(list.get(x - 1).get(y - 1));

} else {
    System.out.println("ERROR!");
}

}

sc.close();
}
```

OUTPUT:

Console

I/O

AI Agent

5

5 41 77 74 22 44

1 12

4 37 34 36 52

0

3 20 22 33

5

1 3

74

3 4

52

7.Largest Number

PROGRAM :

```
import java.util.*;

class Solution {
    public String largestNumber(int[] nums) {

        String[] arr = new String[nums.length];

        for (int i = 0; i < nums.length; i++) {
            arr[i] = String.valueOf(nums[i]);
        }

        Arrays.sort(arr, (a, b) -> (b + a).compareTo(a + b));

        if (arr[0].equals("0")) {
            return "0";
        }

        StringBuilder result = new StringBuilder();

        for (String s : arr) {
            result.append(s);
        }

        return result.toString();
    }
}
```

```
}  
}
```

OUTPUT :

Accepted Runtime: 1 ms

✓ Case 1 ✓ Case 2

Input

```
nums =  
[10,2]
```

Output

```
"210"
```

Expected

```
"210"
```

Accepted Runtime: 1 ms

✓ Case 1 ✓ Case 2

Input

```
nums =  
[3,30,34,5,9]
```

Output

```
"9534330"
```

Expected

```
"9534330"
```

8. Java Comparator

PROGRAM :


```
import java.util.*;
```

```
class Player {
```

```
    String name;
```

```
    int score;
```

```
    Player(String name, int score) {
```

```
        this.name = name;
```

```
        this.score = score;
```

```
    }
```

```
}
```

```
class Checker implements Comparator<Player> {
```

```
    @Override
```

```
    public int compare(Player a, Player b) {
```

```
        // Sort by decreasing score
```

```
        if (a.score != b.score) {
```

```
            return b.score - a.score;
```

```
        }
```

```
        // If scores are same, sort alphabetically
```

```
        return a.name.compareTo(b.name);
```

```
    }
```

```
}
```

```
public class Main {
```

```
    public static void main(String[] args) {
```

```
        Scanner sc = new Scanner(System.in);
```

```
        int n = sc.nextInt();
```

```
        Player[] players = new Player[n];
```

```
        for (int i = 0; i < n; i++) {
```

```
            String name = sc.next();
```

```
            int score = sc.nextInt();
```

```
            players[i] = new Player(name, score);
```

```
        }
```

```
        Arrays.sort(players, new Checker());
```

```
        for (Player p : players) {
```

```
            System.out.println(p.name + " " + p.score);
```

```
        }
```

```
        sc.close();
```

```
    }
```

```
}
```

OUTPUT :

```
Console I/O AI Agent
4
surya 500
vamshi 600
siva 700
siddhu 900
siddhu 900
siva 700
vamshi 600
surya 500
```

9.Sort the People

PROGRAM :

```
import java.util.*;
```

```
class Solution {  
    public String[] sortPeople(String[] names, int[] heights) {  
  
        Integer[] index = new Integer[names.length];  
  
        for (int i = 0; i < names.length; i++) {  
            index[i] = i;  
        }  
  
        Arrays.sort(index, (a, b) -> heights[b] - heights[a]);  
  
        String[] result = new String[names.length];  
  
        for (int i = 0; i < names.length; i++) {  
            result[i] = names[index[i]];  
        }  
  
        return result;  
    }  
}
```

OUTPUT :

Accepted Runtime: 1 ms

✓ Case 1

✓ Case 2

Input

names =
["Mary", "John", "Emma"]

heights =
[180, 165, 170]

Output

["Mary", "Emma", "John"]

Expected

["Mary", "Emma", "John"]

Accepted Runtime: 1 ms

✓ Case 1

✓ Case 2

Input

names =
["Alice", "Bob", "Bob"]

heights =
[155, 185, 150]

Output

["Bob", "Alice", "Bob"]

Expected

["Bob", "Alice", "Bob"]