

Ex. No.: 6b)

Date: 27/02/25

SHORTEST JOB FIRST

Aim:

To implement the Shortest Job First (SJF) scheduling technique

Algorithm:

1. Declare the structure and its elements.
2. Get number of processes as input from the user.
3. Read the process name, arrival time and burst time
4. Initialize waiting time, turnaround time & flag of read processes to zero.
5. Sort based on burst time of all processes in ascending order
6. Calculate the waiting time and turnaround time for each process.
7. Calculate the average waiting time and average turnaround time.
8. Display the results.

Program Code:

```
#include <stdio.h>
int main() {
    int n;
    printf("Enter NO. of processes: ");
    scanf("%d", &n);
    int p[n], bt[n], wt[n], tat[n];
    float total_wt = 0, total_tat = 0;
    printf("Enter burst time for the each processes: \n");
    for (int i = 0; i < n; i++) {
        scanf("%d", &bt[i]);
    }
    for (int i = 0; i < n; i++) {
        for (int j = i + 1; j < n; j++) {
            if (bt[i] > bt[j]) {
                int temp = bt[i];
                bt[i] = bt[j];
                bt[j] = temp;
                temp = p[i];
                p[i] = p[j];
            }
        }
    }
}
```

```

    }    P[j] = temp;
    }

    }
    wt[0] = 0;
    for (int i = 1; i < n; i++) {
        wt[i] = bt[i-1] + wt[i-1];
    }
    for (int i = 0; i < n; i++) {
        tat[i] = bt[i] + wt[i];
    }
    for (int i = 0; i < n; i++) {
        total-wt = total-wt + wt[i];
        total-tat = total-tat + tat[i];
    }
    printf ("Process |t Burst Time |t Waiting Time |t
    TAT\n");
    for (int i = 0; i < n; i++) {
        printf ("%d |t %d |t %.d |t\n" ,
        P[i], bt[i], wt[i], tat[i]);
    }

    float avg-wt, avg-tat;
    avg-wt = total-wt/n;
    avg-tat = total-tat/n;
    printf ("Average Waiting Time : %.1f",
    avg-wt);
    printf ("Average TAT : %.1f", avg-tat);
}

```


Input

Enter the no. of Process : 4

Enter the burst time for all process: 6 8 7 3

Burst time

3

6

7

8

Process	Burst time (ms)	Waiting time (ms)	Turn around time (ms)
0	3	0	3
1	6	3	9
2	7	9	16
3	8	16	24

Avg waiting time : 7.0 ms

Avg Turn around time : 13.0 ms.

Sample Output:

Enter the number of process:

4

Enter the burst time of the processes:

8 4 9 5

Process	Burst Time	Waiting Time	Turn Around Time
2	4	0	4
4	5	4	9
1	8	9	17
3	9	17	26

Average waiting time is: 7.5

Average Turn Around Time is: ~~13.0~~ 14.0**Result:**

Thus the shortest Job first
algorithm is executed.

