colours - append/remove(colour)
squares = [n**2 for n in range(1,4)]
sizes = ("S", "M", "L")
student = {"name": "shanice", "age": 19}
student["age"] = 20

WK11

try:
    age = int("abc")
except ValueError:
    print("Please enter a number")

dog1 = Dog
print(dog1.name)
class Animal:
    def speak
        print(

• lower() -> changes to lowercase. upper() changes to uppercase • title() change first letter of each word to uppercase. • strip() removes whitespace lstrip() removes left whitespace and rstrip() removes right whitespace. in is used to check whether a character exists in a string it returns boolean. • find() returns position of character returns -1 if missing. • replace(a,b) replaces a with b. • startswith() checks the beginning • endswith() checks the ending count() counts the number of times a character occurs. • split() separates/divide a string into smaller parts split(",",1) Splits only once. join() joins a list of strings together. f-strings insert variables into text using {}. Parsing takes raw text, cleans it and converts it into organised data. Two common ValueErrors are not enough values to unpack and too many values to unpack.

```
name = "  john Smith "

name.upper() = JOHN SMITH
name.lower() = john smith
name.title() = John Smith
name.strip() = John Smith
name.lstrip() = John Smith
name.strip().upper() = JOHN SMITH
print("-".join(text))
# red-blue-green

print("h" in name) # True
print(name.find("h")) # 4
print(name.count("h")) # 2
text = "red,blue,green"
print(text.split(",",1))
# ["red", "blue,green"]
```

WK7