=not equal to >greater than <less
ual to <= less than or equal to and
: or at least one side should satisfy
s the condition. it tells python to do
ondition is true. else runs when the
ans else if you use it when you
le outcomes. Indentation the spaces at
of code. It shows which statements
ck of code. while loops repeat as
Tru if the condition is false it stops
e loop completely. CONTINUE == SKIP
next round. for loops used to repeat
ch item in a sequence or list. range()
f numbers that a for loop can go
ws you to loop through a sequence
nd item. for loop used when you know
looping. While loop used when
is unknown.

```
while True:
    password = input("Enter
                      password")
    if password == "":
        continue
    if password == "python":
        break
    print("Wrong password")

fruits = ["apple", "banana",
          "orange"]
for index, fruit in enumerate(fruit
    print(index, fruit)
```

)
luit')

WK2

Defining creates a usable block of code. Calling -> writing the functions name with () runs it. return sends a value back so it can be stored or used later. Print() displays a value on the screen. Positional values are matched to parameters by their order. Keyword values are matched using parameter names. Default a parameter has a value used when no argument is provided. *args collects any number of positional arguments into a tuple. **kwargs collects any number of keyword arguments into a dictionary. Local variable are created inside a function and normally can only be accessed there. Use return to send a result outside a function. A docstring describes what a function does. Write inside triple quotes immediately after the function definition. A module is a python file or library containing reusable code. import lets you use code from another module. if __name__ == "__main__" the block runs when a python file is executed directly, but not when imported as a module.

```
def greet():
    print("Welcome")
greet()
def multiply(a, b):
    return(a * b)
answer = multiply(3, 4)
print(answer)
```

WK3

```
def describe(name, age=18):
    print(name, age)
describe("Lina", 20) -> Positional
describe(age=19, name="Anna")
describe("Mia")
def show(*args, **kwargs):
    print(args)
    print(kwargs)
show(4, 7, colour="blue", size=
     "large")
```