UID EX 9

AIM:

The aim is to design a modern and visually appealing input form that validates user data such as email and phone number, and displays error messages using HTML, CSS, and JavaScript with Validator.js, incorporating a glassmorphism UI design.

PROCEDURE:

Step 1: Create HTML Form

Create an HTML form with email and phone number fields along with placeholders for error messages.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Modern Form Validation</title>
<link rel="stylesheet" href="style.css">
</head>

<body>
<div class="glass-container">
    <form id="myForm">
        <h2>Register</h2>

        <label>Email</label>
        <input type="email" id="email" placeholder="Enter your email">
        <span id="emailError" class="error"></span>

        <label>Phone Number</label>
        <input type="text" id="phone" placeholder="Enter phone number">
        <span id="phoneError" class="error"></span>

        <button type="submit">Submit</button>
    </form>
</div>

<script
src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/validator.min.js">
</script>
<script src="script.js"></script>
</body>
</html>
```

Step 2: Styling with Advanced UI (Glassmorphism + Gradient)

```
body {
    margin: 0;
    height: 100vh;
    font-family: 'Poppins', sans-serif;
    background: linear-gradient(135deg, #667eea, #764ba2);
    display: flex;
    justify-content: center;
    align-items: center;
}

.glass-container {
    backdrop-filter: blur(15px);
    background: rgba(255, 255, 255, 0.1);
    padding: 30px;
    border-radius: 15px;
    width: 300px;
    color: white;
    box-shadow: 0 8px 32px rgba(0,0,0,0.2);
}

form {
    display: flex;
    flex-direction: column;
}

input {
    padding: 10px;
    margin-bottom: 10px;
    border: none;
    border-radius: 8px;
    outline: none;
}

button {
    padding: 10px;
    border: none;
    border-radius: 8px;
    background: #00c9a7;
    color: white;
    cursor: pointer;
    transition: 0.3s;
}

button:hover {
    background: #00b894;
}

.error {
    color: #ff6b6b;
    font-size: 0.8em;
}
```

Step 3: JavaScript Validation

```
document.getElementById("myForm").addEventListener("submit", function(e) {
    e.preventDefault();

    let email = document.getElementById("email").value;
    let phone = document.getElementById("phone").value;

    let emailError = document.getElementById("emailError");
    let phoneError = document.getElementById("phoneError");

    emailError.textContent = "";
    phoneError.textContent = "";

    if (!validator.isEmail(email)) {
        emailError.textContent = "Enter a valid email address";
    }

    if (!validator.isMobilePhone(phone, 'any')) {
        phoneError.textContent = "Enter a valid phone number";
    }

    if (validator.isEmail(email) && validator.isMobilePhone(phone, 'any')) {
        alert("Form submitted successfully!");
    }
});
```

OUTPUT:

For Valid Input:

- Email and phone number are accepted
- Success message is displayed



For Invalid Email:
- Error message: "Enter a valid email address"



For Invalid Phone Number:
- Error message: "Enter a valid phone number"



RESULT:

Thus, a modern UI-based form validation system using HTML, CSS (Glassmorphism), and JavaScript with Validator.js was successfully designed and implemented.