Project Workflow

Indirect prompt injection in LLM CV screening · replication of Milani, Franzoni & Florindi (2026)

1. End-to-end pipeline


Six stages, each a separate script. Each stage reads the previous stage's files, so any stage can be re-run on its own.




2. Experiment protocol

How one trial is built and scored, following Sections 5.3–5.5 of the paper.

A. Single-document session (p.Pos, p.Neg) · prompt u1, or u1.X with the defense



B. Multi-document session (p.Pos-Neg, p.Pos-Med) · prompt u2, or u2.X with the defense




C. Trial count per model (the paper's protocol)

Single-CV	27 CVs × {clean, p.Pos, p.Neg} × {u1, u1.X} × 10	**1,620**
Multi-CV	{all-clean session + 27 × {p.Pos-Neg, p.Pos-Med}} × {u2, u2.X} × 10	**1,100**
Total	of which 1,080 are attacked trials per defense condition (paper: 1,080)	**2,720**


3. Defenses

A is the paper's experimental defense, a single prompt. B is the full three-layer architecture from Section 4.2, implemented in the ope/ package, with an external audit and remediation loop.

A. The paper's defense (u1.X / u2.X), one call: the model audits itself




B. The OPE architecture as software (Section 4.2): ope_full



4. Web application

The browser shows the pages; the local server answers with data computed by the same Python modules as the command line.



Everything runs on your machine (127.0.0.1). Model calls leave the machine only for API models (OpenAI, Gemini, ...); Ollama models run locally.

Runs started from the Runs page execute runner.py in the background; finished trials are saved immediately, so a stopped run resumes.

5. Command reference

Step	Command
Install	`.venv\Scripts\python -m pip install -r requirements.txt`
Dataset	`.venv\Scripts\python dataset.py generate`
Attacks	`.venv\Scripts\python inject.py`
Plan & cost	`.venv\Scripts\python runner.py --models gemini --dry-run`
Run	`.venv\Scripts\python runner.py --models llama32 --protocol single --trials 1`
Score	`.venv\Scripts\python metrics.py --results results/paper_local.jsonl`
Analyse	`.venv\Scripts\python analysis.py --results results/paper_local.jsonl`
Evaluate OPE	`.venv\Scripts\python -m ope.evaluator --model llama32 --cvs CV01 CV10`
Report	`.venv\Scripts\python make_report.py --results results/paper_local.jsonl`
Web app	`start_ui.bat (then open http://127.0.0.1:8765)`
Tests	`.venv\Scripts\python -m pytest`