



1010101010
0101010101
1010101010
0101010101



10110
01001
10101



INSTRUCTIONS



1. Read the Problem Statement

Understand the objective and expected output before writing the program.



2. Write and Run the Program

Implement the solution, compile and run the program to check the output.



3. Test with Different Inputs

Use multiple test cases to verify the correctness of the program.



4. Add Proper Comments

Include comments to explain the logic and important steps.



5. Maintain the Record

Write the program, output and observations neatly in your practical file.

Code • Practice • Learn • Improve

HAPPY PRACTICALS !



Practice
Build
Debug
Improve
Succeed
😊



SEC Practical No-01

Aim: Write a VB.NET program to determine whether an input number is an even number.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 20/07/2026

Source Code:

Imports System.Console

Module Module1

Sub Main()

Dim n As Integer

WriteLine("Enter any Integer Number:")

n = ReadLine()

If n Mod 2 = 0 Then

WriteLine("The given Number is an Even Number")

Else

WriteLine("The given Number is an Odd Number")



End If

ReadKey()

End Sub

End Module

Output:



SEC Practical No-02

Aim: Write VB.Net to Find Greatest of Three Number

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 20/07/2026

Source Code:

```
Imports System.Console  
Module Module1
```

```
Sub Main()
```

```
Dim a As Integer
```

```
Dim b As Integer
```

```
Dim c As Integer
```

```
WriteLine("Enter first number: ")
```

```
a = ReadLine()
```

```
WriteLine("Enter second number: ")
```

```
b = ReadLine()
```

```
WriteLine("Enter third number: ")
```

```
c = ReadLine()
```

```
If a > b And a > c Then
```

```
WriteLine("Greatest number is " & a)
```

```
ElseIf b > c Then
```

```
WriteLine("Greatest number is " & b)
```

```
Else
```

```
WriteLine("Greatest number is " & c)
```


```
End If
```

```
ReadLine()
```

```
End Sub
```

```
End Module
```

Output:



```
C:FSKConsoleApp6.exe  
Enter first number:  
5  
Enter second number:  
6  
Enter third number:  
8  
Greatest number is 8
```

SEC Practical No-03

Aim: Write VB.Net for Conditional if else.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 20/07/2026

Source Code:

Imports System.Console

Module Module1

Sub Main()

Dim marks As Integer

WriteLine("Enter your Marks:")

marks = ReadLine()

If marks >= 40 Then

WriteLine("Pass")

Else

WriteLine("Fail")



End If

ReadKey()

End Sub

End Module

Output:



SEC Practical No-04

Aim: Write VB.Net for Select Case

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 21/07/2026

Source Code:

```
Imports System.Console
Module Module1
    Sub Main()
        Dim day As Integer

        WriteLine("Enter day number (1-7): ")
        day = ReadLine()

        Select Case day
            Case 1
                WriteLine("Monday")
            Case 2
                WriteLine("Tuesday")
            Case 3
                WriteLine("Wednesday")
            Case 4
                WriteLine("Thursday")
            Case 5
                WriteLine("Friday")
            Case 6
                WriteLine("Saturday")
            Case 7
                WriteLine("Sunday")
            Case Else
                WriteLine("Invalid Input")
        End Select
        ReadKey()
    End Sub
End Module
```

Output:

KSF
Enter day number (1-7): 1 Monday
Enter day number (1-7): 2 Tuesday
Enter day number (1-7): 8 Invalid Input

SEC Practical No-05

Aim: Write VB.Net for Print Factorial

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 21/07/2026

Source Code:

Imports System.Console

Module Module2

Sub main()

Dim n, fact As Integer

fact = 1

WriteLine("Enter any integer number")

n = ReadLine()

If n = 0 Then

WriteLine("Factorial is 1")

ElseIf n = 1 Then

WriteLine("Factorial is 1")

Else

For i As Integer = 1 To n

fact = fact * i

Next

WriteLine("Factorial of {0} is {1}", n, fact)


End If

ReadKey()

End Sub

End Module

Output:



The screenshot shows a console window titled "C:\Users\FSKConsoleApp8.exe". The prompt "Enter any integer number" is displayed, followed by the user input "5". The output line reads "Factorial of 5 is 120".

SEC Practical No-06

Aim: Write VB.Net for Print Prime Number

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 21/07/2026

Source Code:

```
Imports System.Console
```

```
Module Module1
```

```
Sub Main()
```

```
Dim num As Integer
```

```
Dim isPrime As Boolean = True
```

```
WriteLine("Enter a number: ")
```

```
num = ReadLine()
```

```
If num <= 1 Then
```

```
isPrime = False
```

```
Else
```

```
For i As Integer = 2 To num \ 2
```

```
If num Mod i = 0 Then
```

```
isPrime = False
```

```
Exit For
```

```
End If
```

```
Next
```

```
End If
```

```
If isPrime Then
```

```
WriteLine("{0} is Prime number", num)
```

```
Else
```

```
WriteLine("{1} is not Prime number", num)
```



```
End If
```

```
ReadKey()
```

```
End Sub
```

```
End Module
```

Output:



SEC Practical No-07

Aim: Write VB.Net to Generate Fibonacci Series

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 21/07/2026

Source Code:

```
Imports System.Console
Module Module1
    Sub Main()
        Dim n As Integer
        Dim first As Integer = 0
        Dim second As Integer = 1
        Dim nextNum As Integer


        WriteLine("Enter number of terms: ")
        n = ReadLine()

        WriteLine("Fibonacci Series:")
        WriteLine(first & " " & second & " ")

        For i As Integer = 3 To n
            nextNum = first + second
            WriteLine(nextNum & " ")
            first = second
            second = nextNum
        Next

        ReadKey()
    End Sub
End Module
```

Output:



```
KSF
Enter number to get fibonacci series: 5
Fibonacci Series:
0 1 1 2 3
```

SEC Practical No-08

Aim: Write VB.Net to Swap Two Numbers using 2 Variables.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 22/07/2026

Source Code:

```
Imports System.Console
Module Module1
    Sub Main()
        Dim a, b As Integer

        WriteLine("Enter first number: ")
        a = ReadLine()


        WriteLine("Enter second number: ")
        b = ReadLine()

        a = a + b
        b = a - b
        a = a - b

        WriteLine("After Swapping:")
        WriteLine("First number: " & a)
        WriteLine("Second number: " & b)

        ReadKey()
    End Sub
End Module
```

Output:



```
KSF
Enter first number: 14
Enter second number: 15
After Swapping:
First number: 15
Second number: 14
```

SEC Practical No-09

Aim: Write VB.Net to Print * like

*
**

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607


Date: 22/07/2026

Source Code:

```
Imports System.Console
Module Module1
    Sub Main()
        For i As Integer = 1 To 5
            For j As Integer = 1 To i
                Write("* ")
            Next
            WriteLine()
        Next

        ReadKey()
    End Sub
End Module
```

Output:



SEC Practical No-10

Aim: Write VB.Net code to print the following pattern:

1
12
123
1234
12345

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607


Date: 22/07/2026

Source Code:

```
Imports System.Console
Module Module1
    Sub Main()
        For i As Integer = 1 To 5
            For j As Integer = 1 To i
                Write(j)
            Next
            WriteLine()
        Next

        ReadLine()
    End Sub
End Module
```

Output:



```
KSF
1
12
123
1234
12345
```

SEC Practical No-11

Aim: Write VB.Net code to print the following pattern:

I
IN
IND
INDI
INDIA

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 22/07/2026

Source Code:


```
Imports System.Console

Module Module1

    Sub Main()
        Dim str As String
        str = "INDIA"
        For i As Integer = 1 To str.Length - i
            WriteLine(" " & str.Substring(0, i))
        Next
        ReadKey()
    End Sub

End Module
```

Output:

A screenshot of a Windows console application window titled "C:\Users\FSK\ConsoleApp12.e". The window displays the output of the VB.NET code, which is a pattern of the word "INDIA" printed in a staircase fashion. The first line is "I", the second is "IN", the third is "IND", the fourth is "INDI", and the fifth is "INDIA". Each line is preceded by a space, creating a right-aligned, triangular shape.

```
I
 IN
 IND
 INDI
 INDIA
```

SEC Practical No-12

Aim: Write VB.Net code to print the following pattern:

1
2 3
4 5 6
7 8 9 10

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 22/07/2026

Source Code:

```
Imports System.Console
Module Module1


    Sub Main()

        Dim num As Integer = 1
        Dim rows As Integer = 4

        For i As Integer = 1 To rows
            For j As Integer = 1 To i

                Write(num & " ")
                num += 1
            Next
            WriteLine()
        Next
        ReadLine()
    End Sub
End Module
```

Output:



```
C:\Users\FSKg\ConsoleApp13. X
1
2 3
4 5 6
7 8 9 10
```

SEC Practical No-13

Aim: Write VB.Net program to demonstrate constructors.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 22/07/2026

Source Code:

```
Imports System.Console
```

```
Class Student
```

```
    Dim name As String
```

```
    ' Constructor
```

```
    Public Sub New()
```

```
        name = "ShaZan"
```

```
    End Sub
```

```
    Sub Show()
```

```
        WriteLine("Name: " & name)
```

```
    End Sub
```

```
End Class
```

```
Module Module1
```

```
    Sub Main()
```

```
        Dim s As New Student()
```


```
        s.Show()
```

```
        ReadLine()
```

```
    End Sub
```

```
End Module
```

Output:



SEC Practical No-14

Aim: Write VB.Net program to demonstrate constructor overloading.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 27/07/2026

Source Code:

Imports System.Console

Class Student

Dim name As String

Dim age As Integer

' Default constructor

Public Sub New()

name = "No Name"

age = 1

End Sub

' Constructor with name

Public Sub New(ByVal n As String)

name = n

age = 0

End Sub

' Constructor with name and age

Public Sub New(ByVal n As String, ByVal a As Integer)

name = n

age = a

End Sub

Public Sub Show()

WriteLine("Name: " & name)

WriteLine("Age: " & age)

WriteLine()

End Sub

End Class

Module Module1

Sub Main()

```
Dim n As String
Dim a As Integer
```

```
Write("Enter Name: ")
n = ReadLine()
```


```
Write("Enter Age: ")
a = Val(ReadLine())
```

```
Dim s1 As New Student()
Dim s2 As New Student(n)
Dim s3 As New Student(n, a)
```

```
s1.Show()
s2.Show()
s3.Show()
```

```
ReadLine()
End Sub
End Module
```

Output:



The screenshot shows a console window titled "file:///C:/Users/ADMIN/Documents/Visual Studio 2008/Projects/ConsoleApplication111/ConsoleA...". The output text is as follows:

```
Enter Name: ShaZan
Enter Age: 19
Name: No Name
Age: 1

Name: ShaZan
Age: 0

Name: ShaZan
Age: 19
```

SEC Practical No-15

Aim: Write VB.Net program to demonstrate passing argument by val.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 27/07/2026

Source Code:

```
Imports System.Console
```

```
Module Module1
```

```
Sub ChangeValue(ByVal x As Integer)
    x = x + 10
    WriteLine("Value inside function: " & x)
End Sub
```

```
Sub Main()
    Dim num As Integer

    Write("Enter a number: ")
    num = Val(ReadLine())


    ChangeValue(num)

    WriteLine("Value in main: " & num)

    ReadLine()
End Sub
```

```
End Module
```

Output:



```
file:///C:/Users/ADMIN/Documents/Visual Studio 2008/
Enter a number: 15
Value inside function: 25
Value in main: 15
```

SEC Practical No-16

Aim: Write a VB.Net program to demonstrate passing arguments by ref.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 27/07/2026

Source Code:

```
Imports System.Console
```

```
Module Module1
```

```
Sub ChangeValue(ByRef x As Integer)
    x = x + 10
    WriteLine("Value inside function: " & x)
End Sub
```

```
Sub Main()
    Dim num As Integer

    Write("Enter a number: ")
    num = Val(ReadLine())


    ChangeValue(num)

    WriteLine("Value in main: " & num)

    ReadLine()
End Sub
```

```
End Module
```

Output:



```
file:///C:/Users/ADMIN/Documents/Visual Studio 2008/P...
Enter a number: 15
Value inside function: 25
Value in main: 25
```

SEC Practical No-17

Aim: Write VB.Net program to demonstrate arrays.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 28/07/2026

Source Code:

Public Class Form1

Dim arr(10) As Integer

Dim index As Integer = 0

Private Sub btnAdd_Click(sender As Object, e As EventArgs) Handles btnAdd.Click

If index <= 10 Then

arr(index) = Val(TextBox1.Text)

index += 1

TextBox1.Clear()

TextBox1.Focus()

Else

MessageBox.Show("Array is Full")

End If

End Sub

Private Sub btnShow_Click(sender As Object, e As EventArgs) Handles btnShow.Click

ListBox1.Items.Clear()

Dim sum As Integer = 0

For i As Integer = 0 To 10

ListBox1.Items.Add("Element " & i & " = " & arr(i))

sum = sum + arr(i)

Next

lblSum.Text = "Sum = " & sum

End Sub

End Class

Output:

The screenshot shows a Windows application window titled "Form1". Inside the window, there is a list box on the left containing the following text:

- Element 0 = 14
- Element 1 = 15
- Element 2 = 14
- Element 3 = 78
- Element 4 = 15

To the right of the list box is a text box containing the number "12". Below the list box is a button labeled "Show Array". To the right of the "Show Array" button is another button labeled "Add". At the bottom of the form, there is a label that reads "The sum of elements is Sum = 136".

SEC Practical No-18

Aim: Write VB.Net program to demonstrate built in dialog boxes.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 28/07/2026

Source Code:

Public Class Form1


```
Private Sub btnShow_Click(sender As Object, e As EventArgs) Handles btnShow.Click
    Label1.Text = TextBox1.Text
End Sub
```

```
Private Sub btnColor_Click(sender As Object, e As EventArgs) Handles btnColor.Click
    If ColorDialog1.ShowDialog() = DialogResult.OK Then
        Label1.ForeColor = ColorDialog1.Color
    End If
End Sub
```

```
Private Sub btnFont_Click(sender As Object, e As EventArgs) Handles btnFont.Click
    If FontDialog1.ShowDialog() = DialogResult.OK Then
        Label1.Font = FontDialog1.Font
    End If
End Sub
```

End Class

Output:



SEC Practical No-19

Aim: Write VB.Net program to demonstrate timer control.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 28/07/2026

Source Code:

Public Class Form1


```
Private Sub btnStart_Click(sender As Object, e As EventArgs) Handles btnStart.Click
    Timer1.Start()
End Sub
```

```
Private Sub btnStop_Click(sender As Object, e As EventArgs) Handles btnStop.Click
    Timer1.Stop()
End Sub
```

```
Private Sub Timer1_Tick(sender As Object, e As EventArgs) Handles Timer1.Tick
    Label1.Text = TimeOfDay.ToLongTimeString()
End Sub
```

End Class

Output:



SEC Practical No-20

Aim: Write a VB.Net program to demonstrate a check box.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 28/07/2026

Source Code:

```
Public Class Form1
```

```
Private Sub btnShow_Click(sender As Object, e As EventArgs) Handles btnShow.Click
```

```
Label1.Text = TextBox1.Text
```

```
End Sub
```

```
Private Sub chkBold_CheckedChanged(sender As Object, e As EventArgs) Handles  
chkBold.CheckedChanged, chkItalic.CheckedChanged, chkUnderline.CheckedChanged
```

```
Dim style As FontStyle = FontStyle.Regular
```

```
If chkBold.Checked Then
```

```
style = style Or FontStyle.Bold
```

```
End If
```

```
If chkItalic.Checked Then
```

```
style = style Or FontStyle.Italic
```

```
End If
```

```
If chkUnderline.Checked Then
```

```
style = style Or FontStyle.Underline
```


```
End If
```

```
Label1.Font = New Font(Label1.Font, style)
```

```
End Sub
```

```
End Class
```

Output:



SEC Practical No-21

Aim: Write VB.Net program to demonstrate a radio button.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 28/07/2026

Source Code:

Public Class Form1

```
Private Sub btnShow_Click(sender As Object, e As EventArgs) Handles btnShow.Click
```

```
Label1.Text = TextBox1.Text
```

```
End Sub
```

```
' FONT STYLE
```

```
Private Sub rdoBold_CheckedChanged(sender As Object, e As EventArgs) Handles
```

```
rdoBold.CheckedChanged
```

```
If rdoBold.Checked Then
```

```
Label1.Font = New Font(Label1.Font.FontFamily, Label1.Font.Size, FontStyle.Bold)
```

```
End If
```

```
End Sub
```

```
Private Sub rdoItalic_CheckedChanged(sender As Object, e As EventArgs) Handles
```

```
rdoItalic.CheckedChanged
```

```
If rdoItalic.Checked Then
```

```
Label1.Font = New Font(Label1.Font.FontFamily, Label1.Font.Size, FontStyle.Italic)
```

```
End If
```

```
End Sub
```

```
Private Sub rdoUnderline_CheckedChanged(sender As Object, e As EventArgs) Handles
```

```
rdoUnderline.CheckedChanged
```

```
If rdoUnderline.Checked Then
```

```
Label1.Font = New Font(Label1.Font.FontFamily, Label1.Font.Size,  
FontStyle.Underline)
```

```
End If
```

```
End Sub
```

' FONT COLOR

```
Private Sub rdoRed_CheckedChanged(sender As Object, e As EventArgs) Handles  
rdoRed.CheckedChanged  
    If rdoRed.Checked Then  
        Label1.ForeColor = Color.Red  
    End If  
End Sub
```

```
Private Sub rdoBlue_CheckedChanged(sender As Object, e As EventArgs) Handles  
rdoBlue.CheckedChanged  
    If rdoBlue.Checked Then  
        Label1.ForeColor = Color.Blue  
    End If  
End Sub
```

```
Private Sub rdoGreen_CheckedChanged(sender As Object, e As EventArgs) Handles  
rdoGreen.CheckedChanged  
    If rdoGreen.Checked Then  
        Label1.ForeColor = Color.Green  
    End If  
End Sub
```

' BACKGROUND COLOR

```
Private Sub rdoYellow_CheckedChanged(sender As Object, e As EventArgs) Handles  
rdoYellow.CheckedChanged  
    If rdoYellow.Checked Then  
        Label1.BackColor = Color.Yellow  
    End If  
End Sub
```

```
Private Sub rdoPink_CheckedChanged(sender As Object, e As EventArgs) Handles  
rdoPink.CheckedChanged  
    If rdoPink.Checked Then  
        Label1.BackColor = Color.Pink  
    End If  
End Sub
```

End Class

Output:

The screenshot shows a Windows application window titled "Form1". Inside the window, there is a text box at the top containing the text "Meow Meow Meow !". Below this text box is a rectangular area with a pink background and the text "Meow Meow Meow !" in green, bold font. Underneath this area is a button labeled "Show Text". At the bottom of the form, there are three panels for configuring the text:

- Font Style:** Contains three radio buttons: ☒ Bold, ☐ Italic, and ☐ Underline.
- Font Color:** Contains three radio buttons: ☐ Red, ☐ Blue, and ☒ Green.
- Background Color:** Contains three radio buttons: ☐ Yellow, ☒ Pink, and ☐ (unlabeled).

SEC Practical No-23

Aim: Write VB.Net program to demonstrate data grid control.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 28/07/2026

Source Code:

Public Class Form1

Private Sub Form1_Load(ByVal sender As Object, ByVal e As EventArgs) Handles MyBase.Load

DataGridView1.Columns.Add("colRollNo", "Roll No")

DataGridView1.Columns.Add("colName", "Name")

DataGridView1.Columns.Add("colMarks", "Marks")

End Sub

Private Sub btnAdd_Click(ByVal sender As Object, ByVal e As EventArgs) Handles btnAdd.Click

DataGridView1.Rows.Add(TextBox1.Text, TextBox2.Text, TextBox3.Text)

TextBox1.Clear()

TextBox2.Clear()

TextBox3.Clear()

TextBox1.Focus()

End Sub

End Class

Output:

	Roll No	Name	Marks
▶	01	Abdul Shahid	95
	02	Mohammad Faizan	96
	03	Shaikh Khizar	91
	04	Shaikh Yunus	90
	05	Mohammad Saquib	89
*			

SEC Practical No-24

Aim: Write VB.Net program to demonstrate panels.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 28/07/2026

Source Code:

Public Class Form1

Private Sub btnShow_Click(sender As Object, e As EventArgs) Handles btnShow.Click

Label1.Text = TextBox1.Text

End Sub

' Font Color (Panel1)

Private Sub rdoRed_CheckedChanged(sender As Object, e As EventArgs) Handles
rdoRed.CheckedChanged

If rdoRed.Checked Then

Label1.ForeColor = Color.Red

End If

End Sub

Private Sub rdoBlue_CheckedChanged(sender As Object, e As EventArgs) Handles
rdoBlue.CheckedChanged

If rdoBlue.Checked Then

Label1.ForeColor = Color.Blue

End If

End Sub

Private Sub rdoGreen_CheckedChanged(sender As Object, e As EventArgs) Handles
rdoGreen.CheckedChanged

If rdoGreen.Checked Then

Label1.ForeColor = Color.Green

End If

End Sub

' Font Style (Panel2)

Private Sub rdoBold_CheckedChanged(sender As Object, e As EventArgs) Handles
rdoBold.CheckedChanged

If rdoBold.Checked Then

Label1.Font = New Font(Label1.Font.FontFamily, Label1.Font.Size, FontStyle.Bold)

```
End If
End Sub
```

```
Private Sub rdoItalic_CheckedChanged(sender As Object, e As EventArgs) Handles
rdoItalic.CheckedChanged
    If rdoItalic.Checked Then
        Label1.Font = New Font(Label1.Font.FontFamily, Label1.Font.Size, FontStyle.Italic)
    End If
End Sub
```

```
Private Sub rdoUnderline_CheckedChanged(sender As Object, e As EventArgs) Handles
rdoUnderline.CheckedChanged
    If rdoUnderline.Checked Then
        Label1.Font = New Font(Label1.Font.FontFamily, Label1.Font.Size,
FontStyle.Underline)
    End If
End Sub
```

```
End Class
```

Output:

The screenshot shows a Windows Form titled "Form1" with a pink title bar. Inside the form, there is a text box containing the text "ShaZan". Below the text box is a button labeled "Show Text". Below the button is a label displaying the text "ShaZan" in a red, bold, and underlined font. At the bottom of the form, there are two groups of radio buttons for font customization. The first group, titled "Font Color", has three radio buttons: "Red" (selected), "Blue", and "Green". The second group, titled "Font Style", has three radio buttons: "Bold" (selected), "Italic", and "Underline".

SEC Practical No-25

Aim: Write VB.Net program to demonstrate string manipulation functions.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 28/07/2026

Source Code:

```
Public Class Form1
```

```
Private Sub btnCheck_Click(sender As Object, e As EventArgs) Handles btnCheck.Click
```

```
Dim str As String
```

```
Dim rev As String = ""
```

```
Dim i As Integer
```

```
str = LCase(TextBox1.Text)
```

```
For i = Len(str) To 1 Step -1
```

```
rev = rev & Mid(str, i, 1)
```

```
Next
```

```
If str = rev Then
```

```
lblResult.Text = "Palindrome String"
```

```
Else
```



```
lblResult.Text = "Not a Palindrome String"
```

```
End If
```

```
End Sub
```

```
End Class
```

Output:



SEC Practical No-26

Aim: Write VB.Net to demonstrate classes and objects.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 05/08/2026

Source Code:

Imports System.Console

'Class Definition

Class Student

'Data Members

Public name As String

Public rollNo As Integer

'Method to accept data

Public Sub GetData()

Write("Enter Student Name: ")

name = ReadLine()

Write("Enter Roll Number: ")

rollNo = ReadLine()

End Sub

'Method to display data

Public Sub ShowData()

WriteLine()

WriteLine("Student Name: " & name)

WriteLine("Roll Number: " & rollNo)

End Sub

End Class

Module Module1

Sub Main()

'Creating Object of Class Student

Dim s1 As New Student()


'Calling Class Methods using Object

s1.GetData()

s1.ShowData()

```
ReadLine()  
End Sub  
End Module
```

Output:

A screenshot of the Microsoft Visual Studio Debug Console window. The window has a title bar that says "Microsoft Visual Studio Debug Console" with a close button (X) and a dropdown arrow. The console area has a light pink background and displays the following text:

```
Enter Student Name: Abdul Shazan  
Enter Roll Number: 01  
  
Student Name: Abdul Shazan  
Roll Number: 1
```

SEC Practical No-27

Aim: Write VB.Net to demonstrate method overloading.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 05/08/2026

Source Code:

Imports System.Console

Class Addition

'Method with two integer parameters

Public Sub Add(ByVal a As Integer, ByVal b As Integer)

WriteLine("Addition of two integers = " & (a + b))

End Sub

'Overloaded method with three integer parameters

Public Sub Add(ByVal a As Integer, ByVal b As Integer, ByVal c As Integer)

WriteLine("Addition of three integers = " & (a + b + c))

End Sub

'Overloaded method with two double parameters

Public Sub Add(ByVal x As Double, ByVal y As Double)

WriteLine("Addition of two double values = " & (x + y))

End Sub

End Class

Module Module1

Sub Main()

Dim obj As New Addition()

Dim a, b, c As Integer

Dim x, y As Double

'Input for two integers

Write("Enter first integer: ")

a = ReadLine()

Write("Enter second integer: ")

b = ReadLine()

```
obj.Add(a, b)
```

```
WriteLine()
```

```
'Input for three integers
```

```
Write("Enter third integer: ")
```

```
c = ReadLine()
```

```
obj.Add(a, b, c)
```

```
WriteLine()
```

```
'Input for two double values
```

```
Write("Enter first double value: ")
```

```
x = ReadLine()
```

```
Write("Enter second double value: ")
```

```
y = ReadLine()
```

```
obj.Add(x, y)
```

```
ReadLine()
```

```
End Sub
```

```
End Module
```

Output:

```
Microsoft Visual Studio Debug Console
Enter first integer: 10
Enter second integer: 30
Addition of two integers = 40

Enter third integer: 60
Addition of three integers = 100

Enter first double value: 10
Enter second double value: 15
Addition of two double values = 25
```

SEC Practical No-28

Aim: Write VB.Net to create a menu editor.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 05/08/2026

Source Code:

Public Class Form1

Private Sub Form1_Load(sender As Object, e As EventArgs) Handles MyBase.Load

TextBox1.Multiline = True

End Sub

Private Sub NewToolStripMenuItem_Click(sender As Object, e As EventArgs) Handles
NewToolStripMenuItem.Click

TextBox1.Clear()

MsgBox("New File Created")

End Sub

Private Sub ExitToolStripMenuItem_Click(sender As Object, e As EventArgs) Handles
ExitToolStripMenuItem.Click

End

End Sub

Private Sub CutToolStripMenuItem_Click(sender As Object, e As EventArgs) Handles
CutToolStripMenuItem.Click

TextBox1.Cut()

End Sub

Private Sub CopyToolStripMenuItem_Click(sender As Object, e As EventArgs) Handles
CopyToolStripMenuItem.Click

TextBox1.Copy()

End Sub




Private Sub PasteToolStripMenuItem_Click(sender As Object, e As EventArgs) Handles
PasteToolStripMenuItem.Click

TextBox1.Paste()

End Sub

End Class

Output:



SEC Practical No-29

Aim: Write VB.Net for ADO.Net connection objects.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 06/08/2026

Source Code:

Imports System.Data.OleDb

Public Class Form1

Dim cn As New OleDbConnection("Provider=Microsoft.ACE.OLEDB.12.0;Data Source=C:\Users\ADMIN\Documents\ADO1.accdb")

' Form Load

Private Sub Form1_Load(sender As Object, e As EventArgs) Handles MyBase.Load
 MessageBox.Show("Connection Ready")
End Sub

' Insert Record

Private Sub Button1_Click(sender As Object, e As EventArgs) Handles Button1.Click

Try

 cn.Open()

Dim query As String = "INSERT INTO Table1 (RNo, Name, Class, Percent) VALUES (?, ?, ?, ?)"

Dim cmd As New OleDbCommand(query, cn)

cmd.Parameters.AddWithValue("@RNo", Val(TextBox1.Text))

cmd.Parameters.AddWithValue("@Name", TextBox2.Text)

cmd.Parameters.AddWithValue("@Class", TextBox3.Text)

cmd.Parameters.AddWithValue("@Percent", Val(TextBox4.Text))

cmd.ExecuteNonQuery()

MessageBox.Show("Inserted Successfully")

Catch ex As Exception

 MessageBox.Show(ex.Message)

Finally

 cn.Close()

End Try

End Sub

' Delete Record

Private Sub Button2_Click(sender As Object, e As EventArgs) Handles Button2.Click

Try

 cn.Open()

Dim query As String = "DELETE FROM Table1 WHERE RNo = ?"

```

Dim cmd As New OleDbCommand(query, cn)

cmd.Parameters.AddWithValue("@RNo", Val(TextBox1.Text))

cmd.ExecuteNonQuery()
MessageBox.Show("Deleted Successfully")

Catch ex As Exception
    MessageBox.Show(ex.Message)
Finally
    cn.Close()
End Try
End Sub

' Update Record
Private Sub Button3_Click(sender As Object, e As EventArgs) Handles Button3.Click
    Try
        cn.Open()

Dim query As String = "UPDATE Table1 SET Name = ?, Class = ?, Percent = ? WHERE RNo = ?"
Dim cmd As New OleDbCommand(query, cn)

cmd.Parameters.AddWithValue("@Name", TextBox2.Text)
cmd.Parameters.AddWithValue("@Class", TextBox3.Text)
cmd.Parameters.AddWithValue("@Percent", Val(TextBox4.Text))
cmd.Parameters.AddWithValue("@RNo", Val(TextBox1.Text))

cmd.ExecuteNonQuery()
MessageBox.Show("Updated Successfully")

Catch ex As Exception
    MessageBox.Show(ex.Message)
Finally
    cn.Close()
End Try
End Sub
End Class

```

Output:

The screenshot shows a Windows application window titled "Form1". Inside the window, there are four text boxes arranged vertically on the left, each with a label to its left: "Roll No", "Name", "Class", and "Percent". To the right of each label is a text box containing a value. The values are "34" for Roll No, "ShriKrishna" for Name, "BSc II year" for Class, and "85" for Percent. At the bottom of the window, there are three buttons: "Insert", "Delete", and "Update". The "Delete" button is highlighted with a blue border.

Table1			
RNo	Name	Class	Percent
1	shahid	B.Sc. II	90
19	Mohd. Faizan	B.Sc. II	90
1	jh	fggf	3
13	Gauri Kukade	BSc II	90
34	ShriKrushna	BSc II year	85
34	ShriKrushna	BSc II year	85
*			

Form1

Roll No

Name

Class

Percent

ADO1
Deleted Successfully

SEC Practical No-30

Aim: Write VB.Net for ADO.Net command objects.

Name: Abdul Shahid

Class: B.Sc -III (SEM-V)

Subject: Computer Science

Id No: 71607

Date: 06/08/2026

Source Code:

Imports System.Data.OleDb

Public Class Form1

Dim cn As New OleDbConnection("Provider=Microsoft.ACE.OLEDB.12.0;Data Source=C:\Users\ADMIN\Documents\ADO1.accdb")

' Form Load

Private Sub Form1_Load(sender As Object, e As EventArgs) Handles MyBase.Load
 MessageBox.Show("Connection Ready")
End Sub

' Insert Record

Private Sub Button1_Click(sender As Object, e As EventArgs) Handles Button1.Click

Try

 cn.Open()

Dim query As String = "INSERT INTO Table1 (RNo, Name, Class, Percent) VALUES (?, ?, ?, ?)"

Dim cmd As New OleDbCommand(query, cn)

cmd.Parameters.AddWithValue("@RNo", Val(TextBox1.Text))

cmd.Parameters.AddWithValue("@Name", TextBox2.Text)

cmd.Parameters.AddWithValue("@Class", TextBox3.Text)

cmd.Parameters.AddWithValue("@Percent", Val(TextBox4.Text))

cmd.ExecuteNonQuery()

MessageBox.Show("Inserted Successfully")

Catch ex As Exception

 MessageBox.Show(ex.Message)

Finally

 cn.Close()

End Try

End Sub

' Delete Record

Private Sub Button2_Click(sender As Object, e As EventArgs) Handles Button2.Click

Try

 cn.Open()

Dim query As String = "DELETE FROM Table1 WHERE RNo = ?"

```

Dim cmd As New OleDbCommand(query, cn)

cmd.Parameters.AddWithValue("@RNo", Val(TextBox1.Text))

cmd.ExecuteNonQuery()
MessageBox.Show("Deleted Successfully")

Catch ex As Exception
    MessageBox.Show(ex.Message)
Finally
    cn.Close()
End Try
End Sub

' Update Record
Private Sub Button3_Click(sender As Object, e As EventArgs) Handles Button3.Click
    Try
        cn.Open()

Dim query As String = "UPDATE Table1 SET Name = ?, Class = ?, Percent = ? WHERE RNo = ?"
Dim cmd As New OleDbCommand(query, cn)

cmd.Parameters.AddWithValue("@Name", TextBox2.Text)
cmd.Parameters.AddWithValue("@Class", TextBox3.Text)
cmd.Parameters.AddWithValue("@Percent", Val(TextBox4.Text))
cmd.Parameters.AddWithValue("@RNo", Val(TextBox1.Text))

cmd.ExecuteNonQuery()
MessageBox.Show("Updated Successfully")

Catch ex As Exception
    MessageBox.Show(ex.Message)
Finally
    cn.Close()
End Try
End Sub
End Class

```

Output:

The screenshot shows a Windows application window titled "Form1". Inside the window, there are four text boxes arranged vertically, each with a label to its left: "Roll No" with the value "34", "Name" with the value "ShriKrishna", "Class" with the value "BSc II year", and "Percent" with the value "85". Below these text boxes, there are three buttons: "Insert", "Delete", and "Update". The "Delete" button is currently disabled (grayed out), while the "Insert" and "Update" buttons are active (blue). The window has a standard Windows XP-style title bar with minimize, maximize, and close buttons.

Table1			
RNo	Name	Class	Percent
1	shahid	B.Sc. II	90
19	Mohd. Faizan	B.Sc. II	90
1	jh	fggf	3
13	Gauri Kukade	BSc II	90
34	ShriKrushna	BSc II year	85
34	ShriKrushna	BSc II year	85
*			

Form1

Roll No

Name

Class

Percent

ADO1
Deleted Successfully