

## Problem (1):- HTML LIST.

```
<html>
<head>
  <title>HTML Lists Assignment</title>
</head>
<body>
  <h1>My Favorite Things</h1>
  <h2>My Favorite Hobbies</h2>
  <ul>
    <li>Reading</li>
    <li>Hiking</li>
    <li>Photography</li>
    <li>Cooking</li>
  </ul>
  <h2>Top 5 Movies I Recommend</h2>
  <ol>
    <li>Inception</li>
    <li>The Shawshank Redemption</li>
    <li>Interstellar</li>
    <li>Parasite</li>
    <li>The Godfather</li>
  </ol>
</body>
</html>
```

## Problem(2):- HTML Table Schedule.

```
<head>
  <title>Weekly Schedule</title>
</head>
<body>
  <h1>My Weekly Schedule</h1>
  <table border="12" cellspacing="0" cellpadding="10">
    <tr>
```

```
<th>Day of the Week</th>
<th>Activity Name</th>
<th>Duration</th>
</tr>
<tr>
  <td>Monday</td>
  <td>Yoga</td>
  <td>1 hour</td>
</tr>
<tr>
  <td>Tuesday</td>
  <td>Reading</td>
  <td>2 hours</td>
</tr>
<tr>
  <td>Wednesday</td>
  <td>Cycling</td>
  <td>1.5 hours</td>
</tr>
<tr>
  <td>Thursday</td>
  <td>Walk</td>
  <td>2 hours</td>
</tr>
<tr>
  <td>Friday</td>
  <td>Movie Night</td>
  <td>3 hours</td>
</tr>
<tr>
  <td>Saturday</td>
  <td>Cooking</td>
  <td>4 hours</td>
</tr>
<tr>
```

```

        <td>Sunday</td>
        <td>Stunday</td>
        <td>2 hours</td>
    </tr>
</table>
</body>
</html>

```

### **Problem(3):- Registration form using**

```

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=10">
  <title>Registration Form</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 20px;
    }
    form {
      max-width: 400px;
      margin: auto;
      padding: 20px;
      border: 1px solid ;
      border-radius: 8px;
      background-color: #f99;
    }
    label {
      display: block;
      margin-bottom: 10px;
      font-weight: bold;
    }
    input, textarea, select, button {
      width: 100%;

```

```

padding: 8px;
margin-bottom: 20px;
border: 1px solid #ccc;
border-radius: 4px;
font-size: 16px;
}
button {
background-color: #007000;
color: White;
border: none;
cursor: pointer;
}
button:hover {
background-color:;
}
</style>
</head>
<body>

<h1>Registration Form</h1>

<form action="/submit-form" method="POST">
  <label for="full name">Full Name</label>
  <input type="text" id="fullname" name="fullname" placeholder="Enter
your full name" required>

  <label for="email">Email Address</label>
  <input type="email" id="email" name="email" placeholder="Enter your
email" required>

  <label for="details">Additional Details</label>
  <textarea id="details" name="details" rows="4" placeholder="Enter
additional details"></textarea>

  <label for="activity">Favorite Activity</label>

```

```

<select id="activity" name="activity" required>
  <option value="">Select an activity</option>
  <option value="reading">Reading</option>
  <option value="sports">Sports</option>
  <option value="music">Music</option>
  <option value="traveling">Traveling</option>
</select>

<button type="submit">Submit</button>
</form>
</body>
</html>

```

## Problem(4):- Table and From.

```

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Styled Table and Form</title>
</head>
<body>

<!-- Table with Inline Styles -->
<table border="1" style="border-collapse: collapse; width: 100%; text-align:
left;">
  <thead>
    <tr>
      <th style="background-color: #4CAF50; color: white; padding:
10px;">Header 1</th>
      <th style="background-color: #4CAF50; color: white; padding:
10px;">Header 2</th>
      <th style="background-color: #4CAF50; color: white; padding:
10px;">Header 3</th>
    </tr>

```

```

</thead>
<tbody>
  <tr>
    <td style="padding: 10px;">Row 1, Column 1</td>
    <td style="padding: 10px;">Row 1, Column 2</td>
    <td style="padding: 10px;">Row 1, Column 3</td>
  </tr>
  <tr>
    <td style="padding: 10px;">Row 2, Column 1</td>
    <td style="padding: 10px;">Row 2, Column 2</td>
    <td style="padding: 10px;">Row 2, Column 3</td>
  </tr>
</tbody>
</table>

<br>
<form style="width: 300px; margin: auto; padding: 10px; border: 1px solid #ccc;">
  <label for="name" style="display: block; margin-bottom: 5px; font-weight: bold;">Name:</label>
  <input type="text" id="name" name="name" style="width: 100%; padding: 8px; margin-bottom: 10px; border: 1px solid #ccc;">
  <label for="email" style="display: block; margin-bottom: 5px; font-weight: bold;">Email:</label>
  <input type="email" id="email" name="email" style="width: 100%; padding: 8px; margin-bottom: 10px; border: 1px solid #ccc;">
  <button type="submit" style="padding: 10px 20px; background-color: #4CAF50; color: white; border: none; cursor: pointer;">Submit</button>
</form>
</body>
</html>

```