Data drift:

Data drift in machine learning refers to changes in the **distribution of data over time,** which can negatively impact the performance of a machine learning model.

This change can occur in various ways, such as the underlying data patterns shifting or features becoming less predictive. Data drift is an important issue to address because models trained on historical data may become less accurate as the data changes.

Here are some key points about **data drift** we are going to study

- **Types of Data Drift:**
- **Causes of Data Drift:**
- **How to detect Data Drift:**
- **Handling Data Drift:**
- **Drift Detection Libraries / Tools**

Types of Data Drift:

1. **Concept Drift:**
2. **Covariate Drift:**
3. **Label Drift:**

Types of Data Drift:

Concept Drift:

This occurs when the relationship between **input features** and the **target variable changes over time.** For example, in a fraud detection system, the tactics used by fraudsters may evolve, causing the model's predictions to become less accurate.

Covariate Drift:

This happens when the **distribution** of the **input features changes**, but the relationship with the **target variable remains the same.**

For instance, a model predicting house prices might experience covariate drift if the features like location or market demand change.

Label Drift:

This refers to a **change in the distribution of the target variable**, such as if the percentage of positive or negative outcomes in a classification problem shifts.

Causes of Data Drift:

- **External Factors:**
- **Seasonality:**
- **New Data Sources:**
- **Systemic Changes:**

External Factors:

Changes in the environment or external conditions, such as market trends or customer behavior.

Seasonality:

Cyclic changes that occur over time (e.g., weather patterns or holiday shopping behavior).

Systemic Changes:

Over time, data sources or collection methods may change, leading to different patterns in the data.

New Data Sources(Addition of new Feature):

The introduction of new sources of data might cause shifts that weren't present during the original model training.

Handling Data Drift:

1. **Feature Engineering:**
2. **Drift Detection Algorithms:**

Feature Engineering:

Revisit the features used in your model to ensure that they still represent the problem correctly.

Drift Detection Algorithms:

Some specialized algorithms like

- **ADaptive Windowing (ADWIN)**
- **Change Detection Method (CDM)** can be used to detect and react to drift.

Do you need help with specific methods to detect or handle data drift, or how to implement this in a model?

Drift Detection Libraries / Tools

1. **Evidently AI**
2. **River**
3. **Alibi Detect**
4. **Seldon Core**