Important String Functions

Method		Example		Description
upper()	xt = "Hello my friends"	x = txt.upper()	HELLO MY FRIENDS	
lower()	txt = "Hello my FRIENDS"	x = txt.lower()	hello my friends	

replace()	**txt = "I like bananas"**	**x = txt.replace("bananas", "apples")**	**I like apples**	**Returns a string where a specified value is replaced with a specified value**
join()	myTuple = ("John", "Peter", "Vicky")	x = "#".join(myTuple)	John#Peter#Vicky	Joins the elements of an iterable to the end of the string
split()	xt = "welcome to the jungle"	x = txt.split()	['welcome', 'to', 'the', 'jungle']	Splits the string at the specified separator, and returns a list
count()	txt = "I love apples, apple are my favorite fruit"	x = txt.count("apple")	2	Returns the number of times a specified value occurs in a string
startswith()	txt = "Hello, welcome to my world."	x = txt.startswith("Hello")	TRUE	Returns true if the string starts with the specified value
endswith()	txt = "Hello, welcome to my world."	x = txt.endswith(".")	TRUE	Returns true if the string ends with the specified value
find()	txt = "Hello, welcome to my world."	x = txt.find("welcome")	7	returns the position of word where it was found
index()	txt = "Hello, welcome to my world."	x = txt.index("welcome")	7	returns the position of where it was found

isnumeric()	txt = "565543"	x = txt.isnumeric()	TRUE	Returns True if all characters in the string are numeric
isdigit()	txt = "50800"	x = txt.isdigit()	TRUE	Returns True if all characters in the string are digits
isalpha()	txt = "Company"	x = txt.isalpha()	TRUE	Returns True if all characters in the string are in the alphabet
isalnum()	txt = "Company12"	x = txt.isalnum()	TRUE	Returns True if all characters in the string are alphanumeric

Method		Example		Description
upper()	xt = "Hello my friends"	x = txt.upper()	HELLO MY FRIENDS	
lower()	txt = "Hello my FRIENDS"	x = txt.lower()	hello my friends	
capitalize()	txt = "hello, and welcome to my world."	x = txt.capitalize()	print (x)	Converts the first character to uppercase
title()	txt = "Welcome to my world"	x = txt.title()	Welcome To My World	Converts the first character of each word to upper case
replace()	txt = "I like bananas"	x = txt.replace("bananas", "apples")	I like apples	Returns a string where a specified value is replaced with a specified value
join()	myTuple = ("John", "Peter", "Vicky")	x = "#".join(myTuple)	John#Peter#Vicky	Joins the elements of an iterable to the end of the string
split()	xt = "welcome to the jungle"	x = txt.split()	['welcome', 'to', 'the', 'jungle']	Splits the string at the specified separator, and returns a list
splitlines()	txt = "Thank you for the music\nWelcome to the jungle"	x = txt.splitlines()	['Thank you for the music', 'Welcome to the jungle']	Splits the string at line breaks and returns a list
strip()	xt = " banana "	x = txt.strip()	print("of all fruits", x, "is my favorite")	Returns a trimmed version of the string
swapcase()	txt = "Hello My Name Is PETER"	x = txt.swapcase()	hELLO mY nAME iS peter	Swaps cases, lower case becomes upper case and vice versa
count()	txt = "I love apples, apple are my favorite fruit"	x = txt.count("apple")	2	Returns the number of times a specified value occurs in a string
startswith()	txt = "Hello, welcome to my world."	x = txt.startswith("Hello")	TRUE	Returns true if the string starts with the specified value
endswith()	txt = "Hello, welcome to my world."	x = txt.endswith(".")	TRUE	Returns true if the string ends with the specified value
find()	txt = "Hello, welcome to my world."	x = txt.find("welcome")	7	returns the position of word where it was found
format()	txt = "For only {price:.2f} dollars!"	print(txt.format(price = 49))	For only 49.00 dollars!	Formats specified values in a string
index()	txt = "Hello, welcome to my world."	x = txt.index("welcome")	7	returns the position of where it was found

Method	Example		Output	Description
istitle()	txt = "Hello, And Welcome To My World!"	x = txt.istitle()	TRUE	Returns True if the string follows the rules of a title
isupper()	txt = "THIS IS NOW!"	x = txt.isupper()	TRUE	Returns True if all characters in the string are upper case
islower()	txt = "hello world!"	x = txt.islower()	TRUE	Returns True if all characters in the string are lower case
isalnum()	txt = "Company12"	x = txt.isalnum()	TRUE	Returns True if all characters in the string are alphanumeric
isnumeric()	txt = "565543"	x = txt.isnumeric()	TRUE	Returns True if all characters in the string are numeric
isdigit()	txt = "50800"	x = txt.isdigit()	TRUE	Returns True if all characters in the string are digits
isalpha()	txt = "Company"	x = txt.isalpha()	TRUE	Returns True if all characters in the string are in the alphabet
isdecimal()	txt = "CompanyX"	x = txt. isdecimal()	TRUE	Returns True if all characters in the string are decimals
isidentifier()	txt = "Demo"	x = txt.isidentifier()	TRUE	Returns True if the string is an identifier
isspace()	txt = " "	x = txt.isspace()	TRUE	Returns True if all characters in the string are whitespaces

Method	Example		x = txt.istitle()	Description
rfind()	txt = "Mi casa, su casa."	x = txt.rfind("casa")	12	Searches the string for a specified value and returns the last position of where it was found
rindex()	txt = "Mi casa, su casa."	x = txt.rindex("casa")	12	Searches the string for a specified value and returns the last position of where it was found
rpartition()	txt = "I could eat bananas all day, bananas are my favorite fruit"	x = txt.rpartition("bananas")	('I could eat bananas all day, ', 'bananas', ' are my favorite fruit')	Returns a tuple where the string is parted into three parts
rsplit()	txt = "apple, banana, cherry"	x = txt.rsplit(", ")	['apple', 'banana', 'cherry']	Splits the string at the specified separator, and returns a list
rstrip()	txt = " banana "	x = txt.rstrip()	print("of all fruits", x, "is my favorite")	Returns a right trim version of the string
lstrip()	txt = " banana "	x = txt.lstrip()	print("of all fruits", x, "is my favorite")	Returns a left trim version of the string
translate()	#use a dictionary with ascii codes to replace 83 (S) with 80 (P):	mydict = {83: 80}	txt = "Hello Sam!"	Returns a translated string
zfill()	xt = "50"	x = txt.zfill(10)	0000000050s	Fills the string with a specified number of 0 values at the beginning
ljust()	txt = "banana"	x = txt.ljust(20)	print(x, "is my favorite fruit.")	Returns a left-justified version of the string
rjust()	txt = "banana"	x = txt.rjust(20)	print(x, "is my favorite fruit.")	Returns a right justified version of the string
center()	txt = "banana"	x = txt.center(20)	banana	Returns a centered string
casefold()	txt = "Hello, And Welcome To My World!"	x = txt.casefold()	hello, and welcome to my world!	Converts string into lower case
encode()	txt = "My name is Ståle"	x = txt.encode()	b'My name is St\xc3\xe5le'	Returns an encoded version of the string
expandtabs()	txt = "H\te\tl\tl\to"	x = txt.expandtabs(2)	H e l l o	Sets the tab size of the string
isprintable()	txt = "Hello! Are you #1?"	x = txt.isprintable()	TRUE	Returns True if all characters in the string are printable
maketrans()	txt = "Hello Sam!"	mytable = txt.maketrans("S", "P")	print(txt.translate(mytable))	Returns a translation table to be used in translations
partition()	txt = "I could eat bananas all day"	x = txt.partition("bananas")	('I could eat ', 'bananas', ' all day')	Returns a tuple where the string is parted into three parts