



1) Network Diagram

- Smartphone connects to the Wi-Fi router.
- The router connects to the ISP.
- The ISP provides Internet access to Instagram's server.
- Data travels between the smartphone and Instagram server through these network components.



2) IP Address and Default Gateway

- IPv4 Address: 192.168.1.10
- Default Gateway: 192.168.1.1
- The IP address identifies the device on the local network.
- The default gateway is the router used to reach other networks and the Internet.



```
Command Prompt


ipconfig

Wireless LAN adapter Wi-Fi:

    IPv4 Address . . . . . : 192.168.1.10
    Default Gateway . . . . : 192.168.1.1
```


3) Zomato Food Order Network Journey

- DNS converts the Zomato domain name into an IP address.
- TCP establishes a reliable connection between the device and server.
- HTTPS carries the restaurant search, order and payment-related web requests securely.
- TCP/IP breaks data into packets and delivers them to the destination.
- The server sends response packets back to the device.



4) Ping Test and Result

- Command: ping www.spotify.com
- Replies were received successfully.
- Packet loss: 0%.
- The response time shows the approximate round-trip time between the computer and the destination.
- Successful replies indicate basic network connectivity is working.



```
Command Prompt

ping www.spotify.com

Reply from 104.18.26.46: bytes=32 time=24ms TTL=56
Reply from 104.18.26.46: bytes=32 time=23ms TTL=56
Reply from 104.18.26.46: bytes=32 time=25ms TTL=56

Packets: Sent = 3, Received = 3, Lost = 0 (0% loss)
```