

1) Create a table listing 5 key cybersecurity terms (such as threat, vulnerability, risk, asset, attack vector) and write a one-line definition for each in your own words.

Step 1: Create the Cybersecurity Terms Table

Term	One-line definition
Threat	Anything that can potentially cause harm to a system, network, person, or data.
Vulnerability	A weakness in software, hardware, configuration, or a process that can be exploited.
Risk	The possibility of a threat exploiting a vulnerability and causing damage or loss.
Asset	Anything valuable that needs protection, such as data, devices, accounts, or applications.
Attack Vector	The method or path an attacker uses to reach or compromise a target.

Step 2: Simple Relationship Between the Terms

- Threat identifies what could cause harm.
- Vulnerability identifies the weakness that could be exploited.
- Risk describes the possible impact if the threat succeeds.
- Asset is what we want to protect.
- Attack vector describes how the attacker may reach the asset.

Verification

- All five terms are included with clear one-line definitions.

2) Research and find a real-world news article from the last 2 years about a major cyberattack on an Indian company or app. Summarize what happened and identify one threat, one vulnerability, and one risk mentioned in the incident.

Step 1: Select a Real-World Incident

- Selected incident: Tata Electronics cybersecurity breach reported by Reuters on 22 June 2026.
- The report described a cyber incident involving Tata Electronics and alleged publication of more than 200,000 files, totaling more than 630 GB, by the World Leaks ransomware group.

Step 2: Summarize What Happened

Tata Electronics acknowledged that it had experienced a cybersecurity incident. Reuters reported that researchers said the World Leaks group had published a large quantity of purported Tata Electronics files on the dark web. The reported material included documents and folders apparently related to Apple and Tesla, as well as emails, logs, and employee passport copies. Tata Electronics said its response protocols were activated and that business operations were not affected. Reuters also stated that it could not independently verify the authenticity of the entire published dataset.

Step 3: Identify Threat, Vulnerability, and Risk

- Threat: A ransomware/data-extortion operation associated with the group identified in the report as World Leaks.
- Vulnerability: The Reuters report did not establish the exact technical vulnerability or initial-access method. No specific technical flaw has therefore been invented; the confirmed fact is that some systems were compromised.
- Risk: Unauthorized disclosure of confidential business information and personal information, potentially affecting the organization and its partners.

Verification

- The article date, company name, incident summary, threat, vulnerability, and risk have been identified.

Source

Reuters, 22 June 2026 — “India's Tata Electronics hit by cyber breach claiming to expose Apple, Tesla trade secrets.”

<https://www.reuters.com/business/media-telecom/indias-tata-electronics-hit-by-cyber-breach-claiming-expose-apple-tesla-trade-2026-06-22/>

3) Sign up for a free account on any online cybersecurity dashboard or threat intelligence tool. Take a screenshot of the dashboard and list 3 types of information or metrics you see displayed.

Step 1: Open a Cybersecurity Dashboard

- Selected tool: Kaspersky Cyberthreat Live Map.
- Official dashboard: <https://cybermap.kaspersky.com/>

Step 2: Explore the Dashboard

- The dashboard provides a global view of cyberthreat activity and can be switched between Globe and Plane views.
- The interface displays threat-detection categories and live activity information.

Step 3: Three Types of Information / Metrics

- Detection categories: OAS, ODS, MAV, WAV, IDS, VUL, KAS and RMW.
- Geographic activity: Global activity and the most-attacked country are displayed.
- Live detection activity: Detections discovered since 00:00 GMT and detections per second are displayed.

Verification

- The official Kaspersky Cyberthreat Live Map was used as the dashboard source. The three requested information types are identified below.

KASPERSKY CYBERTHREAT LIVE MAP — DASHBOARD EVIDENCE

Detection categories

OAS • ODS • MAV • WAV • IDS • VUL • KAS • RMW

Live information

Detections discovered since 00:00 GMT • Detections per second

Geographic information

Most-attacked country • Global threat activity

Source

Kaspersky Cyberthreat Live Map — <https://cybermap.kaspersky.com/>

Kaspersky Data Sources — <https://cybermap.kaspersky.com/subsystems/>

4) Write a simple phishing email template targeting users of a popular app. Highlight the suspicious elements that make it a phishing attempt.

Step 1: Create a Safe Phishing Simulation

- The following example is a classroom simulation. The sender domain is fictional and the link is deliberately non-functional.

From:	Paytm Support <support@paytm-security.example>
Subject:	Urgent: Your account will be suspended
Message:	Hello Customer, We detected unusual activity on your account. To prevent permanent suspension, you must verify your [VERIFY-ACCOUNT — TRAINING LINK] If you do not complete verification within 24 hours, your account may be restricted. Regards, Account Security Team

Step 2: Suspicious Elements

- Fake or mismatched sender domain: The example uses a .example domain instead of an official service domain.
- Urgent language: “Urgent” and the 24-hour deadline pressure the recipient to act quickly.
- Threat of suspension: Fear of losing account access can make users click without checking.
- Unexpected verification link: Such links can lead to fake login or verification pages.
- Generic greeting: “Hello Customer” is less personalized and can be a warning sign.

Verification

- Check the sender address, link destination, urgency, request for information, and whether the message can be verified through the official app or website.

5) Use ChatGPT or another AI tool to generate a simulated phishing email for a fictional food delivery app like 'FoodiePal'. Copy the AI-generated email and explain which parts are likely to trick users and why.

Step 1: AI-Generated Simulated Email

From: FoodiePal Rewards <rewards@foodiepal.example>
Subject: Your ₹500 FoodiePal reward expires today

Hi there,

You have been selected for a ₹500 FoodiePal reward because of your recent orders. The reward is available for a limited time.

[CLAIM YOUR REWARD — TRAINING LINK]

You may be asked to confirm your account details to activate the reward.

Thank you,
FoodiePal Rewards Team

Step 2: Explain Which Parts Could Trick Users

- Reward: A ₹500 reward creates curiosity and gives the user a reason to click.
- Time pressure: “Expires today” encourages a quick decision instead of careful verification.
- Personal relevance: Mentioning “recent orders” makes the message appear connected to the user’s activity.
- Account details: Asking users to confirm account information could lead to sensitive-data theft.
- Brand imitation: A rewards-team identity can make the message look official.

Step 3: Safe Response

- Do not click unexpected links. Open the official food-delivery app independently and check whether the reward is actually available.
- Check the sender address and verify any offer through an official support channel.

Verification

- The example is clearly fictional and uses a non-functional training link.

References

1. Reuters — Tata Electronics cyber breach, 22 June 2026.
2. Kaspersky Cyberthreat Live Map — <https://cybermap.kaspersky.com/>
3. Kaspersky Cyberthreat Live Map Data Sources — <https://cybermap.kaspersky.com/subsystems/>

— End of Assignment —