Emergency response coordination platform

"QuickER is an integrated emergency platform that coordinates responses from a single accident report. It assesses ambulance availability and matches patients to suitable hospitals using current capacity, medical capabilities, and route conditions. In parallel, it alerts traffic police, nearby verified volunteers, and doctors, coordinates additional specialists and supplies from neighboring hospitals, and enables secure access to the victim's emergency medical profile and family contacts." *Generated by LeapSpace*

QuickER-Style Integrated Emergency Coordination Platforms at a Glance

Key Findings Table

Topic	What the evidence shows	Populations / settings	Citations
Overall platform maturity	The literature supports most QuickER functions individually, but does not document a single real-world platform that evaluated the full end-to-end workflow together with comprehensive outcome metrics.	EMS, hospital command centers, emergency IT pilots, disaster coordination	[1] [2] [3] [4] [5] [6] [7] [8] [9]
Real-time coordination value	Live visibility into ambulance status, hospital capacity, patient condition, and routing consistently improves coordination, destination choice, and resource use.	Ambulance-hospital coordination, ED destination support, interoperable emergency platforms	[7] [9] [10] [11] [12] [13]
Single-report intake and dispatch	Some systems can trigger alerts and workflows from one incident report, but robust field evidence linking this to automated dispatch plus destination matching plus routing outcomes is sparse.	Incident reporting systems, dispatch workflows, pre-hospital platforms	[3] [4] [5] [6] [8] [14]

Topic	What the evidence shows	Populations / settings	Citations
Hospital matching	Destination support is moving from nearest-hospital logic toward capacity-, capability-, and traffic-aware selection, though most studies optimize only part of this problem.	Stroke routing, ED destination support, capacity command workflows	[9] [13] [15] [16] [17] [18] [19]
Measured operational performance	Reported gains include under-30-second hospital matching, 95% symptom-to-specialty matching accuracy, reduced dispatch delay, shorter EMS turnaround, and reduced inter-campus transfers, but metrics are heterogeneous.	User studies, command-center interventions, platform pilots	[9] [12] [20]
Cross-hospital escalation	Specialist access, transfers, beds, and supplies matter especially in surges and disasters, but bottlenecks are often credentialing, staffing, adoption, and infrastructure instability rather than algorithm design alone.	Disaster teleconsultation, hospital closures, conflict, transfer coordination	[21] [22] [23] [24] [25] [26]
Police / volunteer integration	Traffic-police linkage and general authority alerting are described, but strong deployment evidence for integrated verified-volunteer orchestration is limited.	Police dashboards, incident alerting systems, multi-agency coordination	[3] [4] [8] [14] [27] [28] [29] [30] [31]
Secure emergency record access	Emergency access models increasingly use strong authentication, role-based control, encryption, and auditable break-glass mechanisms rather than open access.	Emergency medical profile systems, blockchain/FHIR prototypes, access-control schemes	[32] [33] [34] [35] [36] [37] [38] [39]

Direct Answer

QuickER's design is well aligned with the direction of current emergency-platform research: evidence supports real-time ambulance-hospital coordination, destination recommendation using live operational data, interhospital escalation, and secure emergency record access as useful components of emergency response systems [1] [2] [10] [27] [28] [40]. The main caveat is that the retrieved literature does **not** show a single deployed, well-evaluated platform that combines all of QuickER's claimed functions—from one incident report, through automated dispatch, traffic-aware and capacity-aware hospital matching, police/volunteer/doctor alerting, cross-hospital specialist and supply coordination, and secure emergency profile access—with comprehensive real-world outcome reporting [4] [5] [6] [7] [8] [9].

A practical reading of the evidence is that a **QuickER-style system is feasible as a modular architecture**, and the strongest validated core would start with:

1. live ambulance-hospital visibility and destination support,
2. secure break-glass emergency profile access, and
3. interhospital escalation workflows;
   broader police and verified-volunteer orchestration appears less mature in the evaluated literature [9] [10] [12] [23] [32] [33] [36] [40].

Confidence level: High - The conclusion closely matches the meta-synthesis and is supported by multiple direct findings across deployment, architecture, and governance studies [1] [2] [3] [7] [8] [9].

Study Scope

This report synthesizes evidence from the provided studies and meta-analysis on:

- integrated emergency response workflows, dispatch, and ambulance-hospital coordination [3] [8] [14] [41]
- destination matching using capacity, capability, and routing information [9] [10] [11] [13] [15] [19]
- interhospital escalation, surge coordination, and specialist/supply support [21] [22] [23] [24] [25]
- secure emergency medical profile access, identity verification, privacy, and interoperability [32] [33] [34] [36] [37] [40] [42] [43] [44].

Assumptions & Limitations

- The evidence base is fragmented: many studies evaluate only one subsystem rather than a full integrated workflow, limiting causal claims about end-to-end platforms [1] [2] [3] [7] [8].
- Outcomes are heterogeneous across studies, with many reporting feasibility, latency, or workflow indicators rather than patient-centered or comparative performance metrics [12] [19] [20] [23] [45] [46].

- Stronger technical performance claims often come from prototypes rather than large operational deployments [40] [43] [44] [47].
- Evidence for integrated verified-volunteer and traffic-police coordination in the same governed platform is especially thin [4] [8] [14].

Suggested Further Research

- Evaluate end-to-end QuickER-style deployments that combine incident intake, dispatch, routing, hospital matching, escalation, and emergency profile access in one live system [4] [5] [6].
- Compare joint optimization of bed capacity, specialty capability, and live traffic against nearest-hospital and manual-dispatch baselines [9] [13] [19].
- Test operational models for verified volunteers and traffic police within secure, auditable emergency coordination workflows [3] [4] [14].
- Standardize evaluation metrics across dispatch latency, turnaround time, triage appropriateness, diversion reduction, escalation success, and secure-access performance [12] [19] [46].
- Study privacy, consent, family-contact retrieval, and break-glass accountability in real prehospital deployments rather than prototypes alone [36] [37] [39] [47].

Full Report

Introduction and System Scope

A QuickER-style platform can be understood as an **integrated emergency coordination layer** that turns one incident report into multiple synchronized actions: dispatching or informing responders, recommending the most appropriate destination facility, preparing the receiving hospital, escalating to neighboring institutions when local capacity is insufficient, and retrieving critical patient information under emergency-access rules [3] [8] [27] [28] [41]. The operational objective is not just faster transport; it is better matching of patient need, transport resource, destination capability, and downstream care readiness [1] [2] [10] [11].

The literature broadly supports this logic. Multiple studies describe systems that share real-time information among ambulances, hospitals, dispatch centers, and emergency operators, allowing patient data to be transmitted before arrival and enabling hospital selection using live availability or readiness indicators [1] [2] [10] [27] [28]. Some also extend outward to law enforcement or traffic-management functions, such as police dashboards receiving ambulance route and GPS updates [4]. Others emphasize emergency information sharing and secure health-profile retrieval, showing that governed “break-glass” access is technically feasible [32] [33] [36] [40].

Taken together, these findings suggest that QuickER is best viewed not as a single proven product category, but as a **convergence architecture** built from partially validated subsystems [1] [2] [3] [7] [8] [9].

Confidence level: High - This framing is directly supported by the cross-study meta-analysis and repeated component-level evidence [1] [2] [3] [7] [9].

Foundational Context: What Must Be Integrated for a QuickER-Type System

A technically credible integrated emergency platform requires at least five linked functions.

1. **Incident intake and event creation**: one report must generate structured tasks or alerts for relevant agencies and responders [3] [14].
2. **Operational visibility**: ambulance location/status, patient condition, hospital capacity, and route conditions must be visible in near real time [9] [10] [11] [27].
3. **Decision support for destination selection**: the system must decide not merely who is closest, but which facility is appropriate and reachable under current constraints [2] [15] [19].
4. **Escalation and resource sharing**: neighboring hospitals or specialists may need to absorb overflow, consult remotely, or share capacity and supplies [21] [23] [25].
5. **Governed emergency information access**: first responders and clinicians need fast access to health data without abandoning privacy, authentication, or accountability [32] [33] [36] [37].

The strongest common design pattern is therefore **real-time shared state plus role-governed action**: each actor sees the subset of information needed to make time-critical decisions, while audit and access controls preserve trust across institutions [2] [7] [29] [36].

Confidence level: High - Multiple deployment and governance studies converge on this architecture logic [2] [7] [27] [28] [29].

Single-Report Intake and Dispatch Workflow

Automated incident intake and task creation

The evidence shows that emergency platforms can translate a report or event feed into multi-party alerting and coordination. Incident-reporting systems are described as automatically alerting law enforcement, emergency responders, and security personnel, improving speed of response and resource allocation [3]. More broadly, integrated emergency-response systems emphasize real-time information sharing across emergency, public safety, transportation, and hospital systems to coordinate incident response and resource dispatch [8] [41]. A prehospital platform combined dispatch protocols, ambulance workflow recording, and expert telemedicine support, indicating that dispatch and clinical support can be operationally linked within one interface [14].

However, the evidence becomes thinner when the question is narrowed to a **single-report-to-full-workflow** chain. The retrieved studies do not clearly document a real-world deployment that used one incident report to trigger automated dispatch, hospital destination matching, and live routing updates while also reporting dispatch latency, on-scene time, and destination appropriateness in one evaluation [4] [5] [6].

Dispatch latency and field workflow impact

Where measured outcomes exist, they are promising but incomplete. A teleconsultation-at-dispatch pilot reduced on-scene evaluation time from 36.8 to 20.6 minutes, suggesting that integrating remote clinical support into the dispatch/prehospital workflow can materially accelerate field decision-making [45]. A web-based emergency platform reported under-30-second hospital matching, 95% symptom-to-specialty matching accuracy, and reduced ambulance dispatch delays, indicating that workflow integration can speed destination selection and coordination [9]. A nurse navigator command-center intervention using live hospital-capacity information was associated with shorter EMS turnaround times and fewer intercampus transfers, though it did not evaluate automated dispatch [12].

Taken together, these findings suggest that workflow digitization can reduce delays, but the literature still evaluates pieces of the chain more often than the full chain itself [9] [12] [45].

Confidence level: Medium-High - The local effects are directly supported, but comprehensive end-to-end dispatch evidence is limited [6] [9] [12] [45].

Ambulance Availability, Routing, and Hospital Matching

Capacity- and capability-aware destination selection

A central QuickER function is choosing not simply the nearest hospital, but the most suitable one under current conditions. Existing systems support ambulance-to-hospital coordination by sharing patient data before arrival and matching ambulances to hospitals using live bed or ICU availability and location data, with reported benefits in response time and resource use [1] [10] [11]. Digital referral and prenotification systems similarly support nearest-appropriate-facility selection through configurable referral targets, real-time resource availability, and role-based visibility for hospitals, EMS units, and dispatch centers [2].

The command-center nurse navigator model is one of the clearest deployed examples: real-time capacity data were used to recommend a preferred ED destination, and the intervention reduced EMS turnaround time and intercampus transfers [12]. This is important because it shows the operational value of capacity awareness even when the system is not fully automated [12].

Traffic-aware and route-conditioned routing

The literature also shows a move from distance-based routing toward arrival-time-aware routing. For stroke transport, reviews note that destination choice should use real-time traffic and stroke-center capability, optimizing by arrival time rather than straight-line distance, and one cited operational logic uses nearest-center-by-arrival-time [15]. Other studies address ambulance placement and routing optimization, traffic-aware route calculation, and balancing patient load across hospitals to avoid strain during emergencies [9] [13]. Police-linked dashboards that receive ambulance GPS and route updates add another practical routing layer by helping clear the path to the incident or destination [4].

What remains unresolved

The evidence does **not** show a retrieved study that jointly optimized bed or ICU capacity, specialty capability, and traffic-aware routing and then rigorously compared the result against nearest-hospital or manual-dispatch baselines on throughput, diversion, and care appropriateness [19]. Capacity-aware diversion logic and specialty-hospital transport modeling exist, but usually as separate pieces rather than a fully unified, validated destination engine [16] [17] [18].

This pattern implies that QuickER's destination-matching ambition is consistent with the field's direction, but ahead of the strongest real-world comparative evidence [9] [13] [15] [19].

Confidence level: High - The trend toward route-, capacity-, and capability-aware matching is clear, while the absence of fully unified comparative evaluations is explicitly stated in the evidence [9] [13] [15] [16] [17] [18] [19].

Escalation Across Hospitals and Public Safety Networks

Interhospital referral and specialist escalation

Cross-hospital escalation becomes most important when patient needs exceed local capability or when surge conditions constrain local response. Regional disaster teleconsultation systems were proposed to provide temporary access to burn, toxicology, radiation, and trauma specialists across hospitals, showing the importance of rapid specialist escalation [21]. Telemedicine for transfer coordination was used mainly to support care before transfer and arrange interhospital transfer, though adoption was low [22]. Hospital capacity command centers have also been deployed to manage patient flow, beds, transfers, and discharge planning, with reported performance improvements despite heterogeneous evidence [23].

Supply, bed, and surge coordination

Real surge events highlight why QuickER-like escalation logic matters. During the Hahnemann closure, a neighboring academic center experienced a 20.2% increase in ED volume and 16% more imaging studies, yet turnaround time was not substantially changed, implying that the receiving organization absorbed a major regional load shift [26]. At Barzilai Medical Center during conflict, the hospital served as a triage hub and coordinated secondary transfers to other trauma centers, while shortages of beds, staff, supplies, and electricity stressed operations [24]. A second Barzilai report found that patient surges tracked missile attacks within 60 minutes and that 24% of patients were transferred within 24 hours, illustrating how dynamic regional coordination becomes essential under repeated shocks [25].

Police, traffic, and volunteer alerting

The literature does support some forms of multi-agency notification. Ambulance GPS and routes have been shared with police dashboards to accelerate clearance and response [4]. Incident-reporting systems can automatically alert authorities including law enforcement and emergency responders [3]. Interoperable emergency platforms also link first responders, emergency operators, and hospitals [14] [27] [29].

But there is a notable asymmetry: explicit evidence for integrated, governed **verified-volunteer** networks is much weaker than for ambulance-hospital-dispatch links [8] [30] [31]. No retrieved deployment explicitly linked both traffic police and volunteer networks into one evaluated interoperable emergency platform [8].

Confidence level: Medium - Interhospital escalation is well supported, but evidence for full police-volunteer-clinician orchestration is limited [3] [4] [8] [21] [22] [23].

Secure Emergency Medical Profile Access and Data Governance

Identity verification and emergency record lookup

Several studies show viable approaches to emergency identity verification and record retrieval. Biometric and identity-based verification methods include fingerprint matching with role-based access control for real-time access and Aadhaar/fingerprint-supported patient lookup when facial recognition is not possible [42] [48]. Other approaches use smart cards or RFID tags so that an EMT can retrieve prior recordings to guide emergency treatment [49] [50]. The NFC-based S-MAPLE system allows authorized professionals to access distributed records through NFC or Bluetooth with secure element storage and mutual authentication [51].

These systems collectively indicate that emergency profile access can be anchored either in **person-linked identity proof** or **token/device-linked access** [42] [50] [51].

Privacy, consent, and break-the-glass controls

The dominant governance pattern is controlled emergency override rather than unrestricted access. Several systems emphasize encrypted records, strong authentication, role-based access, traceability, and blockchain-backed integrity [32] [33] [34] [35]. The Mjolnir framework specifically supports emergency “break-the-glass” access while preserving privacy through anonymous but publicly verifiable practitioner identities, patient-notification rights, and smart-contract accountability for unauthorized access [36]. The CSEF protocol adds a dedicated emergency phase with mutual authentication among patient, healthcare center, doctor, and cloud, alongside anonymity and replay/impersonation resistance [37]. Additional schemes support dynamic policy updates, revocation, and threshold proxy re-encryption for unconscious-patient access while preserving confidentiality and integrity [38] [39].

This is highly relevant to QuickER’s emergency profile concept: the evidence favors **fast but auditable access**, not blanket availability [36] [37].

Interoperability standards and exchange mechanisms

On the interoperability side, hybrid blockchain, smart contracts, encrypted off-chain storage, federated learning, and HL7 FHIR were proposed to give authorized first responders timely emergency access while preserving governance, with reported latency under 500 ms in one platform [40]. Interoperability prototypes using HL7 FHIR also reported sub-second latency, zero packet loss, and strong semantic preservation, while another FHIR/BigchainDB/GraphQL system reported very fast reads and variable insert times depending on node count [43] [44]. Real deployments such as EMCON allowed hospitals to control what data they share, which appears important for institutional adoption [7].

Confidence level: High - Secure emergency access and auditable governance are strongly represented across multiple studies, though many are architecture-heavy rather than large deployment studies [32] [33] [34] [36] [37] [40] [43].

Deployment Evidence, Constraints, and Gaps

Real-world deployment patterns

The strongest real-world evidence in the set comes from partial integrations rather than complete platforms. EMCON connected hospitals, patients, and ambulances with real-time resource updates and transfer coordination; its pilot demonstrated seamless updates in an EMR-equipped tertiary hospital and workable manual entry in a resource-reliant blood bank [7]. AID-N interoperated ambulance reporting, public-health surveillance, hazmat reference data, hospital portals, and first-responder devices across deployed systems in the Washington DC region, showing multi-system real-time communication [8]. MediPath linked patients, hospitals, and ambulance services with traffic-aware routing and reported under-30-second matching, 95% symptom-to-specialty accuracy, and reduced dispatch delays in user studies [9]. Telemedicine-assisted ambulance transport also appears feasible and safe for stabilized interfacility transfers, with very low need for telemedicine support and no communication problems in one study [20].

Operational bottlenecks and adoption limits

The recurrent limitations are organizational as much as technical. Disaster teleconsultation studies report credentialing delays of 25-72 hours, inconsistent specialist access, and weaker rural connectivity [21]. Interhospital transfer telemedicine suffers from low adoption despite apparent usefulness [22]. Command-center and coordination studies often report benefits, but evidence heterogeneity limits generalizable conclusions [23]. Under stress conditions such as COVID-19 or disasters, systems like NEMRIS and PULSE were used operationally, but the excerpts do not provide detailed performance benchmarks on latency, scalability, or degraded-network behavior [46] [47].

Overall interpretation

The core contradiction in the literature is clear: prototypes and architectures often report strong technical performance, while field studies more commonly demonstrate feasibility and workflow value without equally rigorous benchmark comparisons [9] [40] [43] [44] [46] [47]. Therefore, QuickER's concept is best interpreted as a **credible systems-integration target**, but not yet a comprehensively validated class of real-world deployments [4] [5] [6] [7] [9].

Confidence level: High - This conclusion matches the meta-analysis and the balance of deployment versus prototype evidence [1] [2] [7] [8] [9] [46].

Practical Implications for a QuickER-Style Architecture

Based on the evidence, the most defensible implementation sequence would be:

1. **Phase 1: ambulance-hospital visibility and destination support** using live capacity, role-based referral logic, and route awareness [2] [9] [10] [12].

2. **Phase 2: secure emergency profile access** with strong authentication, audit logs, and break-glass accountability [32] [33] [36] [37].
3. **Phase 3: interhospital escalation orchestration** for specialist consultation, transfers, and surge load redistribution [21] [23] [25].
4. **Phase 4: broader multi-agency alerting** to police, traffic management, and possibly verified volunteers once governance, credentialing, and interoperability are mature enough [3] [4] [14].

Taken together, these findings suggest that QuickER's biggest advantage would not be any single feature, but a **unified operational graph** linking incident intake, transport choice, hospital readiness, specialist availability, and governed patient-data access in one workflow [2] [8] [27] [28] [41]. That unification is precisely what current evidence only partially achieves [1] [3] [7] [8] [9].

Confidence level: Medium-High - This section contains explicit synthesis from multiple supported findings; the phased roadmap is an inference rather than a directly tested deployment model [2] [10] [23] [32] [36].

Conclusion

The evidence supports the **core logic** behind QuickER: emergency coordination improves when dispatch, ambulances, hospitals, and clinicians share real-time operational data, and secure emergency health-profile access is increasingly feasible through auditable emergency-access architectures [9] [10] [11] [32] [33] [40]. What the literature does **not** yet provide is a clearly documented, real-world, fully integrated platform that combines all QuickER functions and evaluates them together with standardized outcome measures [4] [5] [6] [7] [8] [9].

So the best evidence-based answer is: **QuickER is plausible, aligned with current research, and partially validated at the component level, but still ahead of the strongest integrated deployment evidence** [1] [2] [7] [9] [40].

Overall confidence level: High - The central conclusion is directly supported by the supplied meta-synthesis and repeated component-level findings across the report [1] [2] [3] [7] [8] [9].

References

1. Prakash, N.B., Gokul Anand, G., Mahaboob, G., (...), Kumareshan, S. (2025) An IoT Framework for Ambulance Priority and Urban Traffic Management. *Proceedings of 10th International Conference on Communication and Electronics Systems, ICCES 2025*. https://doi.org/10.1109/ICCES67310.2025.11336996
2. Hoepfner, C., Städtler, M., Bogner-Flatz, V. (2026) Digital coordination of acute and emergency patients: Referral strategy, resource planning, real-time management, health services research, special situations. *Notfall und Rettungsmedizin*. https://doi.org/10.1007/s10049-026-01776-9

3. Sashank, K., Gupta, C.V.K., Vidhya, R. (2026) Quick Incident Reporting with ALRETS to Authorities Using CNN-LSTM. *Communications in Computer and Information Science*. https://doi.org/10.1007/978-3-032-26680-4_37
4. Shifna, N.F.S., Baalaji, K., Purushoth Srinivas, C., (...), Raggul, J. (2025) Adaptive Real Time Path Optimization for Traffic Signal Using AARCS. *2025 IEEE Pune Section International Conference, PuneCon 2025*. https://doi.org/10.1109/PuneCon67554.2025.11379203
5. Mathur, S., Mishra, U., Gutte, A., Jog, K. (2025) SETU: Revolutionizing Emergency Medical Response. *2025 IEEE 5th International Conference on ICT in Business Industry and Government, ICTBIG 2025*. https://doi.org/10.1109/ICTBIG68706.2025.11323514
6. Roopa, D., Srikanth, D., Balaguru, E., Ganesh, K.K.D. (2024) Ambulance Tracking and Health Monitoring System. *4th International Conference on Power, Energy, Control and Transmission Systems: Harnessing Power and Energy for an Affordable Electrification of India, ICPECTS 2024*. https://doi.org/10.1109/ICPECTS62210.2024.10780080
7. Rafaqat, W., Abidi, S.M.A., Lee, J., (...), Mian, A.I. (2025) EMCON: A Comprehensive Emergency Response System for Low- and Middle-Income Countries. *Disaster Medicine and Public Health Preparedness*. https://doi.org/10.1017/dmp.2025.10253
8. Hauenstein, L., Gao, T., Sze, T.W., (...), White, D. (2006) A cross-functional service-oriented architecture to support real-time information exchange in emergency medical response. *Annual International Conference of the IEEE Engineering in Medicine and Biology - Proceedings*. https://doi.org/10.1109/IEMBS.2006.260878
9. Jayalakshmi, M., Vikash, B.S., Divya Dharshini, M., (...), Kathirmathi, N. (2025) Medipath: An Intelligent Emergency Medical Service System with NLP and Real-Time Coordination. *2025 2nd Asia Pacific Conference on Innovation in Technology, APCIT 2025*. https://doi.org/10.1109/APCIT65661.2025.11411360
10. Prasanna, D., Bharanikavi, P., Bharathkumar, P., (...), S.u, H. (2026) CARESYNC: Cloud-Backed Real-Time Hospital Bed & ICU Tracking System for Ambulances. *6th International Conference on Computer Networks and Inventive Communication Technologies, ICCNCT 2026 - Proceedings*. https://doi.org/10.1109/ICCNCT68477.2026.11590821
11. Devibalan, K., Saminathan, S., Sreeraman, R., (...), Muralidharan, J. (2024) Smart Ambulance System using IoT. *2024 International Conference on Communication, Computing and Internet of Things, IC3IoT 2024 - Proceedings*. https://doi.org/10.1109/IC3IoT60841.2024.10550283
12. Felice, J., Coughlin, R.F., Burns, K., (...), Ulrich, A. (2019) Effects of Real-time EMS Direction on Optimizing EMS Turnaround and Load-balancing Between Neighboring Hospital Campuses. *Prehospital Emergency Care*. https://doi.org/10.1080/10903127.2019.1587123
13. Nahata, H., Dhaka, J., Soni, S., Vivekananda, N.G. (2024) Optimising Ambulance Placement and Routing Using ML-driven predictive Analytics for Enhanced Emergency Response. *2nd International Conference on Emerging Research in Computational Science, ICERCS 2024*. https://doi.org/10.1109/ICERCS63125.2024.10894880

14. Kyriacou, E., Christou, S., Hadjichristofi, G., (...), Pattichis, C. (2015) Prehospital health care management platform. *Proceedings of the 2014 4th International Conference on Wireless Mobile Communication and Healthcare - "Transforming Healthcare Through Innovations in Mobile and Wireless Technologies", MOBIHEALTH 2014*. https://doi.org/10.1109/MOBIHEALTH.2014.7015932

15. Zeleňák, Kamil, Krajina, Antonín, Meyer, Lukas, (...), Vukasinovic, Ivan (2021) How to Improve the Management of Acute Ischemic Stroke by Modern Technologies, Artificial Intelligence, and New Treatment Methods. *Life*. https://doi.org/10.3390/life11060488

16. Veldhuis, Lars I., van der Weide, Laura, Nanayakkara, Prabath, Ludikhuize, Jeroen (2024) The accuracy of predicting hospital admission by emergency medical service and emergency department personnel compared to the prehospital MEWS: a prospective multicenter study. *BMC Emergency Medicine*. https://doi.org/10.1186/s12873-024-01031-9

17. Ioannides, K.L.H., Dekker, A.M., Shin, M.E., Schriger, D.L. (2022) Ambulances Required to Relieve Overcapacity Hospitals: A Novel Measure of Hospital Strain During the COVID-19 Pandemic in the United States. *Annals of Emergency Medicine*. https://doi.org/10.1016/j.annemergmed.2022.05.036

18. Elmer, J., Dougherty, M., Guyette, F.X., (...), Wallace, D.J. (2023) Comparing strategies for prehospital transport to specialty care after cardiac arrest. *Resuscitation*. https://doi.org/10.1016/j.resuscitation.2023.109943

19. https://www.sciencedirect.com/science/article/pii/S1936901821000383

20. Pedrotti, C.H.S., Accorsi, T.A.D., de Amicis Lima, K., (...), Cordioli, E. (2021) Cross-sectional study of the ambulance transport between healthcare facilities with medical support via telemedicine: Easy, effective, and safe tool. *PLoS ONE*. https://doi.org/10.1371/journal.pone.0257801

21. Boyle, T., Boggs, K., Gao, J., (...), Camargo, C.A. (2023) Hospital-Level Implementation Barriers, Facilitators, and Willingness to Use a New Regional Disaster Teleconsultation System: Cross-Sectional Survey Study. *JMIR Public Health and Surveillance*. https://doi.org/10.2196/44164

22. Hayden, E.M., Boggs, K.M., Espinola, J.A., (...), Zachrison, K.S. (2020) Telemedicine Facilitation of Transfer Coordination From Emergency Departments. *Annals of Emergency Medicine*. https://doi.org/10.1016/j.annemergmed.2020.04.027

23. Franklin, B.J., Mueller, S.K., Bates, D.W., (...), Goralnick, E. (2022) Use of Hospital Capacity Command Centers to Improve Patient Flow and Safety: A Scoping Review. *Journal of Patient Safety*. https://doi.org/10.1097/PTS.0000000000000976

24. Levy, C., Givaty, G., Ovadia, Y.S., Saban, M. (2024) Treating wartime injuries amidst attack: insights from a medical facility on the edge of combat. *Conflict and Health*. https://doi.org/10.1186/s13031-024-00603-7

25. Levi, H., Givaty, G., Ovadia, Y.S., (...), Saban, M. (2024) Evaluating emergency response at a hospital near the Gaza border within 24 h of increased conflict. *BMC Emergency Medicine*. https://doi.org/10.1186/s12873-024-00964-5

26. Kamel, S.I., Zoga, A.C., Randolph, F., (...), Desai, V. (2020) Impact of the Closure of a Large, Urban Safety-Net Hospital on a Neighboring Academic Center: A Philadelphia Case Study. *Journal of the American College of Radiology*. https://doi.org/10.1016/j.jacr.2020.04.001

27. Balaban, B.-M., Sacală, I.S., Alina-Claudia, P.-N., Constantin, N. (2025) A Secure Collaborative Platform Architecture for Telemedicine and Emergency Incident Response. *Proceedings - 2025 25th International Conference on Control Systems and Computer Science, CSCS 2025*. https://doi.org/10.1109/CSCS66924.2025.00018

28. Balaban, B.-M., Sacală, I., Petrescu-Niţă, A.-C. (2025) A Federated Cyber-Physical Platform for Real-Time Coordination of Emergency Medical Service via 112 Integrations. *Control Engineering and Applied Informatics*. https://doi.org/10.61416/ceai.v27i3.9635

29. Balfour, R.E. (2014) An emergency information sharing (EIS) framework for effective shared situational awareness (SSA). *2014 IEEE Long Island Systems, Applications and Technology Conference, LISAT 2014*. https://doi.org/10.1109/LISAT.2014.6845195

30. McGarry, D.P., Roger Chen, C.Y. (2010) IC.NET - Incident command "Net": A system using EDXL-DE for intelligent message routing. *2010 IEEE International Conference on Technologies for Homeland Security, HST 2010*. https://doi.org/10.1109/THS.2010.5655063

31. Rådestad, M., Kanfjäll, T., Lindström, V. (2024) Real-Time Triage, Position, and Documentation (TriPoD) During Medical Response to Major Incidents: Protocol for an Action Research Study. *JMIR Research Protocols*. https://doi.org/10.2196/57819

32. Kizil, M., Sisli, Z., Gedizlioglu, C., Erol, K. (2025) Privacy-Aware Mobile Emergency Response System Design. *TIPTEKNO 2025 - Medical Technologies Congress, Proceedings*. https://doi.org/10.1109/TIPTEKNO68206.2025.11270087

33. Garson, K., Adams, C. (2008) Security and privacy system architecture for an e-hospital environment. *IDtrust 2008: Proceedings of the 7th Symposium on Identity and Trust on the Internet*. https://doi.org/10.1145/1373290.1373306

34. Hasan, M.N., Roy, S., Datta, S. (2026) EETO-BSS: Energy-Efficient Task Offloading with Blockchain-Enabled Secret Sharing. *Wireless Personal Communications*. https://doi.org/10.1007/s11277-026-12127-9

35. Naik, A.V., Gurumoorthy, S., Rao, P.S., (...), Senthlkumar, B. (2025) Digital Twin with Reinforcement Leaning-Based Emergency Response System for Smart Healthcare Networks. *International Conference on Software, Systems and Information Technology, SSITCON 2025*. https://doi.org/10.1109/SSITCON66133.2025.11342194

36. AlTawy, R., Galal, H.S., Youssef, A.M. (2023) Mjolnir: Breaking the Glass in a Publicly Verifiable Yet Private Manner. *IEEE Transactions on Network and Service Management*. https://doi.org/10.1109/TNSM.2023.3244506

37. Kumari, A., Kumar, V., Abbasi, M.Y., (...), Chen, C.-M. (2020) CSEF: Cloud-Based Secure and Efficient Framework for Smart Medical System Using ECC. *IEEE Access*. https://doi.org/10.1109/ACCESS.2020.3001152

38. Hamsanandhini, S., Eswaran, M., Varanambika, V. (2022) Health Record Maintenance using Cloud Computing and Multi Authority Attribute Based Encryption. *2022 International Conference on Computer Communication and Informatics, ICCCI 2022*. https://doi.org/10.1109/ICCCI54379.2022.9740880

39. Maruthi, V., Singh, K. (2025) Enhancing Security and Privacy of IoMT Data for Unconscious Patient With Blockchain. *IEEE Transactions on Network and Service Management*. https://doi.org/10.1109/TNSM.2025.3602117

40. Bheesetty, N., Alla, S., Nimmagadda, A., Park, J. (2025) AI-DRIVEN EMERGENCY HEALTH DATA ACCESS FOR FIRST RESPONDERS USING HYBRID BLOCKCHAIN ARCHITECTURE. *Proceedings of the 2025 International Annual Conference and 46th Annual Meeting: Powering the Future of Engineering Management, ASEM 2025*. https://www.scopus.com/pages/publications/105035389319

41. Sood, R., Mark, E., Russ, P. (2008) NYSDOT integrated incident management system (IIMS) web services deployment. *15th World Congress on Intelligent Transport Systems and ITS America Annual Meeting 2008*. https://www.scopus.com/pages/publications/84878923599

42. Geetha, M., Mathi, S.S., Akshaya, M.S., Raaj, B.N.V. (2026) MEDILOCK: Biometric-Enabled Emergency Gateway for Secure Patient Health Records. *Proceedings of 2nd International Conference on Visual Analytics and Data Visualization, ICVADV 2026*. https://doi.org/10.1109/ICVADV67766.2026.11470493

43. Adochiei, F.-C., Țoi, F.-A., Adochiei, I.-R., (...), Petroiu, G.-G. (2025) HL7 FHIR-Based Open-Source Framework for Real-Time Biomedical Signal Acquisition and IoMT Interoperability. *Applied Sciences (Switzerland)*. https://doi.org/10.3390/app152312803

44. Kastowo, D., Utami, E., Muhammad, A. (2022) FHIR, BigchainDB, and GraphQL approach for interoperability between heterogeneous Health Information System. *ICOIACT 2022 - 5th International Conference on Information and Communications Technology: A New Way to Make AI Useful for Everyone in the New Normal Era, Proceeding*. https://doi.org/10.1109/ICOIACT55506.2022.9972042

45. Accorsi, T.A.D., Barbosa, J.C., Cardoso, R.G., (...), Pedrotti, C.H.S. (2025) A pilot study on feasibility and hypothesis exploration: reducing on-scene length of stay of the emergency teams via ambulance dispatch teleconsultation for prehospital examination. *Einstein (Sao Paulo, Brazil)*. https://doi.org/10.31744/einstein_journal/2025AO1469

46. Min, Hye Sook, Sung, Ho Kyung, Choi, Goeun, (...), Ko, Eunsil (2023) Operation of national coordinating service for interhospital transfer from emergency departments: experience and implications from Korea. *BMC Emergency Medicine*. https://doi.org/10.1186/s12873-023-00782-1

47. Avilés Mendoza, Guillermo J., Finne, Kristen P., Torre Leon, Francisco, (...), Kopp, Jeffrey B. (2021) Observations from the emergency management of dialysis patients evacuated from the US Virgin Islands to Puerto Rico following hurricane Irma. *BMC Health Services Research*. https://doi.org/10.1186/s12913-021-07194-6

48. Krishnakumar, V., MadhavaSarma, P., Venkata Subramanian, D., (...), Venkatesh, T. (2025) AI and IoMT Convergence for Emergency Healthcare: Aadhaar Authentication, Secure Data Management, and Automated Fracture Detection. *Conference Proceedings - 2025 IEEE Silchar Subsection Conference, IEEE SILCON 2025*. https://doi.org/10.1109/SILCON67893.2025.11327252

49. Maeko, M.E., Van Der Haar, D.T. (2018) A framework for user awareness and acceptance of smart card and fingerprint-based access control to medical information systems in South Africa. *2018 IST-Africa Week Conference, IST-Africa 2018*. https://www.scopus.com/pages/publications/85051185239

50. Pooja, S., Tamilvizhi, T., Rajarathinam, R., Prethy, M. (2022) Health Data Accessibility Method using Smart Card in IoT. *4th International Conference on Inventive Research in Computing Applications, ICIRCA 2022 - Proceedings*. https://doi.org/10.1109/ICIRCA54612.2022.9985729

51. Sethia, D., Gupta, D., Saran, H. (2019) Smart health record management with secure NFC-enabled mobile devices. *Smart Health*. https://doi.org/10.1016/j.smhl.2018.11.001