RiskPulse

AI/NLP Risk Engine with Event-Driven Portfolio Stress Testing (Module B)

Candidate: Shusmit Sarkar **Institute:** IIT Kharagpur **Email:** shusmit.sarkar@kgpian.iitkgp.ac.in
Repository: https://github.com/SHUSMIT/iitkgp_shusmit_hackathon

1 Problem Context and Walkthrough

The situation. Wholesale banking risk teams monitor thousands of headlines, wire stories and event records every day. Market-moving information - a sanctions announcement, a counterparty downgrade, a central-bank surprise, a cyber incident - appears first as unstructured text. Today that text is read manually or filtered by keyword alerts, which creates three gaps: alerts are not ranked by severity, they are not classified in a consistent taxonomy, and they are not connected to the bank's own exposures. The result is slow triage and an unclear answer to the question that matters: *what does this event do to our book?*

The case study asks for a reusable AI/NLP Risk Engine that ingests text from at least two sources and emits a sentiment score, an event class and an impact score, plus a downstream module that consumes them. This work implements the engine and **Module B**, the strategic stress tester, because it uses all three engine outputs and ties them to quantified portfolio consequences.

Approach in five steps.

1. *Ingest* headlines and summaries from Google News RSS and GDELT DOC 2.0 (NewsAPI and CSV upload are also supported) into one schema.
2. *Understand* each article: FinBERT sentiment, an event class from domain terms plus MiniLM semantic similarity, matched entities, and a learned impact score.
3. *Gate* on severity: only events with impact ≥ 7 trigger a stress scenario.
4. *Transmit* the event through a mixed portfolio using explicit shocks for equity, rates, spreads and default probability.
5. *Present* signals, scenarios and position-level losses through an API and a dashboard, with CSV export.

Design decision	Choice	Rationale
Language models	Frozen FinBERT and MiniLM	Strong financial-text representations without training cost; stable, reproducible inference
Event taxonomy	10 classes + Other, terms plus class descriptions	Domain terms keep labels interpretable; embeddings handle paraphrase
Impact definition	Predicted next-day absolute price move, scaled 1–10	Ties severity to observed market reaction rather than hand-set weights
Stress method	Explicit shock vectors per event class	Transparent and auditable; every loss traces to a sensitivity
Trigger	Impact score ≥ 7	Matches the case-study example; limits stress runs to material events
Interfaces	FastAPI, React dashboard, CSV	Engine output consumable by any downstream application

Table 1: Key design decisions and their rationale.

2 Data Sources and Provenance

All data is public or generated by the author; no proprietary or client data is used.

3 System Design

Data moves top to bottom through six layers. Sources are normalised into a common article record and deduplicated by URL. The text is passed in parallel to the sentiment, event-classification,

Dataset / feed	Nature	Use in the system
Google News RSS	Public, query-driven headlines and summaries	Live news source for the engine
GDELT DOC 2.0	Public global news metadata	Second live source; broadens event coverage
EDT benchmark	Public news with next-day price labels	Training and validation of the impact model
Portfolio file	Generated, 12 positions, 5 asset types	Module B portfolio with beta, duration, PD, LGD
Sample news file	Generated news records across event types	End-to-end pipeline runs and tests
News snapshot	30 public RSS headlines	Reproducible inspection of live-source output
Entity lookup	Public company-ticker list	Entity matching and related-news linkage

Table 2: Datasets, provenance and purpose.



Figure 1: RiskPulse layered architecture: sources, ingestion, NLP risk engine, signal contract, Module B stress engine and delivery. The offline lane trains the impact model whose artifacts are loaded by the impact scorer.

entity-matching and impact components, whose outputs are merged into one structured signal. A trigger gate passes events with impact ≥ 7 to Module B, which loads and validates the portfolio, selects the scenario for each event class, applies market shocks and credit-loss increments, and returns before/after values to the API, dashboard and CSV export.

4 AI/NLP Risk Engine

Ingestion. Each run issues one bounded request per configured source and merges the results by URL. Uploaded news CSVs follow the same schema (article ID, publication time, source, publisher, title, summary, URL and query), so live and file-based inputs are processed identically.

Sentiment. FinBERT class probabilities are converted to a signed score in $[-1, 1]$ and a positive/neutral/negative label. A financial lexicon scorer supplies the same output fields where the transformer is not loaded, so the schema is stable in every environment.

Event classification. Ten classes are supported: Geopolitical, Macroeconomic, Credit Event, Merger/Acquisition, Product Launch, Regulatory/Legal, Earnings/Guidance, Market Liquidity, Operational/Cyber and Commodity/Supply Chain, with *Other* for unmatched text. Curated domain terms (for example *sanctions*, *default*, *ransomware*) are combined with cosine similarity between the MiniLM embedding of the article and a short reference description of each class. Explicit domain evidence is kept unless the semantic match disagrees with high confidence. Every label carries a confidence value.

Impact score. The impact model predicts the absolute next-trading-day price move of the referenced stock from the article's MiniLM embedding. Training used the public EDT news–market benchmark: 50,000 of 75,395 valid records, split chronologically into 40,000 training rows and 10,000 later validation rows. Embeddings were computed on a Kaggle GPU and an XGBoost regressor was trained on the log-transformed move. Predictions are scaled linearly to 1–10 between the training 10th and 90th percentile moves (0.095% and 6.52%).

Time-ordered validation (10,000 rows)	MAE (pp)	RMSE (pp)
XGBoost on MiniLM embeddings	**1.699**	3.224
Train-median baseline	1.731	n/a

Table 3: Impact-model validation on later-dated data; the model improves on the baseline out of time.

5 Module B: Strategic Portfolio Stress Testing

Portfolio. The portfolio contains 12 positions worth USD 105.12 million: 3 loans (35.20m), 3 bonds (24.95m), 2 derivatives (16.82m), 3 equities (23.25m) and 1 consumer credit pool (4.90m). Each position records value, notional, opening/closing value, P&L, equity beta, rate duration, spread duration, PD and LGD. A portfolio CSV with these columns can be uploaded and is validated on load.

Shocks. Each event class maps to a shock vector applied at full severity:

Event class	Eq.	Rate	Sprd	PD×	Event class	Eq.	Rate	Sprd	PD×
Geopolitical	−10%	+75bp	+150bp	1.35	Operational/Cyber	−5%	+25bp	+100bp	1.35
Macroeconomic	−8%	+200bp	+100bp	1.30	Commodity/Supply	−6%	+100bp	+125bp	1.25
Credit Event	−6%	+100bp	+250bp	2.00	Earnings/Guidance	−5%	+25bp	+75bp	1.15
Market Liquidity	−8%	+75bp	+200bp	1.50	Merger/Acquisition	+3%	−25bp	−50bp	0.95
Regulatory/Legal	−7%	+50bp	+125bp	1.25	Product Launch	+3%	0bp	−25bp	0.98

Table 4: Event-specific shocks (equity return, rate move, spread move, PD multiplier).

Loss calculation. For impact score $s \geq 7$ shocks are scaled by $k = s/10$ (PD multiplier $1 + (m-1)k$). For position i with value V_i, beta β_i, duration D_i, spread duration S_i and notional N_i:

$$f_i = 1 + \beta_i \Delta_{\text{eq}} - D_i \Delta_{\text{rate}} - S_i \Delta_{\text{spread}}, \qquad \Delta\text{EL}_i = N_i\big(\min(PD_i m, 0.95) - PD_i\big) LGD_i,$$
$$V_i^{\text{stressed}} = V_i f_i - \Delta\text{EL}_i \quad (\Delta\text{EL applies to loans, bonds and credit exposures}).$$

Scores below 7 leave values unchanged. The engine returns baseline and stressed value, absolute and percentage loss, the applied shocks and a position-level table.

6 Dashboard and API

The React/Vite dashboard offers source selection (sample set, live Google News and GDELT, uploaded CSV), lookback and article-count controls; a severity-ranked signal table with sentiment, event type and stress status; an event-composition chart; a scenario selector showing the driver article and shocks; baseline versus stressed portfolio value; a position-level loss chart with drill-down to sensitivities, P&L, credit loss and related news; and CSV export. An optional LLM analyst answers free-form questions over the analysed news. The same functions are exposed as API endpoints for analysis, stress testing, full pipeline runs, portfolio retrieval and health checks.

7 Results

Every article produces a sentiment score and label, an event class with confidence, an impact score and a stress-trigger flag, available through the API and as a CSV export. Table 5 shows portfolio outcomes at severity 8.

Event class (severity 8)	Before (USD m)	After (USD m)	Loss (USD m)	Loss (%)
Macroeconomic	105.12	93.54	11.58	11.02
Credit Event	105.12	93.78	11.34	10.79
Geopolitical	105.12	94.49	10.63	10.11
Market Liquidity	105.12	94.63	10.49	9.98
Regulatory/Legal	105.12	97.39	7.73	7.35
Operational/Cyber	105.12	99.49	5.63	5.36
Merger/Acquisition	105.12	108.34	−3.22	−3.07

Table 5: Module B outcomes per event class. A negative loss is a gain.




Figure 2: Left: loss by asset type under three high-impact events. Right: portfolio loss as the impact score rises from the trigger of 7 to 10.

The results separate event types in an interpretable way. Credit events concentrate losses in loans and bonds through the doubled PD multiplier and wide spread shock (loan L003 loses USD 2.09m

and bonds B001–B003 lose 1.53m, 1.45m and 1.22m); geopolitical events weigh most on equities; macroeconomic events act mainly through rate duration. Loss grows monotonically with severity above the trigger, and positive corporate events produce a net gain. Against a keyword-alert workflow, which flags headlines but gives no severity order or portfolio consequence, the pipeline returns a ranked signal list, a selected driver event per class, the stressed value and the most affected positions in one run. The automated test suite covers the health endpoint, sample and uploaded-news pipelines, the trigger at 7, the below-trigger case, API input bounds and coverage of every asset type.

8 Domain Impact

- **Faster, consistent triage:** analysts review a classified, severity-ranked list rather than raw feeds.
- **Exposure-aware alerts:** each trigger shows which loans, bonds, derivatives and equities are affected and by how much.
- **Governance:** shocks, threshold and sensitivities are explicit and can be challenged or recalibrated by a risk officer.
- **Reusability:** the JSON/CSV signal contract supports other consumers, such as a sentiment-driven rebalancer, and an institution's own portfolio without engine changes.

9 Assumptions, Limitations and Next Steps

Area	Assumption / basis	Implication and next step
Portfolio data	No organiser transaction file was supplied, so a 12-position wholesale-style portfolio was generated; it contains no client data	Any institutional portfolio CSV with the required columns can be loaded unchanged
Scenario shocks	Analyst-defined shock vectors per event class, scaled by severity	Results are scenario analysis, not forecasts; calibrate against historical crisis episodes
Impact score	Market-movement proxy for single-stock next-day moves from the EDT benchmark	Not a causal loss estimate; extend with more periods and full-text features
Entity mapping	Name-to-ticker lookup over a compact public universe	Imperfect matches possible; add validated issuer and counterparty mappings
News content	Headlines and summaries from public feeds; coverage varies by source and query	Add full-text retrieval and further sources
Trigger threshold	Impact ≥ 7, as in the case-study example	Make the threshold and scaling configurable per desk
Scope	Module B implemented; Module A not built	Reuse the sentiment signal for a tactical rebalancer

Table 6: Assumptions, their implications and planned extensions.

10 Conclusion

RiskPulse delivers the complete chain the case study asks for: a multi-source AI/NLP Risk Engine producing sentiment, event class and impact score, and a Module B stress tester that turns those signals into quantified, position-level portfolio consequences. Design choices favour transparency - frozen language models, a learned and validated impact score, explicit shocks and a documented trigger - so that every output can be inspected, challenged and recalibrated. The same signal contract leaves room to add further downstream applications without changing the engine.