Introduction
POST administrator/auth
POST administrator/logout
GET administrator/movie/all
GET administrator/movie/get/16
POST administrator/movie/add
POST administrator/movie/edit/17
POST administrator/movie/delete/17
GET administrator/moviesession/all
GET administrator/moviesession/get/1
POST administrator/moviesession/add
POST administrator/moviesession/edit/1
POST sessionregistration/add
GET movie/popular
GET movie/all
GET movie/get/byAlias
GET moviesession/room/1
GET moviesession/get/1

Environment: No Environment Layout: Double Column Language: cURL - cURL

cinema

Comments 0

Add a description...

POST administrator/auth

Comments 0

http://cinema.loc/administrator/auth

Add a description...

Body formdata

email	serhii.holovanenko@gmail.com
password	1234

Example Request — administrator/auth

```
curl --location --request POST 'http://cinema.loc/administrator/auth' \
--form 'email=serhii.holovanenko@gmail.com' \
--form 'password=1234'
```

Example Response — 200 OK

```
{
  "isAuth": 1,
  "name": "Sergei Holovanenko",
  "email": "serhii.holovanenko@gmail.com",
  "roleName": "admin"
}
```

POST administrator/logout

Comments 0

http://cinema.loc/administrator/logout

Add a description...

Body formdata

Example Request — administrator/logout

```
curl --location --request POST 'http://cinema.loc/administrator/logout'
```

GET administrator/movie/all

Comments 0

http://cinema.loc/administrator/movie/all

Add a description...

Body formdata

Example Request — administrator/movie/all

```
curl --location --request GET 'http://cinema.loc/administrator/movie/all'
```

Example Response — 200 OK

```
{
  "movies": [
    {
      "id": "1",
      "title": "First movie",
      "alias": "first-movie",
      "description_short": "Short description of first movie",
      "description_full": "Here is a full description with a lot of words for full description of first movie. ",
      "duration_min": "130",
```

GET administrator/movie/get/16

Comments 0

http://cinema.loc/administrator/movie/get/16

Add a description...

Body formdata

Example Request — administrator/movie/get/16

```
curl --location --request GET 'http://cinema.loc/administrator/movie/get/16'
```

Example Response — 200 OK

```
{
  "id": "16",
  "title": "Phasellus interdum",
  "alias": "phasellus-interdum",
  "description_short": "Phasellus interdum, orci at ullamcorper blandit, dolor ante vestibulum nunc, eget tincidunt neque...",
  "description_full": "Phasellus interdum, orci at ullamcorper blandit, dolor ante vestibulum nunc, eget tincidunt neque elit sit amet ex. Proin enim orci, mattis at tristique ut, consequat at libero. Aenean vulputate, orci non ullamcorper sodales, metus ac porttitor tortor, sit a
```

POST administrator/movie/add

Comments 0

http://cinema.loc/administrator/movie/add

Add a description...

Body formdata

title	Quisque ex nunc
descriptionFull	Quisque ex nunc, dapibus ac volutpat et, viverra at ex. Vivamus tempor eget tortor et accumsan. Fusce lacus lectus, molestie vitae ex euismod, tincidunt interdum lacus.
alias	quisque-ex-nunc
durationMins	120
descriptionShort	Quisque ex nunc, dapibus ac volutpat et, viverra at ex.

Example Request — administrator/movie/add

```
curl --location --request POST 'http://cinema.loc/administrator/movie/add' \
--form 'title=Quisque ex nunc' \
--form 'descriptionFull=Quisque ex nunc, dapibus ac volutpat et, viverra at ex. Vivamus tempor eget tortor et accumsan. Fusce lacus lectus, molestie vitae ex euismod, tincidunt interdum lacus.' \
--form 'durationMins=120'
```

Example Response — 200 OK

```
{
  "success": true,
  "resultId": 17
}
```

POST administrator/movie/edit/17

Comments 0

http://cinema.loc/administrator/movie/edit/17

Add a description...

Body formdata

title	Quisque ex nunc edited
descriptionFull	Quisque ex nunc, dapibus ac volutpat et, viverra at ex. Vivamus tempor eget tortor et accumsan. Fusce lacus lectus, molestie vitae ex euismod, tincidunt interdum lacus.
alias	quisque-ex-nunc
durationMins	120
descriptionShort	Quisque ex nunc, dapibus ac volutpat et, viverra at ex.
poster	

Example Request — administrator/movie/edit/17

```
curl --location --request POST 'http://cinema.loc/administrator/movie/edit/17' \
--form 'title=Quisque ex nunc edited'
```

Example Response — 200 OK

```
{
  "success": true,
  "resultId": "17"
}
```

POST administrator/movie/delete/17

Comments 0

http://cinema.loc/administrator/movie/delete/17

Add a description...

Body formdata

Example Request — administrator/movie/delete/17

```
curl --location --request POST 'http://cinema.loc/administrator/movie/delete/17'
```

Example Response — 200 OK

```
{
  "success": true
}
```

GET administrator/moviesession/all

Comments 0

http://cinema.loc/administrator/moviesession/all

Add a description...

Body formdata

Example Request — administrator/moviesession/all

```
curl --location --request GET 'http://cinema.loc/administrator/moviesession/all'
```

Example Response — 200 OK

```
{
  "movieSessions": [
    {
      "id": "1",
      "movie_id": "1",
      "start": "2020-04-06 08:26:15",
      "end": "1970-01-01 03:32:50",
      "room_id": "1",
      "created_at": "2020-04-01 17:27:36",
      "deleted_at": null
```

GET administrator/moviesession/get/1

Comments 0

http://cinema.loc/administrator/moviesession/get/1

Add a description...

Body formdata

Example Request — administrator/moviesession/get/1

```
curl --location --request GET 'http://cinema.loc/administrator/moviesession/get/1'
```

POST administrator/moviesession/add

Comments 0

http://cinema.loc/administrator/moviesession/add

Add a description...

Body formdata

movieId	2
roomId	1
start	2020-04-01 14:30:00

Example Request — administrator/moviesession/add

```
curl --location --request POST 'http://cinema.loc/administrator/moviesession/add' \
--form 'movieId=2' \
--form 'roomId=1' \
--form 'start=2020-04-01 14:30:00'
```

POST administrator/moviesession/edit/1

Comments 0

http://cinema.loc/administrator/moviesession/edit/1

Add a description...

Body formdata

movieId	3
roomId	1
start	2020-04-01 19:30:00

Example Request — administrator/moviesession/edit/1

```
curl --location --request POST 'http://cinema.loc/administrator/moviesession/edit/1' \
--form 'movieId=3' \
--form 'roomId=1' \
--form 'start=2020-04-01 19:30:00'
```

POST sessionregistration/add

Comments 0

http://cinema.loc/sessionregistration/add

Register on movie session

Body formdata

email	serhii.holovanenko@gmail.com
phone	+380508489086
movieSessionId	1
placeRow	1
placeColumn	3

Example Request — sessionregistration/add

```
curl --location --request POST 'http://cinema.loc/sessionregistration/add' \
--form 'email=serhii.holovanenko@gmail.com' \
--form 'phone=+380508489086' \
--form 'movieSessionId=1' \
--form 'placeRow=1' \
--form 'placeColumn=3'
```

GET movie/popular

Comments 0

http://cinema.loc/movie/popular

Add a description...

Body formdata

Example Request — movie/popular

```
curl --location --request GET 'http://cinema.loc/movie/popular'
```

Example Response — 200 OK

```
{
  "movies": [
    {
      "id": "1",
      "title": "First movie",
      "alias": "first-movie",
      "description_short": "Short description of first movie",
      "poster": "https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcR9P4hQ8gQ9yT1LXVu23wqu_W42RCe9PlSvh_nX7CX-1RBZpmuQ&s",
      "rating": "9",
```

GET movie/all

Comments 0

http://cinema.loc/movie/all

Add a description...

Body formdata

Example Request — movie/all

```
curl --location --request GET 'http://cinema.loc/movie/all'
```

GET movie/get/byAlias

Comments 0

http://cinema.loc/movie/get/first-movie

Use alias to get movie data. You can swith to getById in config file.

Body formdata

Example Request — movie/get/byAlias

```
curl --location --request GET 'http://cinema.loc/movie/get/first-movie'
```

GET moviesession/room/1

Comments 0

http://cinema.loc/moviesession/room/1

Get room places schema

Body formdata

Example Request — moviesession/room/1

```
curl --location --request GET 'http://cinema.loc/moviesession/room/1'
```

GET moviesession/get/1

Comments 0

http://cinema.loc/moviesession/get/1

Add a description...

Body formdata

Example Request — moviesession/get/1

```
curl --location --request GET 'http://cinema.loc/moviesession/get/1'
```

Example Response — 200 OK

```
{
  "movieSession": {
    "id": "1",
    "movie_id": "1",
    "start": "2020-04-06 08:26:15",
    "end": "1970-01-01 03:32:50",
    "room_id": "1",
    "created_at": "2020-04-01 17:27:36",
    "deleted_at": null
```