

Clean Hands, Prepped Skin - The Perfect Start To Infection Prevention



1. MIREX ALCOHOL RUB

Product Properties

- Excellent action
- Excellent skin tolerability even with long term use

Composition

Each 100 gms Contains:

2-Propanol: 45.0 g

1-Propanol: 30.0 g,

Ethyl-hexadecyl-dimethyl ammonium-ethylsulphate: 0.2 g,

Excipients: Glycerin,

Colour - Brilliant Blue FCF,

Purified water IP(QS)



Microbiology

Bactericidal, Yeasticidal, Tuberculocidal, Mycobactericidal, Virucidal against enveloped viruses, including [HBV (Hepatitis B Virus), HCV (Hepatitis C Virus), HIV (Human Immunodeficiency Virus)] **Adenovirus, Polyomavirus, Rotavirus**

Areas of Application

MIREX Alcohol Rub is a ready-to-use, alcohol-based hand rub designed for rapid disinfection without the need for water or a wash basin. It plays a vital role in infection prevention across various healthcare and industrial settings where hand hygiene is essential.



100ml



500ml



5 L

Detailed Applications:

MIREX Alcohol Rub is effective for both hygienic and surgical hand disinfection and is widely used in:

Critical care areas: ICU, ICCU, NICU, MICU, AKD
 Operation theatres and surgical units
 Departments managing infectious diseases and burn care
 Diagnostic laboratories and treatment rooms
 Dental and ophthalmology departments
 Ambulances and emergency medical services
 Hospital kitchens and canteens
 Home care settings and home dialysis

Usage Time

Hygienic Hand Disinfection: **30 seconds**

Surgical Hand Disinfection: **1.5 minutes**

Directions for use

1. Hygienic Hand Disinfection: Apply 3 ml of MIREX Alcohol Rub onto clean, dry hands and nail grooves. Rub thoroughly for **30 sec**
2. Surgical Hand Disinfection: Apply 6 ml of MIREX Alcohol Rub onto clean, dry hands, nail grooves, and up to the elbow. Rub thoroughly for **1.5 minutes**

Pack Size	Carton
100 ml (with Dispenser)	50 Bottles
100 ml (Flip Top)	50 Bottles
500 ml (with Dispenser)	20 Bottles
5 L	2 Cans

2. MIREX 2% CHG SKIN PREP

Salient Features

- MIREX 2% CHG is microbicidal against all bacteria including MRSA, EHEC, fungi and viruses
- It has a residual effect throughout the procedure
- Rapid healing of skin after surgery
- It is highly effective in the prevention of CRBSI and CVC colonization
- It can be used to clean the site prior to CVC insertion and also the maintenance of catheters

Composition

- Chlorhexidine Gluconate 2.0 % W/V (Equivalent to Chlorhexidine Gluconate Solution IP 10 % V/V)
- Iso Propyl Alcohol IP: 70.0 % V/V

Range of Application

1. Pre-surgical skin preparation for patients
2. Used before and during catheterization, as well as during dressing changes
3. Preparation of intravenous (IV) sites
4. Cleaning of surgical sites post-suturing
5. Skin treatment before applying casts for fractures

MIREX 2% CHG Skin Prep is a comprehensive disinfectant that requires no supplementary products for dressing in minor surgical procedures

Mode of Use

- Ready to use without dilution
- Use externally and undiluted only
- Skin disinfection: Wet with a swab of MIREX 2% CHG Skin Prep, in the area to be disinfected and allow to dry
- Dries up quickly - within 30 seconds
- Exposure time at least 15 seconds



Pack Size	Carton
500 ml	20 Bottles

3. MIREX 4% CHG HAND SCRUB

Salient features

- MIREX 4% CHG Hand scrub is a complete Bactericidal, Tuberculocidal, Fungicidal, Virucidal Hands and Body Wash
- Maintains water balance on the skin
- Has a pleasant leave-behind fragrance
- Promotes compliance with hand washing guidelines

Composition

Chlorhexidine Gluconate Solution IP equivalent to Chlorhexidine Gluconate 4% w/v.
Colour: Carmoisine



Areas of Application

MIREX 4% CHG Hand scrub is a disinfectant solution designed for hand and body washing

- Ideal for pre-surgical hand disinfection and hygienic handwashing
- Suitable for routine use in hospital wards to help minimize the risk of cross-infection
- Used for full-body disinfection of patients prior to surgery

Pack Size	Carton
100 ml (with Dispenser)	50 Bottles
100 ml (Flip top)	50 Bottles
500 ml (with Dispenser)	20 Bottles
5 L	2 Cans

BAKTIO BLUE

1. BAKTIO BLUE

Product Properties

- Excellent action
- Excellent skin tolerability even with long term use

Composition

Each 100 gms Contains:

2-Propanol: 45.0 g

1-Propanol: 30.0 g,

Ethyl-hexadecyl-dimethyl
ammonium-ethylsulphate: 0.2 g,

Excipients: Glycerin,

Colour - Brilliant Blue FCF,

Purified water IP(QS)



Microbiology

Bactericidal, Yeastcidal, Tuberculocidal, Mycobactericidal, Virucidal against enveloped viruses, including [**HBV** (Hepatitis B Virus), **HCV** (Hepatitis C Virus), **HIV** (Human Immunodeficiency Virus)] **Adenovirus, Polyomavirus, Rotavirus, Norovirus**

Areas of Application

BAKTIO BLUE Alcohol Rub is a ready-to-use, alcohol-based hand rub designed for rapid disinfection

- Before & after patient contact
- Aseptic tasks
- After exposure to body fluids
- In surgical & procedural areas
- Routine Hospital & Clinical Settings
- Non-Clinical Areas

Detailed Applications:

BAKTIO BLUE Alcohol Rub is effective for both hygienic and surgical hand disinfection and is widely used in:

Critical care areas: ICU, ICCU, NICU, MICU, AKD
Operation theatres and surgical units
Departments managing infectious diseases and burn care
Diagnostic laboratories and treatment rooms
Dental and ophthalmology departments
Ambulances and emergency medical services
Hospital kitchens and canteens
Home care settings and home dialysis

Usage Time

Hygienic Hand Disinfection: **30 seconds**

Surgical Hand Disinfection: **1.5 minutes**

Directions for use

1. Hygienic Hand Disinfection: Apply 3 ml of BAKTIO BLUE Alcohol Rub onto clean, dry hands and nail grooves. Rub thoroughly for **30 sec**
2. Surgical Hand Disinfection: Apply 6 ml of BAKTIO BLUE Alcohol Rub onto clean, dry hands, nail grooves, and up to the elbow. Rub thoroughly for **1.5 minutes**

Pack Size	Carton
100 ml (with Dispenser)	50 Bottles
100 ml (Flip Top)	50 Bottles
500 ml (with Dispenser)	20 Bottles
5 L	2 Cans

1. MIDOR 5%

Topical preparation

2. MIDOR 7.5%

Surgical Scrub

3. MIDOR 10%

Surgical Skin Preparation

Composition

- **MIDOR™ 5%** - Povidone Iodine IP 5% w/v
- **MIDOR™ 7.5%** - Povidone Iodine IP 7.5% w/v
- **MIDOR™ 10%** - Povidone Iodine IP 10% w/v

Antimicrobial Efficacy

Midor range exhibits a broad-spectrum antimicrobial activity, including:

- **Bactericidal** – Gram+ & Gram- bacteria
- **Fungicidal** – Yeasts & fungi
- **Tuberculocidal** – M. tuberculosis
- **Virucidal** – Wide range of viruses
- **Sporicidal** – Effective against spores

Residual Effect

- **5%:** Shorter duration
- **7.5%:** Longer residual action
- **10%:** Longest residual activity

Time of Kill

- **5%:** Rapid action, within **2 minutes** Good residual effect
- **7.5% & 10%:** Effective with **2.5 – 3 minutes** surgical scrub



Common Use

- **5% Midor** : Routine antisepsis, pre-op skin disinfection, minor wounds, mucosal disinfection (with dilution)
- **7.5% Midor** : Surgical hand scrubs, skin prep before procedures, wound & burn care, hygienic hand disinfection
- **10% Midor** : Pre-op prep for major surgeries, high-risk infections, deep wound care, critical surgical disinfection

At a Glance

Aspect	5% Midor	7.5% Midor	10% Midor
Iodine Concentration	0.5% available iodine	0.75% available iodine	1.0% available iodine
Antimicrobial Strength	Moderate	Strong	Very strong
Application Focus	Routine skin prep, minor wounds	Surgical scrubs, contaminated wounds	High-risk surgeries, deep wounds
Residual Action	Shorter duration	Longer duration	Longest duration
Mucosal Use	Yes (diluted)	Limited (diluted)	Rare; requires careful dilution

Why Midor?

- ✓ Multiple strengths for tailored clinical needs
- ✓ Rapid & broad-spectrum antimicrobial action
- ✓ Trusted in pre, intra & post-operative infection prevention
- ✓ Available in convenient pack sizes (100 ml, 500 ml, 2 L)

Pack Size	Carton
100 ml	50 Bottles
500 ml	20 Bottles
2 L	4 Bottles

Upcoming Product Range

Sr. No	Product Name	Composition
1.	MIREX™ 1.5% CHG Antiseptic	Chlorhexidine Gluconate Solution IP : 1.5% v/v Strong Cetrimide solution BP Equivalent to Cetrimide IP 3.0 % w/v Excipients : Q.S.
2.	MIREX™ 7.5% CHG Antiseptic	Chlorhexidine Gluconate Solution IP: 7.5% v/v, Cetrimide IP - 15% w/v, Isopropyl Alcohol IP - 7% v/v. Colour: Tartrazine , Purified Water: qs
3.	MIREX™ 0.3% CHG Antiseptic	Chlorhexidine Gluconate Solution IP: 0.3% v/v, Cetrimide IP - 0.6% w/v, Isopropyl Alcohol IP - 3.0% v/v. Colour: Tartrazine, Purified Water: qs
4.	BAKTIO™ Pink	Each 100 gms contains: Chlorhexidine Gluconate Solution IP 2.5% v/v, Equivalnt to Chlorhexidine Gluconate 0.5% w/v, Ethyl Alcohol IP(Denatured) 70% v/v Colour: Carmoisine, Excipients(QS): Emmolients and Moisturizers, Purified Water(qs)
5.	CUTANEX™	Each 100 gms contains: Iso-Propanol IP 63.0 gms, Benzalkonium Chloride IP 0.025 gms
6.	CUTANEX™ Pro	Each 100 gms contains: Iso-Propanol IP 63.0 gms, Benzalkonium Chloride IP 0.025 gms Colour : Carmoisine and Sunset Yellow



INCISE DRAPES

11.	CUTWELL Incise Drape	Plain
12.	CUTWELL Incise Drape	CHG
13.	CUTWELL Incise Drape	Iodine

CLIPPER & BLADES

14.	NEOVA Surgical Clipper
15.	NEOVA- Neuro Blades
16.	NEOVA- Universal Blades

STEPS OF HAND HYGIENE



1. Wet hands with water



2. Apply enough soap to cover all hand surfaces.



3. Rub hands palm to palm



4. Right palm over left dorsum with interlaced fingers and vice versa



5. Palm to palm with fingers interlaced



6. Backs of fingers to opposing palms with fingers interlocked



7. Rotational rubbing of left thumb clasped in right palm and vice versa



8. Rotational rubbing backwards and forwards with clasped fingers of right hand in left palm and vice versa



9. Rinse hands with water



10. Dry thoroughly with a single use towel



11. Use towel to turn off faucet



12. And your hands are safe.

42 Meril

Subsidiaries

12 Academies

Globally

15000+
EMPLOYEES

275+
PRODUCTS

110+
COUNTRIES



Manufactured by:

Meril Medical Innovation Pvt. Ltd.

Ground & First Floor, Survey No. 173/4 &
First Floor, H1-H3, Meril Park,
Survey No. 135/2/B & 174/2, Muktanand Marg,
Chala, Vapi - 396 191, Gujarat, India

Customer Care Contact:

Email: askinfo@merillife.com

Marketed By:

Meril Life Sciences India Pvt. Ltd.

6th Floor, B wing, Bonanza Building,
Sahar Plaza, Chakala JB Nagar,
Nr Kohinoor Hotel, Nr Chakala Metro Station,
Andheri East. 400059