

Date: - 01st April 2026

Subject: Sales Target F.Y. 26-27

Dear Abhimanyu Nair,

As we embark on a new fiscal year, Meril is happy to share company's strategic vision and goals for FY 26-27. This year, we embrace the theme "विस्तार", symbolizing growth, innovation, and the relentless pursuit of excellence.

Meril's theme, "विस्तार", reflects commitment to expanding horizons-whether it is entering new markets, reaching more customers, or enhancing our service offerings. This year, we aim to set benchmarks that not only challenge our capabilities but also redefine what we can achieve as a team.

Your target for FY 26-27 has been carefully designed to align with our collective goals and vision of expansion. The details are as follows:

**Key Focus Areas:**

1. Maintain existing accounts and increase existing share to 75% from those accounts ("विस्तार" - existing account business share)
2. Converting Non-User Accounts into Active Customers ensuring 100% coverage. ("विस्तार" - new account market share)
3. Faster supplies and prompt services through District Master Distributor. ("विस्तार" - enhanced distribution network)
4. Give direction, guide and monitor your team ("विस्तार" - reach through Manpower)


Your contribution will be pivotal in making "विस्तार" a reality. Together, let us work towards not only achieving but surpassing our targets. We are confident that with your dedication and our collective efforts, we will make FY 26-27 a landmark year in our journey.

If you have any questions or require assistance in planning your strategy, please feel free to reach out. Looking forward to a year of remarkable achievements!



Anjul Jain  
(Business Head)

(Zonal Head)



Shail Singh Solanki  
(Sr. General Manager FP&A)



Anand Gaur  
(HR - Vice President Business)

# SALES TARGET - DIAGNOSTICS

Name : Abhimanyu Nair  
 Target : ₹ 150.00 L  
 RSM : Vishnu J  
 Zonal Head : Yellesh M

| Business                  | Business Group          | Apr-26 | May-26 | Jun-26 | Q1    | Jul-26 | Aug-26 | Sep-26 | Q2    | H1    | Oct-26 | Nov-26 | Dec-26 | Q3    | Jan-27 | Feb-27 | Mar-27 | Q4    | H2    | Ann (Rs. L) |
|---------------------------|-------------------------|--------|--------|--------|-------|--------|--------|--------|-------|-------|--------|--------|--------|-------|--------|--------|--------|-------|-------|-------------|
| Instrument                | 3PDA_Hematology         | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | 5PDA_Hematology         | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | Biochemistry            | -      | -      | -      | -     | -      | -      | -      | -     | -     | 3.00   | -      | 3.00   | 6.00  | -      | -      | -      | -     | 6.00  | 6.00        |
|                           | Coagulation             | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | Diabetic Mgmt.          | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | Electrolyte             | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | FAA_Biochemistry        | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | Haematology             | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | Immunology              | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | 0.84   | 1.68   | 2.52  | 2.52  | 2.52        |
|                           | Nephelometry            | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | SAA_Biochemistry        | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
| Instrument Total          |                         | -      | -      | -      | -     | -      | -      | -      | -     | -     | 3.00   | -      | 3.00   | 6.00  | -      | 0.84   | 1.68   | 2.52  | 8.52  | 8.52        |
| Instrument - Others       | Spares/RM of Instrument | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
| Instrument - Others Total |                         | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
| Rapid & Elisa             | Blood Grouping          | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | Flow Through            | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | Immunology              | 9.87   | 9.87   | 9.87   | 29.62 | 9.87   | 9.87   | 9.87   | 29.62 | 59.23 | 9.87   | 9.87   | 9.87   | 29.62 | 9.87   | 9.87   | 9.87   | 29.62 | 59.23 | 118.46      |
|                           | Lateral Flow            | 0.28   | 0.28   | 0.28   | 0.84  | 0.28   | 0.28   | 0.28   | 0.84  | 1.69  | 0.28   | 0.28   | 0.28   | 0.84  | 0.28   | 0.28   | 0.28   | 0.84  | 1.69  | 3.38        |
| Rapid & Elisa Total       |                         | 10.15  | 10.15  | 10.15  | 30.46 | 10.15  | 10.15  | 10.15  | 30.46 | 60.92 | 10.15  | 10.15  | 10.15  | 30.46 | 10.15  | 10.15  | 10.15  | 30.46 | 60.92 | 121.84      |
| Reagent                   | AriQuant                | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | Biochemistry            | 1.55   | 1.55   | 1.55   | 4.64  | 2.13   | 1.55   | 1.55   | 5.22  | 9.87  | 1.55   | 1.55   | 1.55   | 4.64  | 1.55   | 1.71   | 1.87   | 5.13  | 9.77  | 19.64       |
|                           | Coagulation             | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | Diabetic Mgmt.          | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | Electrolyte             | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | Haematology             | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | Hematology              | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|                           | Immunology              | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
| Reagent Total             |                         | 1.55   | 1.55   | 1.55   | 4.64  | 2.13   | 1.55   | 1.55   | 5.22  | 9.87  | 1.55   | 1.55   | 1.55   | 4.64  | 1.55   | 1.71   | 1.87   | 5.13  | 9.77  | 19.64       |
| Total                     |                         | 11.70  | 11.70  | 11.70  | 35.10 | 12.28  | 11.70  | 11.70  | 35.68 | 70.79 | 14.70  | 11.70  | 14.70  | 41.10 | 11.70  | 12.70  | 13.70  | 38.11 | 79.21 | 150.00      |

FLSP/ASM

RSM / Dy. ZSM

ZSM / ZH

Business Head

SALES TARGET - ENDO SURGERY

Employee Name : Abhimanyu Nair  
Target : ₹ 90.00 L  
RSM : Vishnu J  
Zonal Head : Yellesh M

| Portfolio | Category                   | Apr-26 | May-26 | Jun-26 | Q1    | Jul-26 | Aug-26 | Sep-26 | Q2    | H1    | Oct-26 | Nov-26 | Dec-26 | Q3    | Jan-27 | Feb-27 | Mar-27 | Q4    | H2    | Ann (Rs. L) |
|-----------|----------------------------|--------|--------|--------|-------|--------|--------|--------|-------|-------|--------|--------|--------|-------|--------|--------|--------|-------|-------|-------------|
| P-1       | Aspiron                    | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Aspiron DNLS               | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Aspiron Sutures            | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | FILAPROP                   | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Filapron                   | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Filasilk                   | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Filaxyn                    | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | General MHRS               | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | HIUS-Erina & Fiona         | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Hemostat                   | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Hemostat - ORC             | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | IUD                        | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Ligation Clip & Applicator | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Liver Transplant Kit       | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | MITSU AB                   | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Mericon XI                 | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Merisoft Chromic           | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Mitsu                      | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Mitsu Fst                  | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Pinion                     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Pinion                     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Poly Clip & Applicator     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Skin Stapler & Extractor   | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Suture                     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Suture - Barb              | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Suture - CG                | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Suture - CV                | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Suture - Kit               | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Suture - Non Ab            | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Suture - Plastic + Opthal  | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Suture - Raw Material      | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Suture - Synab             | 0.16   | 0.16   | 0.16   | 0.47  | 0.16   | 0.16   | 0.16   | 0.47  | 0.94  | 0.16   | 0.16   | 0.16   | 0.47  | 0.16   | 0.16   | 0.16   | 0.47  | 0.94  | 1.88        |
|           | Trocar                     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | UCT/BW/Ancora              | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
| P-1 Total |                            | 0.16   | 0.16   | 0.16   | 0.47  | 0.16   | 0.16   | 0.16   | 0.47  | 0.94  | 0.16   | 0.16   | 0.16   | 0.47  | 0.16   | 0.16   | 0.16   | 0.47  | 0.94  | 1.88        |
| P-2       | Advance MHRS               | 1.54   | 1.54   | 1.54   | 4.63  | 1.54   | 1.54   | 1.54   | 4.63  | 9.26  | 1.54   | 1.54   | 1.54   | 4.63  | 1.54   | 1.54   | 1.54   | 4.63  | 9.26  | 18.51       |
|           | Advance Tacker             | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Clutch                     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Endocutter                 | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Energy-Device              | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Energy-Device(Consumable)  | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | MLC, MALS & MCS            | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | MPPH                       | 0.27   | 0.27   | 0.27   | 0.82  | 0.27   | 0.27   | 0.27   | 0.82  | 1.64  | 0.27   | 0.27   | 0.27   | 0.82  | 0.27   | 0.27   | 0.27   | 0.82  | 1.64  | 3.27        |
|           | Mesic Diode Lazer          | -      | -      | -      | -     | -      | -      | -      | -     | -     | -      | -      | -      | -     | -      | -      | -      | -     | -     | -           |
|           | Trocar                     | 5.53   | 5.53   | 5.53   | 16.58 | 5.53   | 5.53   | 5.53   | 16.58 | 33.17 | 5.53   | 5.53   | 5.53   | 16.58 | 5.53   | 5.53   | 5.53   | 16.58 | 33.17 | 66.34       |
| P-2 Total |                            | 7.34   | 7.34   | 7.34   | 22.03 | 7.34   | 7.34   | 7.34   | 22.03 | 44.06 | 7.34   | 7.34   | 7.34   | 22.03 | 7.34   | 7.34   | 7.34   | 22.03 | 44.06 | 88.12       |
| Total     |                            | 7.50   | 7.50   | 7.50   | 22.50 | 7.50   | 7.50   | 7.50   | 22.50 | 45.00 | 7.50   | 7.50   | 7.50   | 22.50 | 7.50   | 7.50   | 7.50   | 22.50 | 45.00 | 90.00       |



FLSP/ASM

RSM / Dy. ZSM

ZSM / ZH

Business Head