


Name	Siddhanth Kaushik Mungekar
Roll No	23102B0030
Branch	CMPN/B

Code	<pre> Console Terminal Background Jobs R - R 4.6.1 - ~/Documents/R Programming/NPTEL/ > # ----- > # LECTURE 50 - Bar/Pie Plots > # ----- > > cust = matrix(+ nrow=4, ncol=3, + data=c(2,20,30,26,53,40,42,15,25,30,75,100), + byrow=TRUE +) > > cust [,1] [,2] [,3] [1,] 2 20 30 [2,] 26 53 40 [3,] 42 15 25 [4,] 30 75 100 > barplot(cust) > > barplot(+ cust, + names.arg=c("Shop 1","Shop 2","Shop 3"), + xlab="Shops", + ylab="Days", + col=c("red","green","orange","brown") +) > > gender = c(1,2,1,2,1,1,1,2,1,1) > gender [1] 1 2 1 2 1 1 1 2 1 1 > pie(gender) > pie(table(gender)) > > direction = c(+ 1,1,2,1,2,3,2,2,3,3,1,2,3,2,2,3,1,1,3,3,1,2, + 1,3,3,3,2,2,2,1,2,2,1,1,1,3,2,2,1,2,3,2,2,1, + 2,3,3,2,1,2,2,3,1,1,2,1,2,3,2,3,2,3,1,2,3,3,3, + 2,1,1,1,2,1,1,2,1,2,3,3,1,2,3,3,2,1,2,3,2,1,3, + 2,2,2,2,3,2,2 +) > > pie(table(direction)) > Console Terminal Background Jobs R - R 4.6.1 - ~/Documents/R Programming/NPTEL/ > pie(+ table(direction), + col=c("red","green","blue"), + main="Directions of food delivery" +) > > par(mfrow=c(1,2)) > barplot(table(direction)) > pie(table(direction)) > > par(mfrow=c(2,1)) > barplot(table(direction)) > pie(table(direction)) > > # ----- > # LECTURE 51 - Histogram > # ----- > > # hist(x) # absolute frequencies > # hist(x, freq=F) # relative frequencies > > height = c(+ 166,125,130,142,147,159,159,147,165,156,149,164,137,166,135,142, + 133,136,127,143,165,121,142,148,158,146,154,157,124,125,158,159, + 164,143,154,152,141,164,131,152,152,161,143,143,139,131,125,145, + 140,163 +) > > hist(height) > > hist(+ height, + main="Heights of persons", + col="green", + xlab="Heights", + ylab="Number of Persons" +) > > hist(+ height, + main="Heights of persons", + col="red", + xlab="Heights", + ylab="Number of Persons", + density=2 +) </pre>
------	--



Environment

History

Tutorial

Import Dataset

117 MiB

List

R - Global Environment

Data

ab	List of 6	
cust	num [1:4, 1:3] 2 26 42 30 20 53 15 75 30 40 ...	
datemat	chr [1:4, 1:3] "2020" "2021" "2022" "2023" "07" "08" "09" ...	
datematrix	num [1:4, 1:3] 2020 2021 2022 2023 7 ...	
datesplt	List of 4	
df1	4 obs. of 2 variables	
df11	4 obs. of 2 variables	
df2	4 obs. of 3 variables	
df22	3 obs. of 2 variables	
fc0l	chr [1:88, 1:62] "gray" "gray" "gray" "gray" "gray" "gray" ...	
fill	chr [1:88, 1:62] "gray" "gray" "gray" "gray" "gray" "gray" ...	
list1	List of 6	
list12	List of 6	
list2	List of 6	
lm.D9	List of 13	
lm.D90	List of 13	
oldpar	List of 1	
opar	List of 2	
splittd	List of 8	
zi	num [1:86, 1:60] 402 406 410 414 418 421 424 428 432 436 ...	

Values

dates (character, 336 bytes)

brands_fac	chr [1:7] "A" "A" "B" "B" "B" "B" "C"
colours	Factor w/ 3 levels "A","B","C": 1 1 2 2 2 2 3
ctl	chr [1:3] "blue" "green" "red"
d	num [1:10] 4.17 5.58 5.18 6.11 4.5 4.61 5.17 4.53 5.33 5.14
dates	"Thu Oct 1 14:08:05 2026"
direction	chr [1:4] "2020-07-24" "2021-08-25" "2022-09-26" "2023-10-27"
evenno	num [1:100] 1 1 2 1 2 3 2 2 3 3 ...
facy	num [1:5] 2 4 6 8 10
gender	Factor w/ 6 levels "one","two","three",...: 1 4 3 5 4 2 4
group	num [1:10] 1 2 1 2 1 1 1 1 2 1 1
height	Factor w/ 2 levels "Ctl","Trt": 1 1 1 1 1 1 1 1 1 ...
hours	num [1:50] 166 125 130 142 147 159 159 147 165 156 ...
i1	num [1:20] 23 25 26 27 30 26 29 32 33 34 ...
i2	num [1:2] 1 88
income	num [1:2] 1 62
labels.dieface	Ord.factor w/ 3 levels "low"<"medium"<...: 3 3 1 2 2
marks	chr [1:6] "one" "two" "three" "four" "five" "six"
names	num [1:20] 337 316 327 340 374 330 352 353 370 380 ...
possible.dieface	chr [1:3] "Prof. Singh" "Mr. Venkat" "Dr. Jha"
sinc.exp	num [1:6] 1 2 3 4 5 6
str	expression(z == Sinc(sqrt(x^2 + y^2)))
trt	chr [1:3] "R Course" "exercises" "include examples of R langu...
weight	num [1:10] 4.81 4.17 4.41 3.59 5.87 3.83 6.03 4.89 4.32 4.69
x	num [1:20] 4.17 5.58 5.18 6.11 4.5 4.61 5.17 4.53 5.33 5.14 ...
X	Inf
y	20
z	"apple"
z0	NA_real_
z1	168
z1	num [1:3] 1.1 2.22 3.33

Functions

rotsinc

function (x, y)