AETHER COPILOT AI • AUTONOMOUS INTELLIGENCE

Executive Intelligence & Analytics Report

Autonomous Diagnostic Audit, Multivariate Statistical Analysis & Data Quality Profiling for **patients.csv**

TARGET DATASET	**patients.csv**
PROJECT WORKSPACE	Default Project
DATASET VERSION	Version 1
ANALYSIS TIMESTAMP	2026-10-07 20:06:57 UTC
REPORT TYPE	Autonomous Full-Spectrum BI & Exploratory Audit
ANALYTICAL INTEGRITY	Strict Empirical Grounding (100% Calculated Statistics)
SECURITY CLASSIFICATION	Confidential Enterprise Intelligence

Executive Governance Notice: This document contains proprietary data telemetry and automated statistical audits compiled by Aether Copilot AI. All metrics, correlations, and frequency distributions are computed strictly from verified local observations. Raw confidential records were not leaked or transmitted externally.

Executive Summary & Core Metrics

TOTAL RECORDS	TOTAL DIMENSIONS	DATA QUALITY SCORE
5	5	99/100
MISSING DATA RATE	**DUPLICATE RECORDS**	**DETECTED OUTLIERS**
4.0%	0	0

This executive intelligence report delivers a data-driven diagnostic evaluation for dataset **patients.csv**. The active version contains **5 validated records** characterized by **5 analytical features**. The autonomous engine evaluated data completeness, row uniqueness, attribute validity, and distribution symmetry, culminating in an overall Data Quality Score of **99/100**. The following sections outline the mathematical architecture, detected anomalies, multivariate relationships, and tactical remediation priorities.

Core Empirical Findings:

• The dataset contains 5 verified observations across 5 attributes with an overall Data Quality Score of 99/100.

• Data completeness is 96%, with 1 missing values concentrated in ['blood_pressure'].

• Strongest linear association exists between 'blood_pressure' and 'cholesterol' (r = 1.00, strong positive).

• Categorical concentration observed in 'department' where 'Cardiology' accounts for 60.0% of total entries.

Immediate Remediation Priorities:

• **[Operational — Priority: Low]** Monitor the dominant category 'Cardiology' in 'department' to identify potential sampling bias or operational dependency. Further domain validation is recommended.

• **[Analytical — Priority: Medium]** Evaluate 'blood_pressure' and 'cholesterol' for potential interaction terms or collinearity redundancy in multivariate regression.

• **[Data_Quality — Priority: Low]** Maintain automated schema validation checks on future dataset ingestion to ensure consistent type mappings.

1. Dataset Overview & Schema Architecture

Total Observations (Rows)	**5**
Feature Dimensions (Columns)	**5**
Continuous Numeric Attributes	3 (age, blood_pressure, cholesterol)
Categorical Discrete Attributes	1 (department)
Temporal / Datetime Fields	0 (None)
Estimated In-Memory Size	0.8 KB

2. Data Quality & Integrity Audit

Quality Dimension	Score	Benchmark	Dimension Assessment
Completeness	**96%**	>= 95.0%	Evaluates non-null cell proportions across all columnar vectors.
Uniqueness	**100%**	>= 98.0%	Penalizes duplicate record vectors across the observation matrix.
Validity	**100%**	>= 90.0%	Audits constant zero-variance features and pseudo-identifiers.
Consistency	**100%**	>= 85.0%	Measures type homogeneity and absence of extreme missing clusters.


3. Column Profile & Attribute Taxonomy

Attribute Name	Data Type	Classified Role	Non-Null	Missing (%)	Unique Count
patient_id	str	Identifier	5	0 (0.0%)	5
age	int64	Numeric	5	0 (0.0%)	5
blood_pressure	float64	Numeric	4	1 (20.0%)	4
cholesterol	int64	Numeric	5	0 (0.0%)	5
department	str	Categorical	5	0 (0.0%)	3

4. Descriptive Statistical Summary

Feature	Count	Mean	Std	Min	Q1	Median	Q3	Max	IQR	Skew
age	5	53.0	16.1	30.0	45.0	55.0	65.0	70.0	20.0	-0.61
blood_pressu	4	130.0	18.3	110.0	117.5	130.0	142.5	150.0	25.0	0.00
cholesterol	5	234.0	44.5	180.0	200.0	240.0	260.0	290.0	60.0	-0.02

5. Missing Data Analysis & Imputation Protocols




Missingness Alert: *1 attribute(s) contain null observations: blood_pressure (20.0%). Recommended strategy: Numerical median imputation for skewed features, mode imputation for categorical columns.*

6. Duplicate Record & Uniqueness Analysis


Row vector hash evaluation identified **0 duplicate observations** (0.0% of total records). All rows represent completely unique observation vectors.

7. Univariate Distribution Analysis




- **age**: Negatively Skewed (Left-tailed) (skew = -0.61, mean = 53.0, median = 55.0).
- **blood_pressure**: Approximately Symmetric (skew = 0.00, mean = 130.0, median = 130.0).
- **cholesterol**: Approximately Symmetric (skew = -0.02, mean = 234.0, median = 240.0).

8. Outlier & Statistical Anomaly Analysis




Feature	Lower Bound (1.5x IQR)	Upper Bound (1.5x IQR)	Outlier Count	Outlier (%)
age	15.00	95.00	0	0.0%
blood_pressure	80.00	180.00	0	0.0%
cholesterol	110.00	350.00	0	0.0%

9. Correlation & Multivariate Relationships




Feature X	Feature Y	Pearson r	Strength	Direction
blood_pressure	**cholesterol**	1.00	Strong positive	Positive
age	**blood_pressure**	0.99	Strong positive	Positive
age	**cholesterol**	0.98	Strong positive	Positive

10. Categorical & Cardinality Analysis



Categorical Feature	Unique Levels	Top Category	Top Count	Contribution (%)	Dominance Status
department	3	Cardiology	3	60.0%	Dominant (60.0%)

11. Chronological & Trend Analysis



No dedicated temporal datetime column identified. Row sequence evaluation utilized for chronological inspection.

12. Strategic AI & Statistical Insights

Market/Class Concentration in department (Confidence: 95%)

Observation: A single category dominates 'department'.

Mechanism & Context: Unbalanced distributions can cause machine learning classifiers to favor the majority class.

Operational Implication: *Stratified sampling or category grouping should be considered for predictive modeling.*

Significant Association: blood_pressure & cholesterol (Confidence: 95%)

Observation: Continuous variables 'blood_pressure' and 'cholesterol' show a strong positive.

Mechanism & Context: Colinear features provide shared variance and inform cross-dimensional drivers.

Operational Implication: *Changes in blood_pressure are strongly associated with changes in cholesterol. Note: Correlation does not imply causation.*

Central Tendency & Spread of age (Confidence: 95%)

Observation: Distribution shows median = 55.0, mean = 53.0 (std = 16.05).

Mechanism & Context: Discrepancy between median and mean signals distribution asymmetry.

Operational Implication: *Use median as primary measure of central tendency if skewness persists.*

13. Recommended Data Cleaning & Engineering Actions

Pipeline Category	Priority	Prescribed Remediation Action
Operational	**Low**	Monitor the dominant category 'Cardiology' in 'department' to identify potential sampling bias or operational dependency. Further domain validation is recommended.
Analytical	**Medium**	Evaluate 'blood_pressure' and 'cholesterol' for potential interaction terms or collinearity redundancy in multivariate regression.
Data_Quality	**Low**	Maintain automated schema validation checks on future dataset ingestion to ensure consistent type mappings.

14. Technical Appendix & Audit Provenance

Mathematical Formulation	• **Tukey's IQR Outlier Rule:** Bounds defined as [Q1 - 1.5*IQR, Q3 + 1.5*IQR]. • **Pearson Correlation:** r = cov(X, Y) / (std(X) * std(Y)). • **Fisher-Pearson Skewness:** g1 = m3 / (m2^(3/2)) evaluating distributional asymmetry.
Data Quality Rubric	Overall score computed as: Completeness (35%) + Uniqueness (25%) + Validity (20%) + Consistency (20%). Penalties scale strictly with null percentage, duplicate records, and constant zero-variance columns.
Storage & Security Verification	Compiled in isolated memory buffer without temporary disk leaks. Raw sensitive rows remain restricted to the local SQLite storage repository. All visualizations rendered via Matplotlib Agg engine.
Platform & Compiler Provenance	Generated by Aether Copilot AI Architecture • Python 3.0.5 / NumPy 2.5.2 / ReportLab. Document build timestamp: 2026-10-07 20:06:57 UTC.