

### ❖ ASSIGNMENT NO :3

**AIM: design atleast 10 SQL queries for suitable database application using SQL/DML statement:all types of joints,sub-query ands view.**

```
(base) sspm@sspm:~$ sudo su [sudo] password
for sspm: root@sspm:/home/sspm# service start
mysqld start
start: unrecognized service
root@sspm:/home/sspm# mysql -u root -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.30-0ubuntu0.20.04.2 (Ubuntu)
```

Copyright (c) 2000, 2022, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> create database lib; Query
OK, 1 row affected (0.21 sec)
```

```
mysql> use lib;
Database changed
mysql> create table book(book_id int,book_name varchar(25),author varchar(35),publisher
varchar(30));
Query OK, 0 rows affected (0.60 sec)
```

```
mysql> desc book;
+-----+-----+-----+-----+-----+-----+
| Field | Type  | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| book_id | int   | YES  |     | NULL    |      |
| book_name | varchar(25) | YES  |     | NULL    |      |
| author   | varchar(35) | YES  |     | NULL    |      |
| publisher | varchar(30) | YES  |     | NULL    |      |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

```
mysql> insert into
book(book_id,book_name,author,publisher)values(1,'DBMS','Korth','MCGrawhill'),
```

```
(2,'SSPM','pressman','Addison'),(3,'ISEE','Rahul de','Wileyindia'),(4,'Computer
Network','J.S.Katre','Veenay Gandhi');
Query OK, 4 rows affected (0.13 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> select * from book;
```

book_id	book_name	author	publisher
1	DBMS	Korth	McGrawhill
2	SSPM	pressman	Addison
3	ISEE	Rahul de	Wileyindia
4	Computer Network	J.S.Katre	Veenay Gandhi

```
4 rows in set (0.00 sec)
```

```
mysql> create table stud(roll_no int,name varchar(15),book_name varchar(25));
Query OK, 0 rows affected (0.55 sec)
```

```
mysql> insert into stud(roll_no,name,book_name)values(201,'tejasvi','DBMS'),
(202,'siddhu','Computer Network'),(203,'kriss','Mobile Computing'),(204,'omkar','Data Structure');
Query OK, 4 rows affected (0.13 sec) Records:
4 Duplicates: 0 Warnings: 0
```

```
mysql> select * from stud;
```

roll_no	name	book_name
201	rohit	DBMS
202	siddhu	Computer Network
203	kriss	Mobile Computing
204	omkar	Data Structure

```
4 rows in set (0.00 sec)
```

```
mysql> select book.book_id,author from book inner join stud on
book.book_name=stud.book_name;
```

book_id	author
1	Korth
4	J.S.Katre

```
+-----+-----+ 2
rows in set (0.00 sec)
```

```
mysql> select book.book_id,book.book_name,book.author,stud.roll_no,stud.name from book left
outer join stud on book.book_name=stud.book_name; +-----+-----+-----+-----+-----+
-----+
```

	book_id	book_name	author	roll_no	name
1	DBMS	Korth	201	rohit	
2	SSPM	pressman	NULL	NULL	
3	ISEE	Rahul de	NULL	NULL	
4	Computer Network	J.S.Katre	202	siddhu	

4 rows in set (0.00 sec)

```
mysql> select book.book_id,book.book_name,stud.roll_no from book right outer join stud on
book.book_name=stud.book_name;
```

	book_id	book_name	roll_no
1	DBMS	201	
4	Computer Network	202	
	NULL	NULL	203
	NULL	NULL	204

4 rows in set (0.00 sec)

```
mysql> create view v2 as select roll_no,book_id,name from book,stud;
Query OK, 0 rows affected (0.16 sec)
```

```
mysql> select * from v2;
```

	roll_no	book_id	name
201	4	rohit	
201	3	rohit	
201	2	rohit	
201	1	rohit	
202	4	siddhu	
202	3	siddhu	
202	2	siddhu	
202	1	siddhu	
203	4	kriss	
203	3	kriss	
203	2	kriss	
203	1	kriss	
204	4	omkar	
204	3	omkar	

```
| 204 | 2 | omkar |
| 204 | 1 | omkar |
+-----+-----+-----+ 16
rows in set (0.00 sec)
```

```
mysql> select book_name from book where book where book_id=(select book_id where
author='korth');
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'where book\_id=(select book\_id where author='korth')' at line 1

```
mysql> select book_name from book where book_id=(select book_id where author='korth'); +-----
-----+
```

```
| book_name |
```

```
+-----+
```

```
| DBMS      |
```

```
+-----+
```

```
1 row in set (0.02 sec)
```

